

Package ‘pomp’

March 22, 2014

Type Package

Title Statistical inference for partially observed Markov processes

Version 0.49-1

Date 2014-03-22

URL <http://pomp.r-forge.r-project.org>

Description Inference methods for partially-observed Markov processes

Depends R(>= 2.14.1), stats, graphics, methods, mvtnorm, subplex, nloptr, deSolve

License GPL(>= 2)

LazyData true

BuildVignettes true

MailingList

Subscribe to pomp-announce@r-forge.r-project.org for announcements by going to <http://lists.r-forge.r-project.org/mailman/listinfo/pomp-announce>.

Collate aaa.R authors.R generics.R version.R eulermultinom.R

plugins.R parmat.R logmeanexp.R slice-design.R profile-design.R sobol.R bsplines.R sannbox.R
pomp-fun.R pomp-class.R pomp.R pomp-methods.R
rmeasure-pomp.R rprocess-pomp.R init-state-pomp.R
dmeasure-pomp.R dprocess-pomp.R skeleton-pomp.R dprior-pomp.R rprior-pomp.R
simulate-pomp.R trajectory-pomp.R plot-pomp.R
pfilter.R pfilter-methods.R minim.R traj-match.R bsmc.R
mif-class.R particles-mif.R mif.R mif-methods.R compare-mif.R
pmcmc.R pmcmc-methods.R compare-pmcmc.R nlf-funcs.R nlf-guts.R nlf-objfun.R nlf.R
probe.R probe-match.R basic-probes.R spect.R spect-match.R abc.R abc-methods.R
builder.R example.R

R topics documented:

pomp-package	3
abc	4
abc-methods	6
B-splines	7
basic.probes	8
blowflies	10
bsmc	11
dacca	13
eulermultinom	14
gompertz	16
logmeanexp	17
LondonYorke	18
mif	19
mif-methods	22
nlf	23
ou2	26
parmat	26
pfilter	27
pfilter-methods	29
plugins	31
pmcmc	34
pmcmc-methods	36
pomp	37
pomp-methods	43
pompBuilder	46
pompExample	48
probe	49
probed.pomp-methods	52
profileDesign	54
ricker	55
rw2	55
sannbox	56
simulate-pomp	57
sir	59
sliceDesign	60
sobol	61
spect	62
traj.match	65
trajectory	67
verhulst	69

Description

The **pomp** package provides facilities for inference on time series data using partially-observed Markov processes (AKA state-space models or nonlinear stochastic dynamical systems). One can use **pomp** to fit nonlinear, non-Gaussian dynamic models to time-series data. The first step in using **pomp** is to encode one's model and data in an object of class `pomp`. One does this via a call to `pomp`, which involves specifying the process and measurement components of the model in one or more of a variety of ways. Details on this are given in the documentation for the `pomp` function and examples are given in the 'intro_to_pomp' vignette.

Currently, **pomp** provides algorithms for (i) simulation of stochastic dynamical systems (see `simulate`), (ii) particle filtering (AKA sequential Monte Carlo or sequential importance sampling), see `pfilter`), (iii) the iterated filtering method of Ionides et al. (2006), see `mif`), (iv) the nonlinear forecasting algorithm of Kendall et al. (2005), see `nlf`), (v) the particle MCMC approach of Andrieu et al. (2010), see `pmcmc`, (vi) basic trajectory matching, see `traj.match`, (vi) the probe-matching method of Wood (2010) and Kendall et al. (1999), see `probe.match`, (vii) a spectral probe-matching method (Reuman et al., 2006), see `spect.match`. See the package website <http://pomp.r-forge.r-project.org> for these references. The package also provides various tools for plotting and extracting information on models and data as well as an API for algorithm development. Future support for additional algorithms is envisioned, and implementations of the Bayesian sequential Monte Carlo approach of Liu & West. Much of the work in **pomp** has been done under the auspices of a working group of the National Center for Ecological Analysis and Synthesis (NCEAS), "Inference for Mechanistic Models".

The package is provided under the GNU Public License (GPL). Contributions are welcome, as are comments, suggestions for improvements, and bug reports. See the package website <http://pomp.r-forge.r-project.org> for more information, access to the package mailing list, links to the authors' websites, and references to the literature.

Classes

pomp makes extensive use of S4 classes. The basic class, `pomp`, encodes a partially-observed Markov process together with a uni- or multi-variate data set and (possibly) parameters.

Vignettes

The vignette 'Introduction to pomp' illustrates the facilities of the package using familiar stochastic processes. Methods for accelerating your codes are discussed in the 'Advanced topics in pomp' vignette. These vignettes are installed in the package doc directory and are accessible via the HTML documentation. They can also be viewed at <http://pomp.r-forge.r-project.org>.

Author(s)

Aaron A. King <kingaa at umich dot edu>

See Also

[pomp](#), [pfilter](#), [simulate](#), [trajectory](#), [mif](#), [nlf](#), [probe.match](#), [traj.match](#), [bsmc](#), [pmcmc](#)

abc

The ABC algorithm

Description

The approximate Bayesian computation (ABC) algorithm for estimating the parameters of a partially-observed Markov process.

Usage

```
## S4 method for signature 'pomp'
abc(object, Nabc = 1, start, pars,
     rw.sd, probes, scale, epsilon,
     verbose = getOption("verbose"), transform = FALSE, ...)
## S4 method for signature 'probed.pomp'
abc(object, probes,
     verbose = getOption("verbose"), transform = FALSE, ...)
## S4 method for signature 'abc'
abc(object, Nabc, start, pars,
     rw.sd, probes, scale, epsilon,
     verbose = getOption("verbose"), transform, ...)
## S4 method for signature 'abc'
continue(object, Nabc = 1, ...)
```

Arguments

object	An object of class <code>pomp</code> .
Nabc	The number of ABC iterations to perform.
start	named numeric vector; the starting guess of the parameters.
pars	optional character vector naming the ordinary parameters to be estimated. Every parameter named in <code>pars</code> must have a positive random-walk standard deviation specified in <code>rw.sd</code> . Leaving <code>pars</code> unspecified is equivalent to setting it equal to the names of all parameters with a positive value of <code>rw.sd</code> .
rw.sd	numeric vector with names; used to parameterize a Gaussian random walk MCMC proposal. The random walk is only applied to parameters named in <code>pars</code> . The algorithm requires that the random walk be nontrivial, so each element in <code>rw.sd[pars]</code> must be positive. The following must be satisfied: <code>names(rw.sd)</code> must be a subset of <code>names(start)</code> , <code>rw.sd</code> must be non-negative (zeros are simply ignored), the name of every positive element of <code>rw.sd</code> must be in <code>pars</code> .
probes	
scale	

epsilon	
verbose	logical; if TRUE, print progress reports.
transform	logical; if TRUE, optimization is performed on the transformed scale.
...	Additional arguments. These are currently ignored.

Value

An object of class `abc`. This class inherits from class `probed.pomp` and contains the following additional slots:

pars, Nabc, dprior, hyperparams, transform, scale, epsilon These slots hold the values of the corresponding arguments of the call to `abc`.

random.walk.sd a named numeric vector containing the random-walk variances used to parameterize a Gaussian random walk MCMC proposal.

probes, conv.rec

Re-running ABC Iterations

To re-run a sequence of ABC iterations, one can use the `abc` method on a `abc` object. By default, the same parameters used for the original ABC run are re-used (except for `tol`, `max.fail`, and `verbose`, the defaults of which are shown above). If one does specify additional arguments, these will override the defaults.

Continuing ABC Iterations

One can continue a series of ABC iterations from where one left off using the `continue` method. A call to `abc` to perform $N_{abc}=m$ iterations followed by a call to `continue` to perform $N_{abc}=n$ iterations will produce precisely the same effect as a single call to `abc` to perform $N_{abc}=m+n$ iterations. By default, all the algorithmic parameters are the same as used in the original call to `abc`. Additional arguments will override the defaults.

Details

TO APPEAR.

Author(s)

Edward L. Ionides <ionides at umich dot edu>, Aaron A. King <kingaa at umich dot edu>

References

- T. Toni and M. P. H. Stumpf, Simulation-based model selection for dynamical systems in systems and population biology, *Bioinformatics* 26:104–110, 2010.
- T. Toni, D. Welch, N. Strelkowa, A. Ipsen, and M. P. H. Stumpf, Approximate Bayesian computation scheme for parameter inference and model selection in dynamical systems *Journal of the Royal Society, Interface* 6:187–202, 2009.

See Also

[abc-methods](#), [pomp](#), [probe](#). See the “intro_to_pomp” vignette for an example

abc-methods

Methods of the "abc" class

Description

Methods of the "abc" class.

Usage

```
## S4 method for signature 'abc'
conv.rec(object, pars, ...)
## S4 method for signature 'abc'
plot(x, y, pars, scatter = FALSE, ...)
## S4 method for signature 'abc'
dprior(object, params, log = FALSE, ...)
```

Arguments

object, x	The abc object.
pars	Names of parameters.
y	Ignored.
scatter	WHAT DOES THIS DO?
params	Named vector of parameters.
log	if TRUE, log probabilities are returned.
...	Further arguments (either ignored or passed to underlying functions).

Methods

conv.rec `conv.rec(object, pars = NULL)` returns the columns of the convergence-record matrix corresponding to the names in `pars`. By default, all rows are returned.

plot Plots a series of diagnostic plots.

Author(s)

Edward L. Ionides <ionides at umich dot edu>, Aaron A. King <kingaa at umich dot edu>

See Also

[abc](#), [pomp](#)

B-splines

*B-spline bases***Description**

These functions generate B-spline basis functions. `bspline.basis` gives a basis of spline functions. `periodic.bspline.basis` gives a basis of periodic spline functions.

Usage

```
bspline.basis(x, nbasis, degree = 3, names = NULL)
periodic.bspline.basis(x, nbasis, degree = 3, period = 1, names = NULL)
```

Arguments

<code>x</code>	Vector at which the spline functions are to be evaluated.
<code>nbasis</code>	The number of basis functions to return.
<code>degree</code>	Degree of requested B-splines.
<code>period</code>	The period of the requested periodic B-splines.
<code>names</code>	optional; the names to be given to the basis functions. These will be the column-names of the matrix returned. If the names are specified as a format string (e.g., "basis%d"), <code>sprintf</code> will be used to generate the names from the column number. If a single non-format string is specified, the names will be generated by <code>paste</code> -ing name to the column number. One can also specify each column name explicitly by giving a length-nbasis string vector. By default, no column-names are given.

Details

Direct access to the underlying C routines is available. See the header file "pomp.h" for details.

Value

<code>bspline.basis</code>	Returns a matrix with <code>length(x)</code> rows and <code>nbasis</code> columns. Each column contains the values one of the spline basis functions.
<code>periodic.bspline.basis</code>	Returns a matrix with <code>length(x)</code> rows and <code>nbasis</code> columns. The basis functions returned are periodic with period <code>period</code> .

Author(s)

Aaron A. King <kingaa at umich dot edu>

Examples

```
x <- seq(0,2,by=0.01)
y <- bspline.basis(x,degree=3,nbasis=9,names="basis")
matplot(x,y,type='l',ylim=c(0,1.1))
lines(x,apply(y,1,sum),lwd=2)

x <- seq(-1,2,by=0.01)
y <- periodic.bspline.basis(x,nbasis=5,names="spline%d")
matplot(x,y,type='l')
```

basic.probes

Some probes for partially-observed Markov processes

Description

Several simple and configurable probes are provided in the package. These can be used directly and as examples for building custom probes.

Usage

```
probe.mean(var, trim = 0, transform = identity, na.rm = TRUE)
probe.median(var, na.rm = TRUE)
probe.var(var, transform = identity, na.rm = TRUE)
probe.sd(var, transform = identity, na.rm = TRUE)
probe.marginal(var, ref, order = 3, diff = 1, transform = identity)
probe.nlar(var, lags, powers, transform = identity)
probe.acf(var, lags, type = c("covariance", "correlation"),
  transform = identity)
probe.ccf(vars, lags, type = c("covariance", "correlation"),
  transform = identity)
probe.period(var, kernel.width, transform = identity)
probe.quantile(var, prob, transform = identity)
```

Arguments

var, vars	character; the name(s) of the observed variable(s).
trim	the fraction of observations to be trimmed (see mean).
transform	transformation to be applied to the data before the probe is computed.
na.rm	if TRUE, remove all NA observations prior to computing the probe.
kernel.width	width of modified Daniell smoothing kernel to be used in power-spectrum computation: see kernel .
prob	a single probability; the quantile to compute: see quantile .
lags	In <code>probe.ccf</code> , a vector of lags between time series. Positive lags correspond to x advanced relative to y; negative lags, to the reverse. In <code>probe.nlar</code> , a vector of lags present in the nonlinear autoregressive model that will be fit to the actual and simulated data. See Details, below, for a precise description.

powers	the powers of each term (corresponding to lags) in the the nonlinear autoregressive model that will be fit to the actual and simulated data. See Details, below, for a precise description.
type	Compute autocorrelation or autocovariance?
ref	empirical reference distribution. Simulated data will be regressed against the values of ref, sorted and, optionally, differenced. The resulting regression coefficients capture information about the shape of the marginal distribution. A good choice for ref is the data itself.
order	order of polynomial regression.
diff	order of differencing to perform.
...	Additional arguments to be passed through to the probe computation.

Details

Each of these functions is relatively simple. See the source code for a complete understanding of what each does.

`probe.mean`, `probe.median`, `probe.var`, `probe.sd` return functions that compute the mean, median, variance, and standard deviation of variable `var`, respectively.

`probe.period` returns a function that estimates the period of the Fourier component of the `var` series with largest power.

`probe.marginal` returns a function that regresses the marginal distribution of variable `var` against the reference distribution `ref`. If `diff>0`, the data and the reference distribution are first differenced `diff` times and centered. Polynomial regression of order `order` is used. This probe returns order regression coefficients (the intercept is zero).

`probe.nlar` returns a function that fit a nonlinear (polynomial) autoregressive model to the univariate series (variable `var`). Specifically, a model of the form $y_t = \sum \beta_k y_{t-\tau_k}^{p_k} + \epsilon_t$ will be fit, where τ_k are the lags and p_k are the powers. The data are first centered. This function returns the regression coefficients, β_k .

`probe.acf` returns a function that, if `type=="covariance"`, computes the autocovariance of variable `var` at lags `lags`; if `type=="correlation"`, computes the autocorrelation of variable `var` at lags `lags`.

`probe.ccf` returns a function that, if `type=="covariance"`, computes the cross covariance of the two variables named in `vars` at lags `lags`; if `type=="correlation"`, computes the cross correlation.

`probe.quantile` returns a function that estimates the `prob`-th quantile of variable `var`.

Value

A call to any one of these functions returns a probe function, suitable for use in `probe` or `probe.match`. That is, the function returned by each of these takes a data array (such as comes from a call to `obs`) as input and returns a single numerical value.

Author(s)

Daniel C. Reuman (d.reuman at imperial dot ac dot uk)

Aaron A. King (kingaa at umich dot edu)

References

- B. E. Kendall, C. J. Briggs, W. M. Murdoch, P. Turchin, S. P. Ellner, E. McCauley, R. M. Nisbet, S. N. Wood Why do populations cycle? A synthesis of statistical and mechanistic modeling approaches, *Ecology*, 80:1789–1805, 1999.
- S. N. Wood Statistical inference for noisy nonlinear ecological dynamic systems, *Nature*, 466: 1102–1104, 2010.

See Also

[pomp-class](#), [pomp-methods](#)

blowflies	<i>Model for Nicholson's blowflies.</i>
-----------	---

Description

blowflies1 and blowflies2 are pomp objects encoding stochastic delay-difference models.

Details

The data are from "population I", a control culture in one of A. J. Nicholson's experiments with the Australian sheep-blowfly *Lucilia cuprina*. The experiment is described on pp. 163–4 of Nicholson (1957). Unlimited quantities of larval food were provided; the adult food supply (ground liver) was constant at 0.4g per day. The data were taken from the table provided by Brillinger et al. (1980).

The models are discrete delay equations:

$$R(t+1) \sim \text{Poisson}(PN(t-\tau) \exp(-N(t-\tau)/N_0)e(t+1)\Delta t)$$

$$S(t+1) \sim \text{binomial}(N(t), \exp(-\delta\epsilon(t+1)\Delta t))$$

$$N(t) = R(t) + S(t)$$

where $e(t)$ and $\epsilon(t)$ are Gamma-distributed i.i.d. random variables with mean 1 and variances $\sigma_p^2/\Delta t$, $\sigma_d^2/\Delta t$, respectively. blowflies1 has a timestep (Δt) of 1 day, and blowflies2 has a timestep of 2 days. The process model in blowflies1 thus corresponds exactly to that studied by Wood (2010). The measurement model in both cases is taken to be

$$y(t) \sim \text{negbin}(N(t), 1/\sigma_y^2)$$

, i.e., the observations are assumed to be negative-binomially distributed with mean $N(t)$ and variance $N(t) + (\sigma_y N(t))^2$.

Do

```
file.show(system.file("examples", "blowflies.R", package="pomp"))
```

to view the code that constructs these pomp objects.

References

- A. J. Nicholson (1957) The self-adjustment of populations to change. Cold Spring Harbor Symposia on Quantitative Biology, **22**, 153–173.
- Y. Xia and H. Tong (2011) Feature Matching in Time Series Modeling. *Statistical Science* **26**, 21–46.
- E. L. Ionides (2011) Discussion of “Feature Matching in Time Series Modeling” by Y. Xia and H. Tong. *Statistical Science* **26**, 49–52.
- S. N. Wood (2010) Statistical inference for noisy nonlinear ecological dynamic systems. *Nature* **466**, 1102–1104.
- W. S. C. Gurney, S. P. Blythe, and R. M. Nisbet (1980) Nicholson’s blowflies revisited. *Nature* **287**, 17–21.
- D. R. Brillinger, J. Guckenheimer, P. Guttorp and G. Oster (1980) Empirical modelling of population time series: The case of age and density dependent rates. in G. Oster (ed.), Some Questions in Mathematical Biology, vol. 13, pp. 65–90. American Mathematical Society, Providence.

See Also

[pomp-class](#) and the vignettes

Examples

```
pompExample(blowflies)
plot(blowflies1)
plot(blowflies2)
```

bsmc

Liu and West Bayesian Particle Filter

Description

Generates draws from the posterior distribution for the parameters using the Liu and West algorithm. bsmc gives draws from the posterior.

Usage

```
## S4 method for signature 'pomp'
bsmc(object, params, Np, est, smooth = 0.1,
      ntries = 1, tol = 1e-17, lower = -Inf, upper = Inf, seed = NULL,
      verbose = getOption("verbose"), max.fail = 0,
      transform = FALSE, ...)
```

Arguments

<code>object</code>	An object of class <code>pomp</code> or inheriting class <code>pomp</code> .
<code>params, Np</code>	Specifications for the prior distribution of particles. See details below.
<code>est</code>	Names of the rows of <code>params</code> that are to be estimated. No updates will be made to the other parameters. If <code>est</code> is not specified, all parameters for which there is variation in <code>params</code> will be estimated.
<code>smooth</code>	Kernel density smoothing parameters. The compensating shrinkage factor will be $\sqrt{1-\text{smooth}^2}$. Thus, <code>smooth=0</code> means that no noise will be added to parameters. Generally, the value of <code>smooth</code> should be chosen close to 0 (i.e., $\text{shrink} \sim 0.1$).
<code>ntries</code>	Number of draws from <code>rprocess</code> per particle used to estimate the expected value of the state process at time $t+1$ given the state and parameters at time t .
<code>tol</code>	Particles with log likelihood below <code>tol</code> are considered to be “lost”. A filtering failure occurs when, at some time point, all particles are lost. When all particles are lost, the conditional log likelihood at that time point is set to be $\log(\text{tol})$.
<code>lower, upper</code>	optional; lower and upper bounds on the priors. This is useful in case there are box constraints satisfied by the priors. The posterior is guaranteed to lie within these bounds.
<code>seed</code>	optional; an object specifying if and how the random number generator should be initialized (‘seeded’). If <code>seed</code> is an integer, it is passed to <code>set.seed</code> prior to any simulation and is returned as the “seed” element of the return list. By default, the state of the random number generator is not changed and the value of <code>.Random.seed</code> on the call is stored in the “seed” element of the return list.
<code>verbose</code>	logical; if TRUE, print diagnostic messages.
<code>max.fail</code>	The maximum number of filtering failures allowed. If the number of filtering failures exceeds this number, execution will terminate with an error.
<code>transform</code>	logical; if TRUE, the algorithm operates on the transformed scale.
<code>...</code>	currently ignored.

Details

There are two ways to specify the prior distribution of particles. If `params` is unspecified or is a named vector, `Np` draws are made from the prior distribution, as specified by `rprior`. Alternatively, `params` can be specified as an `npars x Np` matrix (with rownames).

Value

An object of class “`bsmcd.pomp`”. The “`params`” slot of this object will hold the parameter posterior medians. The slots of this class include:

<code>post</code>	A matrix containing draws from the approximate posterior distribution.
<code>prior</code>	A matrix containing draws from the prior distribution (identical to <code>params</code> on call).
<code>eff.sample.size</code>	A vector containing the effective number of particles at each time point.

smooth	The smoothing parameter used (see above).
seed	The state of the random number generator at the time bsmc was called. If the argument seed was specified, this is a copy; if not, this is the internal state of the random number generator at the time of call.
nfail	The number of filtering failures encountered.
cond.log.evidence	A vector containing the conditional log evidence scores at each time point.
log.evidence	The estimated log evidence.
weights	The resampling weights for each particle.

Author(s)

Michael Lavine (lavine at math dot umass dot edu), Matthew Ferrari (mferrari at psu dot edu), Aaron A. King

See Also

[pomp-class](#)

Examples

```
## See the vignettes for examples.
```

dacca	<i>Model of cholera transmission for historic Bengal.</i>
-------	---

Description

dacca is a pomp object containing census and cholera mortality data from the Dacca district of the former British province of Bengal over the years 1891 to 1940 together with a stochastic differential equation transmission model. The model is that of King et al. (2008). The parameters are the MLE for the SIRS model with seasonal reservoir.

Data are provided courtesy of Dr. Menno J. Bouma, London School of Tropical Medicine and Hygiene.

Details

dacca is a pomp object containing the model, data, and MLE parameters. Parameters that naturally range over the positive reals are log-transformed; parameters that range over the unit interval are logit-transformed; parameters that are naturally unbounded or take integer values are not transformed.

References

King, A. A., Ionides, E. L., Pascual, M., and Bouma, M. J. Inapparent infections and cholera dynamics. *Nature* 454:877-880 (2008)

See Also

[euler.sir](#), [pomp](#)

Examples

```
pompExample(dacca)
plot(dacca)
#MLEs on the natural scale
coef(dacca)
#MLEs on the transformed scale
coef(dacca,transform=TRUE)
plot(simulate(dacca))
# now change 'eps' and simulate again
coef(dacca,"eps") <- 1
plot(simulate(dacca))
```

eulermultinom

Euler-multinomial death process

Description

Density and random-deviate generation for the Euler-multinomial death process with parameters size, rate, and dt.

Usage

```
reulermultinom(n = 1, size, rate, dt)
deulermultinom(x, size, rate, dt, log = FALSE)
rgammawn(n = 1, sigma, dt)
```

Arguments

n	integer; number of random variates to generate.
size	scalar integer; number of individuals at risk.
rate	numeric vector of hazard rates.
sigma	numeric scalar; intensity of the Gamma white noise process.
dt	numeric scalar; duration of Euler step.
x	matrix or vector containing number of individuals that have succumbed to each death process.
log	logical; if TRUE, return logarithm(s) of probabilities.

Details

If N individuals face constant hazards of death in k ways at rates r_1, r_2, \dots, r_k , then in an interval of duration Δt , the number of individuals remaining alive and dying in each way is multinomially distributed:

$$(N - \sum_{i=1}^k \Delta n_i, \Delta n_1, \dots, \Delta n_k) \sim \text{multinomial}(N; p_0, p_1, \dots, p_k),$$

where Δn_i is the number of individuals dying in way i over the interval, the probability of remaining alive is $p_0 = \exp(-\sum_i r_i \Delta t)$, and the probability of dying in way j is

$$p_j = \frac{r_j}{\sum_i r_i} (1 - \exp(-\sum_i r_i \Delta t)).$$

In this case, we can say that

$$(\Delta n_1, \dots, \Delta n_k) \sim \text{eulermultinom}(N, r, \Delta t),$$

where $r = (r_1, \dots, r_k)$. Draw m random samples from this distribution by doing

```
dn <- reulermultinom(n=m, size=N, rate=r, dt=dt),
```

where r is the vector of rates. Evaluate the probability that $x = (x_1, \dots, x_k)$ are the numbers of individuals who have died in each of the k ways over the interval $\Delta t = dt$, by doing

```
deulermultinom(x=x, size=N, rate=r, dt=dt).
```

Breto & Ionides discuss how an infinitesimally overdispersed death process can be constructed by compounding a binomial process with a Gamma white noise process. The Euler approximation of the resulting process can be obtained as follows. Let the increments of the equidispersed process be given by

```
reulermultinom(size=N, rate=r, dt=dt).
```

In this expression, replace the rate r with $r \Delta W / \Delta t$, where $\Delta W \sim \text{Gamma}(dt/\sigma^2, \sigma^2)$ is the increment of an integrated Gamma white noise process with intensity σ . That is, ΔW has mean Δt and variance $\sigma^2 \Delta t$. The resulting process is overdispersed and converges (as Δt goes to zero) to a well-defined process. The following lines of R code accomplish this:

```
dW <- rgammaawn(sigma=sigma, dt=dt)
```

```
dn <- reulermultinom(size=N, rate=r, dt=dW)
```

or

```
dn <- reulermultinom(size=N, rate=r*dW/dt, dt=dt).
```

He et al. use such overdispersed death processes in modeling measles.

For all of the functions described here, direct access to the underlying C routines is available: see the header file “pomp.h”, included with the package.

Value

`reulermultinom` Returns a `length(rate)` by `n` matrix. Each column is a different random draw. Each row contains the numbers of individuals succumbed to the corresponding process.

- `deulermultinom` Returns a vector (of length equal to the number of columns of `x`) containing the probabilities of observing each column of `x` given the specified parameters (`size`, `rate`, `dt`).
- `rgammawn` Returns a vector of length `n` containing random increments of the integrated Gamma white noise process with intensity `sigma`.

Author(s)

Aaron A. King <kingaa at umich dot edu>

References

- C. Bret'ó & E. L. Ionides, Compound Markov counting processes and their applications to modeling infinitesimally over-dispersed systems. *Stoch. Proc. Appl.*, 121:2571–2591, 2011.
- D. He, E. L. Ionides, & A. A. King, Plug-and-play inference for disease dynamics: measles in large and small populations as a case study. *J. R. Soc. Interface*, 7:271–283, 2010.

Examples

```
print(dn <- reulermultinom(5,size=100,rate=c(a=1,b=2,c=3),dt=0.1))
deulermultinom(x=dn,size=100,rate=c(1,2,3),dt=0.1)
## an Euler-multinomial with overdispersed transitions:
dt <- 0.1
dW <- rgammawn(sigma=0.1,dt=dt)
print(dn <- reulermultinom(5,size=100,rate=c(a=1,b=2,c=3),dt=dW))
```

gompertz

Gompertz model with log-normal observations.

Description

`gompertz` is a `pomp` object encoding a stochastic Gompertz population model with log-normal measurement error.

Details

The state process is $X_{t+1} = K^{1-S} X_t^S \epsilon_t$, where $S = e^{-r}$ and the ϵ_t are i.i.d. lognormal random deviates with variance σ^2 . The observed variables Y_t are distributed as $\text{lognormal}(\log X_t, \tau)$. Parameters include the per-capita growth rate r , the carrying capacity K , the process noise s.d. σ , the measurement error s.d. τ , and the initial condition X_0 . The `pomp` object includes parameter transformations that log-transform the parameters for estimation purposes.

See Also

[pomp-class](#) and the "intro_to_pomp" vignette.

Examples

```
pompExample(gompertz)
plot(gompertz)
coef(gompertz)
coef(gompertz, transform=TRUE)
```

logmeanexp

The log-mean-exp trick

Description

logmeanexp computes the log-mean-exp of a set of numbers.

Usage

```
logmeanexp(x, se = FALSE)
```

Arguments

x	numeric
se	logical; give approximate standard error?

Value

$\log(\text{mean}(\exp(x)))$ computed so as to avoid over- or underflow. If `se = FALSE`, the approximate standard error is returned as well.

Author(s)

Aaron A. King <kingaa at umich dot edu>

Examples

```
## generate a bifurcation diagram for the Ricker map
pompExample(ricker)
ll <- replicate(n=5, logLik(pfilter(ricker, Np=1000)))
## an estimate of the log likelihood:
logmeanexp(ll)
logmeanexp(ll, se=TRUE)
```

LondonYorke

Historical childhood disease incidence data

Description

LondonYorke is a data-frame containing the monthly number of reported cases of chickenpox, measles, and mumps from two American cities (Baltimore and New York) in the mid-20th century (1928–1972).

Usage

```
data(LondonYorke)
```

References

W. P. London and J. A. Yorke, Recurrent Outbreaks of Measles, Chickenpox and Mumps: I. Seasonal Variation in Contact Rates, American Journal of Epidemiology, 98:453–468, 1973.

Examples

```
data(LondonYorke)

plot(cases~time,data=LondonYorke,subset=disease=="measles",type='n',main="measles",bty='l')
lines(cases~time,data=LondonYorke,subset=disease=="measles"&town=="Baltimore",col="red")
lines(cases~time,data=LondonYorke,subset=disease=="measles"&town=="New York",col="blue")
legend("topright",legend=c("Baltimore","New York"),lty=1,col=c("red","blue"),bty='n')

plot(
  cases~time,
  data=LondonYorke,
  subset=disease=="chickenpox"&town=="New York",
  type='l',col="blue",main="chickenpox, New York",
  bty='l'
)

plot(
  cases~time,
  data=LondonYorke,
  subset=disease=="mumps"&town=="New York",
  type='l',col="blue",main="mumps, New York",
  bty='l'
)
```

mif

*The MIF algorithm***Description**

The MIF algorithm for estimating the parameters of a partially-observed Markov process.

Usage

```
mif(object, ...)
## S4 method for signature 'pomp'
mif(object, Nmif = 1, start, pars, ivps = character(0),
    particles, rw.sd, Np, ic.lag, var.factor,
    cooling.type, cooling.fraction, cooling.factor,
    method = c("mif", "unweighted", "fp", "mif2"),
    tol = 1e-17, max.fail = Inf,
    verbose = getOption("verbose"), transform = FALSE, ...)
## S4 method for signature 'pfilterd.pomp'
mif(object, Nmif = 1, Np, tol, ...)
## S4 method for signature 'mif'
mif(object, Nmif, start, ivps,
    particles, rw.sd, Np, ic.lag, var.factor,
    cooling.type, cooling.fraction,
    method, tol, transform, ...)
## S4 method for signature 'mif'
continue(object, Nmif = 1, ...)
```

Arguments

object	An object of class pomp.
Nmif	The number of MIF iterations to perform.
start	named numerical vector; the starting guess of the parameters.
pars	optional character vector naming the ordinary parameters to be estimated. Every parameter named in pars must have a positive random-walk standard deviation specified in rw.sd. Leaving pars unspecified is equivalent to setting it equal to the names of all parameters with a positive value of rw.sd that are not ivps.
ivps	optional character vector naming the initial-value parameters (IVPs) to be estimated. Every parameter named in ivps must have a positive random-walk standard deviation specified in rw.sd. If pars is empty, i.e., only IVPs are to be estimated, see below “Using MIF to estimate initial-value parameters only”.
particles	Function of prototype particles(Np, center, sd, ...) which sets up the starting particle matrix by drawing a sample of size Np from the starting particle distribution centered at center and of width sd. If particles is not supplied by the user, the default behavior is to draw the particles from a multivariate normal distribution with mean center and standard deviation sd.

<code>rw.sd</code>	numeric vector with names; the intensity of the random walk to be applied to parameters. The random walk is only applied to parameters named in <code>pars</code> (i.e., not to those named in <code>ivps</code>). The algorithm requires that the random walk be nontrivial, so each element in <code>rw.sd[pars]</code> must be positive. <code>rw.sd</code> is also used to scale the initial-value parameters (via the <code>particles</code> function). Therefore, each element of <code>rw.sd[ivps]</code> must be positive. The following must be satisfied: <code>names(rw.sd)</code> must be a subset of <code>names(start)</code> , <code>rw.sd</code> must be non-negative (zeros are simply ignored), the name of every positive element of <code>rw.sd</code> must be in either <code>pars</code> or <code>ivps</code> .
<code>Np</code>	the number of particles to use in filtering. This may be specified as a single positive integer, in which case the same number of particles will be used at each timestep. Alternatively, if one wishes the number of particles to vary across timestep, one may specify <code>Np</code> either as a vector of positive integers (of length <code>length(time(object, t0=TRUE))</code>) or as a function taking a positive integer argument. In the latter case, <code>Np(k)</code> must be a single positive integer, representing the number of particles to be used at the k -th timestep: <code>Np(0)</code> is the number of particles to use going from <code>timezero(object)</code> to <code>time(object)[1]</code> , <code>Np(1)</code> , from <code>timezero(object)</code> to <code>time(object)[1]</code> , and so on, while when <code>T=length(time(object, t0=TRUE))</code> , <code>Np(T)</code> is the number of particles to sample at the end of the time-series.
<code>ic.lag</code>	a positive integer; the timepoint for fixed-lag smoothing of initial-value parameters. The <code>mif</code> update for initial-value parameters consists of replacing them by their filtering mean at time <code>times[ic.lag]</code> , where <code>times=time(object)</code> . It makes no sense to set <code>ic.lag>length(times)</code> ; if it is so set, <code>ic.lag</code> is set to <code>length(times)</code> with a warning. For <code>method='mif2'</code> , the default is <code>ic.lag=length(times)</code> .
<code>var.factor</code>	a positive number; the scaling coefficient relating the width of the starting particle distribution to <code>rw.sd</code> . In particular, the width of the distribution of particles at the start of the first MIF iteration will be <code>random.walk.sd*var.factor</code> .
<code>cooling.type</code> , <code>cooling.fraction</code> , <code>cooling.factor</code>	specifications for the cooling schedule, i.e., the manner in which the intensity of the parameter perturbations is reduced with successive filtering iterations. <code>cooling.type</code> specifies the nature of the cooling schedule. When <code>cooling.type="geometric"</code> , on the n -th MIF iteration, the relative perturbation intensity is <code>cooling.fraction^(n/50)</code> . When <code>cooling.type="hyperbolic"</code> , on the n -th MIF iteration, the relative perturbation intensity is <code>(s+1)(s+n)</code> , where <code>(s+1)/(s+50)=cooling.fraction</code> . <code>cooling.fraction</code> is the relative magnitude of the parameter perturbations after 50 MIF iterations. <code>cooling.factor</code> is now deprecated: to achieve the old behavior, use <code>cooling.type="geometric"</code> and <code>cooling.fraction=(cooling.factor)⁵⁰</code> .
<code>method</code>	<code>method</code> sets the update rule used in the algorithm. <code>method="mif"</code> uses the iterated filtering update rule (Ionides 2006, 2011); <code>method="unweighted"</code> updates the parameter to the unweighted average of the filtering means of the parameters at each time; <code>method="fp"</code> updates the parameter to the filtering mean at the end of the time series. <code>method="mif2"</code> [EXPLAIN]
<code>tol</code>	See the description under pfilter .
<code>max.fail</code>	See the description under pfilter .
<code>verbose</code>	logical; if TRUE, print progress reports.

transform	logical; if TRUE, optimization is performed on the transformed scale.
...	additional arguments that override the defaults.

Re-running MIF Iterations

To re-run a sequence of MIF iterations, one can use the `mif` method on a `mif` object. By default, the same parameters used for the original MIF run are re-used (except for `weighted`, `tol`, `max.fail`, and `verbose`, the defaults of which are shown above). If one does specify additional arguments, these will override the defaults.

Continuing MIF Iterations

One can resume a series of MIF iterations from where one left off using the `continue` method. A call to `mif` to perform $N_{\text{mif}}=m$ iterations followed by a call to `continue` to perform $N_{\text{mif}}=n$ iterations will produce precisely the same effect as a single call to `mif` to perform $N_{\text{mif}}=m+n$ iterations. By default, all the algorithmic parameters are the same as used in the original call to `mif`. Additional arguments will override the defaults.

Using MIF to estimate initial-value parameters only

One can use MIF's fixed-lag smoothing to estimate only initial value parameters (IVPs). In this case, `pars` is left empty and the IVPs to be estimated are named in `ivps`. If `theta` is the current parameter vector, then at each MIF iteration, N_p particles are drawn from a distribution centered at `theta` and with width proportional to `var.factor*rw.sd`, a particle filtering operation is performed, and `theta` is replaced by the filtering mean at `time(object)[ic.lag]`. Note the implication that, when `mif` is used in this way on a time series any longer than `ic.lag`, unnecessary work is done. If the time series in `object` is longer than `ic.lag`, consider replacing `object` with `window(object, end=ic.lag)`.

Details

If `particles` is not specified, the default behavior is to draw the particles from a multivariate normal distribution. **It is the user's responsibility to ensure that, if the optional `particles` argument is given, that the `particles` function satisfies the following conditions:**

`particles` has at least the following arguments: `Np`, `center`, `sd`, and `...`. `Np` may be assumed to be a positive integer; `center` and `sd` will be named vectors of the same length. Additional arguments may be specified; these will be filled with the elements of the `userdata` slot of the underlying `pomp` object (see [pomp-class](#)).

`particles` returns a `length(center) x Np` matrix with rownames matching the names of `center` and `sd`. Each column represents a distinct particle.

The center of the particle distribution returned by `particles` should be `center`. The width of the particle distribution should vary monotonically with `sd`. In particular, when `sd=0`, the `particles` should return matrices with N_p identical columns, each given by the parameters specified in `center`.

Author(s)

Aaron A. King <kingaa at umich dot edu>

References

- E. L. Ionides, C. Bret\'o, & A. A. King, Inference for nonlinear dynamical systems, Proc. Natl. Acad. Sci. U.S.A., 103:18438–18443, 2006.
- E. L. Ionides, A. Bhadra, Y. Atchad\'e, & A. A. King, Iterated filtering, Annals of Statistics, 39:1776–1802, 2011.
- A. A. King, E. L. Ionides, M. Pascual, and M. J. Bouma, Inapparent infections and cholera dynamics, Nature, 454:877–880, 2008.

See Also

[mif-methods](#), [pomp](#), [pomp-class](#), [pfilter](#). See the “intro_to_pomp” vignette for examples.

mif-methods

Methods of the "mif" class

Description

Methods of the "mif" class.

Usage

```
## S4 method for signature 'mif'
logLik(object, ...)
## S4 method for signature 'mif'
conv.rec(object, pars, transform = FALSE, ...)
## S4 method for signature 'mif'
plot(x, y = NULL, ...)
compare.mif(z)
```

Arguments

object	The mif object.
pars	Names of parameters.
x	The mif object.
y	Ignored.
z	A mif object or list of mif objects.
transform	optional logical; should the parameter transformations be applied? See coef for details.
...	Further arguments (either ignored or passed to underlying functions).

Methods

conv.rec `conv.rec(object, pars = NULL)` returns the columns of the convergence-record matrix corresponding to the names in `pars`. By default, all rows are returned.

logLik Returns the value in the `loglik` slot.

mif Re-runs the MIF iterations. See the documentation for [mif](#).

compare.mif Given a `mif` object or a list of `mif` objects, `compare.mif` produces a set of diagnostic plots.

plot Plots a series of diagnostic plots. When `x` is a `mif` object, `plot(x)` is equivalent to `compare.mif(list(x))`.

predvarplot `predvarplot(object, pars = NULL, mean = FALSE, ...)` produces a plot of the scaled prediction variances for each parameter. This can be used to diagnose a good value of the `mif` parameters `var.factor` and `ic.lag`. If used in this way, one should run `mif` with `Nmif=1` first. Additional arguments in `...` will be passed to the actual plotting function.

print Prints a summary of the `mif` object.

show Displays the `mif` object.

Author(s)

Aaron A. King <kingaa at umich dot edu>

References

E. L. Ionides, C. Bret\'o, & A. A. King, Inference for nonlinear dynamical systems, *Proc. Natl. Acad. Sci. U.S.A.*, 103:18438–18443, 2006.

A. A. King, E. L. Ionides, M. Pascual, and M. J. Bouma, Inapparent infections and cholera dynamics, *Nature*, 454:877–880, 2008.

See Also

[mif](#), [pomp](#), [pomp-class](#), [pfilter](#)

Description

Calls an optimizer to maximize the nonlinear forecasting (NLF) goodness of fit, by simulating data from a model, fitting a nonlinear autoregressive model to the simulated time series (which may be multivariate) and using the fitted model to predict some or all variables in the data time series. NLF is an ‘indirect inference’ method using a quasi-likelihood as the objective function.

Usage

```
nlf(object, start, est, lags, period = NA, tensor = FALSE,
     nconverge=1000, nasymp=1000, seed = 1066,
     transform = identity,
     nrbf = 4, method = "subplex", skip.se = FALSE,
     verbose = FALSE, gr = NULL,
     bootstrap=FALSE, bootsamp = NULL,
     lql.frac = 0.1, se.par.frac = 0.1, eval.only = FALSE,
     transform.params = FALSE, ...)
```

Arguments

object	A pomp object, with the data and model to fit to it.
start	Named numeric vector with guessed parameters.
est	Vector containing the names or indices of parameters to be estimated.
lags	A vector specifying the lags to use when constructing the nonlinear autoregressive prediction model. The first lag is the prediction interval.
period	numeric; period=NA means the model is nonseasonal. period>0 is the period of seasonal forcing in 'real time'.
tensor	logical; if FALSE, the fitted model is a generalized additive model with time mod period as one of the predictors, i.e., a gam with time-varying intercept. If TRUE, the fitted model is a gam with lagged state variables as predictors and time-periodic coefficients, constructed using tensor products of basis functions of state variables with basis functions of time.
nconverge	Number of convergence timesteps to be discarded from the model simulation.
nasymp	Number of asymptotic timesteps to be recorded from the model simulation.
seed	Integer specifying the random number seed to use. When fitting, it is usually best to always run the simulations with the same sequence of random numbers, which is accomplished by setting seed to an integer. If you want a truly random simulation, set seed=NULL.
transform	optional function. If specified, forecasting is performed using data and model simulations transformed by this function. By default, transform is the identity function, i.e., no transformation is performed. The main purpose of transform is to achieve approximately multivariate normal forecasting errors. If data are univariate, transform should take a scalar and return a scalar. If data are multivariate, transform should assume a vector input and return a vector of the same length.
nrbf	A scalar specifying the number of radial basis functions to be used at each lag.
method	Optimization method. Choices are subplex and any of the methods used by optim .
skip.se	Logical; if TRUE, skip the computation of standard errors.
verbose	Logical; if TRUE, the negative log quasilielihood and parameter values are printed at each iteration of the optimizer.
gr	optional; passed to optim if optim is used.

<code>bootstrap</code>	Logical; if TRUE the indices in <code>bootsamp</code> will determine which of the conditional likelihood values be used in computing the quasi-loglikelihood.
<code>bootsamp</code>	Vector of integers; used to have the quasi-loglikelihood evaluated using a bootstrap re-sampling of the data set.
<code>lql.frac</code>	target fractional change in log quasi-likelihood for quadratic standard error estimate
<code>se.par.frac</code>	initial parameter-change fraction for quadratic standard error estimate
<code>eval.only</code>	logical; if TRUE, no optimization is attempted and the quasi-loglikelihood value is evaluated at the <code>start</code> parameters.
<code>transform.params</code>	logical; if TRUE, parameters are optimized on the transformed scale.
<code>...</code>	Arguments that will be passed to <code>optim</code> or <code>subplex</code> in the control list.

Details

This is functionally a wrapper for `nlf.objfun`, which does the statistical heavy lifting and should be consulted for details.

Value

A list corresponding to the output from the optimizer, except that the full parameter vector is returned (not just the ones fitted), the log quasilielihood (LQL) (*not* -LQL) is reported, `xstart` is included, and asymptotic Wald standard errors based on M-estimator theory are returned for each fitted parameter.

Author(s)

Stephen P. Ellner <spe2 at cornell dot edu> and Bruce E. Kendall <kendall at bren dot ucsb dot edu>

References

The following papers describe and motivate the NLF approach to model fitting:

Ellner, S. P., Bailey, B. A., Bobashev, G. V., Gallant, A. R., Grenfell, B. T. and Nychka D. W. (1998) Noise and nonlinearity in measles epidemics: combining mechanistic and statistical approaches to population modeling. *American Naturalist* **151**, 425–440.

Kendall, B. E., Briggs, C. J., Murdoch, W. W., Turchin, P., Ellner, S. P., McCauley, E., Nisbet, R. M. and Wood S. N. (1999) Why do populations cycle? A synthesis of statistical and mechanistic modeling approaches. *Ecology* **80**, 1789–1805. Available online at <http://www2.bren.ucsb.edu/~kendall/pubs/1999Ecology.pdf>

Kendall, B. E., Ellner, S. P., McCauley, E., Wood, S. N., Briggs, C. J., Murdoch, W. W. and Turchin, P. (2005) Population cycles in the pine looper moth (*Bupalus piniarius*): dynamical tests of mechanistic hypotheses. *Ecological Monographs* **75**, 259–276. Available online at <http://repositories.cdlib.org/postprints/818/>

ou2

*Two-dimensional discrete-time Ornstein-Uhlenbeck process***Description**

ou2 is a pomp object encoding a bivariate discrete-time Ornstein-Uhlenbeck process.

Details

If the state process is $X(t) = (x_1(t), x_2(t))$, then

$$X(t+1) = \alpha X(t) + \sigma \epsilon(t),$$

where α and σ are 2x2 matrices, σ is lower-triangular, and $\epsilon(t)$ is standard bivariate normal. The observation process is $Y(t) = (y_1(t), y_2(t))$, where $y_i(t) \sim \text{normal}(x_i(t), \tau)$. The functions `rprocess`, `dprocess`, `rmeasure`, `dmeasure`, and `skeleton` are implemented using compiled C code for computational speed: see the source code for details. This object is demonstrated in the vignette "Advanced topics in pomp".

See Also

[pomp](#) and the vignettes

Examples

```
pompExample(ou2)
plot(ou2)
coef(ou2)
x <- simulate(ou2)
plot(x)
pf <- pfilter(ou2, Np=1000)
logLik(pf)
```

parmat

*Create a matrix of parameters***Description**

parmat is a utility that makes a vector of parameters suitable for use in **pomp** functions.

Usage

```
parmat(params, nrep = 1)
```

Arguments

params	named numeric vector or matrix of parameters.
nrep	number of replicates (columns) desired.

Value

parmat returns a matrix consisting of nrep copies of params.

Author(s)

Aaron A. King <kingaa at umich dot edu>

Examples

```
## generate a bifurcation diagram for the Ricker map
pompExample(ricker)
p <- parmat(coef(ricker),nrep=500)
p["r",] <- exp(seq(from=1.5,to=4,length=500))
x <- trajectory(ricker,times=seq(from=1000,to=2000,by=1),params=p)
matplot(p["r",],x["N",,],pch='.',col='black',xlab="log(r)",ylab="N",log='x')
```

pfilter

*Particle filter***Description**

Run a plain vanilla particle filter. Resampling is performed at each observation.

Usage

```
## S4 method for signature 'pomp'
pfilter(object, params, Np, tol = 1e-17,
        max.fail = Inf, pred.mean = FALSE, pred.var = FALSE,
        filter.mean = FALSE, save.states = FALSE,
        save.params = FALSE, seed = NULL,
        verbose = getOption("verbose"), ...)
## S4 method for signature 'pfilterd.pomp'
pfilter(object, params, Np, tol, ...)
```

Arguments

object	An object of class pomp or inheriting class pomp.
params	A npars x Np numeric matrix containing the parameters corresponding to the initial state values in xstart. This must have a ‘rownames’ attribute. If it desired that all particles should share the same parameter values, one one may supply params as a named numeric vector.
Np	the number of particles to use. This may be specified as a single positive integer, in which case the same number of particles will be used at each timestep. Alternatively, if one wishes the number of particles to vary across timesteps, one may specify Np either as a vector of positive integers (of length length(time(object,t0=TRUE))) or as a function taking a positive integer argument. In the latter case, Np(k) must be a single positive integer, representing the number of particles to be

	used at the k-th timestep: $N_p(0)$ is the number of particles to use going from <code>timezero(object)</code> to <code>time(object)[1]</code> , $N_p(1)$, from <code>timezero(object)</code> to <code>time(object)[1]</code> , and so on, while when $T=\text{length}(\text{time}(\text{object}, t0=\text{TRUE}))$, $N_p(T)$ is the number of particles to sample at the end of the time-series. When <code>object</code> is of class <code>mif</code> , this is by default the same number of particles used in the <code>mif</code> iterations.
<code>tol</code>	positive numeric scalar; particles with likelihood less than <code>tol</code> are considered to be “lost”. A filtering failure occurs when, at some time point, all particles are lost. When all particles are lost, the conditional likelihood at that time point is set to <code>tol</code> .
<code>max.fail</code>	integer; the maximum number of filtering failures allowed. If the number of filtering failures exceeds this number, execution will terminate with an error. By default, <code>max.fail</code> is set to infinity, so no error can be triggered.
<code>pred.mean</code>	logical; if <code>TRUE</code> , the prediction means are calculated for the state variables and parameters.
<code>pred.var</code>	logical; if <code>TRUE</code> , the prediction variances are calculated for the state variables and parameters.
<code>filter.mean</code>	logical; if <code>TRUE</code> , the filtering means are calculated for the state variables and parameters.
<code>save.states, save.params</code>	logical. If <code>save.states=TRUE</code> , the state-vector for each particle at each time is saved in the <code>saved.states</code> slot of the returned <code>pfilterd.pomp</code> object. If <code>save.params=TRUE</code> , the parameter-vector for each particle at each time is saved in the <code>saved.params</code> slot of the returned <code>pfilterd.pomp</code> object.
<code>seed</code>	optional; an object specifying if and how the random number generator should be initialized (‘seeded’). If <code>seed</code> is an integer, it is passed to <code>set.seed</code> prior to any simulation and is returned as the “seed” element of the return list. By default, the state of the random number generator is not changed and the value of <code>.Random.seed</code> on the call is stored in the “seed” element of the return list.
<code>verbose</code>	logical; if <code>TRUE</code> , progress information is reported as <code>pfilter</code> works.
<code>...</code>	By default, when <code>pfilter</code> is run on a <code>pfilterd.pomp</code> object, the settings in the original call are re-used. This default behavior can be overridden by changing the settings (see Examples below).

Value

An object of class `pfilterd.pomp`. This class inherits from class `pomp` and contains the following additional slots:

pred.mean, pred.var, filter.mean matrices of prediction means, variances, and filter means, respectively. In each of these, the rows correspond to states and parameters (if appropriate), in that order, the columns to successive observations in the time series contained in `object`.

eff.sample.size numeric vector containing the effective number of particles at each time point.

cond.loglik numeric vector containing the conditional log likelihoods at each time point.

saved.states If `pfilter` was called with `save.states=TRUE`, this is the list of state-vectors at each time point, for each particle. It is a length-`ntimes` list of `nvars`-by-`Np` arrays. In particular, `saved.states[[t]][, i]` can be considered a sample from $f[X_t|y_{1:t}]$.

saved.params If `pfilter` was called with `save.params=TRUE`, this is the list of parameter-vectors at each time point, for each particle. It is a length-`ntimes` list of `npars`-by-`Np` arrays. In particular, `saved.params[[t]][,i]` is the parameter portion of the i -th particle at time t .

seed the state of the random number generator at the time `pfilter` was called. If the argument `seed` was specified, this is a copy; if not, this is the internal state of the random number generator at the time of call.

Np, tol, nfail the number of particles used, failure tolerance, and number of filtering failures, respectively.

loglik the estimated log-likelihood.

These can be accessed using the `$` operator as if the returned object were a list. In addition, `logLik` returns the log likelihood. Note that if the argument `params` is a named vector, then these parameters are included in the `params` slot of the returned `pfilterd.pomp` object. That is `coef(pfilter(obj, params=theta))==theta` if `theta` is a named vector of parameters.

Author(s)

Aaron A. King <kingaa at umich dot edu>

References

M. S. Arulampalam, S. Maskell, N. Gordon, & T. Clapp. A Tutorial on Particle Filters for Online Nonlinear, Non-Gaussian Bayesian Tracking. *IEEE Trans. Sig. Proc.* 50:174–188, 2002.

See Also

[pomp-class](#)

Examples

```
pompExample(gompertz)
pf <- pfilter(gompertz, Np=1000) ## use 1000 particles
logLik(pf)
cond.logLik(pf) ## conditional log-likelihoods
eff.sample.size(pf)
logLik(pfilter(gompertz))      ## run it again with 1000 particles
logLik(pfilter(gompertz, Np=2000)) ## run it with 2000 particles and get the filtering means

## See the vignettes for more examples.
```

Description

Methods of the "pfilterd.pomp" class.

Usage

```
## S4 method for signature 'pfilterd.pomp'
logLik(object, ...)
## S4 method for signature 'pfilterd.pomp'
pred.mean(object, pars, ...)
## S4 method for signature 'pfilterd.pomp'
pred.var(object, pars, ...)
## S4 method for signature 'pfilterd.pomp'
filter.mean(object, pars, ...)
## S4 method for signature 'pfilterd.pomp'
eff.sample.size(object, ...)
## S4 method for signature 'pfilterd.pomp'
cond.logLik(object, ...)
## S4 method for signature 'pfilterd.pomp'
as(object, class)
## S4 method for signature 'pfilterd.pomp,data.frame'
coerce(from, to = "data.frame", strict = TRUE)
## S3 method for class 'pfilterd.pomp'
as.data.frame(x, row.names, optional, ...)
```

Arguments

<code>object, x</code>	An object of class <code>pfilterd.pomp</code> or inheriting class <code>pfilterd.pomp</code> .
<code>pars</code>	Names of parameters.
<code>class</code>	character; name of the class to which object should be coerced.
<code>from, to</code>	the classes between which coercion should be performed.
<code>strict</code>	ignored.
<code>row.names, optional</code>	ignored.
<code>...</code>	Additional arguments unused at present.

Author(s)

Aaron A. King <kingaa at umich dot edu>

See Also

[pfilter](#), [pomp-class](#)

Description

Plug-in facilities for implementing discrete-time Markov processes and continuous-time Markov processes using the Euler algorithm. These can be used in the `rprocess` and `dprocess` slots of `pomp`.

Usage

```
onestep.sim(step.fun, PACKAGE)
euler.sim(step.fun, delta.t, PACKAGE)
discrete.time.sim(step.fun, delta.t = 1, PACKAGE)
gillespie.sim(rate.fun, v, d, PACKAGE)
onestep.dens(dens.fun, PACKAGE)
```

Arguments

- | | |
|-----------------------|--|
| <code>step.fun</code> | This can be either an R function or the name of a compiled, dynamically loaded native function containing the model simulator. It should be written to take a single Euler step from a single point in state space. If it is an R function, it should be of the form <code>step.fun(x,t,params,delta.t,...)</code> . Here, <code>x</code> is a named numeric vector containing the value of the state process at time <code>t</code> , <code>params</code> is a named numeric vector containing parameters, and <code>delta.t</code> is the length of the Euler time-step. If <code>step.fun</code> is the name of a native function, it must be of type “ <code>pomp_onestep_sim</code> ” as defined in the header “ <code>pomp.h</code> ”, which is included with the pomp package. For details on how to write such codes, see Details . |
| <code>rate.fun</code> | This can be either an R function or the name of a compiled, dynamically loaded native function that computes the transition rates. If it is an R function, it should be of the form <code>rate.fun(j,x,t,params,...)</code> . Here, <code>j</code> is the number of the event, <code>x</code> is a named numeric vector containing the value of the state process at time <code>t</code> and <code>params</code> is a named numeric vector containing parameters. If <code>rate.fun</code> is a native function, it must be of type “ <code>pomp_ssa_rate_fn</code> ” as defined in the header “ <code>pomp.h</code> ”, which is included with the package. For details on how to write such codes, see Details . |
| <code>v, d</code> | Matrices that specify the continuous-time Markov process in terms of its elementary events. Each should have dimensions <code>nvar</code> x <code>nevent</code> , where <code>nvar</code> is the number of state variables and <code>nevent</code> is the number of elementary events. <code>v</code> describes the changes that occur in each elementary event: it will usually comprise the values 1, -1, and 0 according to whether a state variable is incremented, decremented, or unchanged in an elementary event. <code>d</code> is a binary matrix that describes the dependencies of elementary event rates on state variables: <code>d[i,j]</code> will have value 1 if event rate <code>j</code> must be updated as a result of a change in state variable <code>i</code> and 0 otherwise. |

<code>dens.fun</code>	This can be either an R function or a compiled, dynamically loaded native function containing the model transition log probability density function. If it is an R function, it should be of the form <code>dens.fun(x1, x2, t1, t2, params, ...)</code> . Here, <code>x1</code> and <code>x2</code> are named numeric vectors containing the values of the state process at times <code>t1</code> and <code>t2</code> , <code>params</code> is a named numeric vector containing parameters. If <code>dens.fun</code> is the name of a native function, it should be of type “ <code>pomp_onestep_pdf</code> ” as defined in the header “ <code>pomp.h</code> ”, which is included with the pomp package. This function should return the log likelihood of a transition from <code>x1</code> at time <code>t1</code> to <code>x2</code> at time <code>t2</code> , assuming that no intervening transitions have occurred. For details on how to write such codes, see Details.
<code>delta.t</code>	Size of Euler time-steps.
<code>PACKAGE</code>	an optional argument that specifies to which dynamically loaded library we restrict the search for the native routines. If this is “ <code>base</code> ”, we search in the R executable itself.

Details

`onestep.sim` is the appropriate choice when it is possible to simulate the change in state from one time to another, regardless of how large the interval between them is. To use `onestep.sim`, you must write a function `step.fun` that will advance the state process from one arbitrary time to another. `euler.sim` is appropriate when one cannot do this but can compute the change in state via a sequence of smaller steps. This is desirable, for example, if one is simulating a continuous time process but is willing to approximate it using an Euler approach. `discrete.time.sim` is appropriate when the process evolves in discrete time. In this case, by default, the intervals between observations are integers.

To use `euler.sim` or `discrete.time.sim`, you must write a function `step.fun` that will take a single Euler step, of size at most `delta.t`. `euler.sim` and `discrete.time.sim` will create simulators that take as many steps as needed to get from one time to another. See below for information on how `euler.sim` chooses the actual step size it uses.

`gillespie.sim` allows exact simulation of a continuous-time, discrete-state Markov process using Gillespie’s algorithm. This is an “event-driven” approach: correspondingly, to use `gillespie.sim`, you must write a function `rate.fun` that computes the rates of each elementary event and specify two matrices (`d`, `v`) that describe, respectively, the dependencies of each rate and the consequences of each event.

`onestep.dens` will generate a suitable `dprocess` function when one can compute the likelihood of a given state transition simply by knowing the states at two times under the assumption that the state has not changed between the times. This is typically possible, for instance, when the `rprocess` function is implemented using `onestep.sim`, `euler.sim`, or `discrete.time.sim`. [NB: currently, there are no high-level algorithms in **pomp** that use `dprocess`. This function is provided for completeness only, and with an eye toward future development.]

If `step.fun` is written as an R function, it must have at least the arguments `x`, `t`, `params`, `delta.t`, and `...`. On a call to this function, `x` will be a named vector of state variables, `t` a scalar time, and `params` a named vector of parameters. The length of the Euler step will be `delta.t`. If the argument `covars` is included and a covariate table has been included in the `pomp` object, then on a call to this function, `covars` will be filled with the values, at time `t`, of the covariates. This is accomplished via interpolation of the covariate table. Additional arguments may be given: these will be filled by the correspondingly-named elements in the `userdata` slot of the `pomp` object (see [pomp](#)). If `step.fun`

is written in a native language, it must be a function of type “pomp_onestep_sim” as specified in the header “pomp.h” included with the package (see the directory “include” in the installed package directory).

If `rate.fun` is written as an R function, it must have at least the arguments `j`, `x`, `t`, `params`, and `...`. Here, `j` is the an integer that indicates which specific elementary event we desire the rate of. `x` is a named vector containing the value of the state process at time `t`, and `params` is a named vector containing parameters. If the argument `covars` is included and a covariate table has been included in the `pomp` object, then on a call to this function, `covars` will be filled with the values, at time `t`, of the covariates. This is accomplished via interpolation of the covariate table. If `rate.fun` is a native function, it must be of type “pomp_ssa_rate_fn” as defined in the header “pomp.h”, which is included with the package.

In writing `dens.fun`, you must assume that no state transitions have occurred between `t1` and `t2`. If `dens.fun` is written as an R function, it must have at least the arguments `x1`, `x2`, `t1`, `t2`, `params`, and `...`. On a call to this function, `x1` and `x2` will be named vectors of state variables at times `t1` and `t2`, respectively. The named vector `params` contains the parameters. If the argument `covars` is included and a covariate table has been included in the `pomp` object, then on a call to this function, `covars` will be filled with the values, at time `t1`, of the covariates. If the argument `covars` is included and a covariate table has been included in the `pomp` object, then on a call to this function, `covars` will be filled with the values, at time `t1`, of the covariates. This is accomplished via interpolation of the covariate table. As above, any additional arguments will be filled by the correspondingly-named elements in the `userdata` slot of the `pomp` object (see [pomp](#)). If `dens.fun` is written in a native language, it must be a function of type “pomp_onestep_pdf” as defined in the header “pomp.h” included with the package (see the directory “include” in the installed package directory).

Value

`onestep.sim`, `euler.sim`, `discrete.time.sim`, and `gillespie.sim` each return functions suitable for use as the argument `rprocess` argument in [pomp](#).

`onestep.dens` returns a function suitable for use as the argument `dprocess` in [pomp](#).

Author(s)

Aaron A. King <kingaa at umich dot edu>

See Also

[eulermultinom](#), [pomp](#)

Examples

```
## examples showing how to use these functions
## are provided in the "intro_to_pomp" vignette
```

pmcmc

*The PMCMC algorithm***Description**

The Particle MCMC algorithm for estimating the parameters of a partially-observed Markov process.

Usage

```
## S4 method for signature 'pomp'
pmcmc(object, Npmcmc = 1, start, pars,
      rw.sd, Np, tol = 1e-17, max.fail = 0,
      verbose = getOption("verbose"), transform = FALSE, ...)
## S4 method for signature 'pfilterd.pomp'
pmcmc(object, Npmcmc = 1, Np, tol, ...)
## S4 method for signature 'pmcmc'
pmcmc(object, Npmcmc, start, pars,
      rw.sd, Np, tol, max.fail = 0,
      verbose = getOption("verbose"), transform, ...)
## S4 method for signature 'pmcmc'
continue(object, Npmcmc = 1, ...)
```

Arguments

<code>object</code>	An object of class <code>pomp</code> .
<code>Npmcmc</code>	The number of PMCMC iterations to perform.
<code>start</code>	named numeric vector; the starting guess of the parameters.
<code>pars</code>	optional character vector naming the ordinary parameters to be estimated. Every parameter named in <code>pars</code> must have a positive random-walk standard deviation specified in <code>rw.sd</code> . Leaving <code>pars</code> unspecified is equivalent to setting it equal to the names of all parameters with a positive value of <code>rw.sd</code> .
<code>rw.sd</code>	numeric vector with names; used to parameterize a Gaussian random walk MCMC proposal. The random walk is only applied to parameters named in <code>pars</code> . The algorithm requires that the random walk be nontrivial, so each element in <code>rw.sd[pars]</code> must be positive. The following must be satisfied: <code>names(rw.sd)</code> must be a subset of <code>names(start)</code> , <code>rw.sd</code> must be non-negative (zeros are simply ignored), the name of every positive element of <code>rw.sd</code> must be in <code>pars</code> .
<code>Np</code>	a positive integer; the number of particles to use in each filtering operation.
<code>tol</code>	numeric scalar; particles with log likelihood below <code>tol</code> are considered to be “lost”. A filtering failure occurs when, at some time point, all particles are lost.
<code>max.fail</code>	integer; maximum number of filtering failures permitted. If the number of failures exceeds this number, execution will terminate with an error.
<code>verbose</code>	logical; if TRUE, print progress reports.
<code>transform</code>	logical; if TRUE, optimization is performed on the transformed scale.
<code>...</code>	Additional arguments. These are currently ignored.

Value

An object of class `pmcmc`. This class inherits from class `pfilterd.pomp` and contains the following additional slots:

pars, **Nmcmc**, **dprior**, **hyperparams** These slots hold the values of the corresponding arguments of the call to `pmcmc`.

random.walk.sd a named numeric vector containing the random-walk variances used to parameterize a Gaussian random walk MCMC proposal.

log.prior a numeric value containing the log of the prior density evaluated at the parameter vector in the `params` slot.

Re-running PMCMC Iterations

To re-run a sequence of PMCMC iterations, one can use the `pmcmc` method on a `pmcmc` object. By default, the same parameters used for the original PMCMC run are re-used (except for `tol`, `max.fail`, and `verbose`, the defaults of which are shown above). If one does specify additional arguments, these will override the defaults.

Continuing PMCMC Iterations

One can continue a series of PMCMC iterations from where one left off using the `continue` method. A call to `pmcmc` to perform `Nmcmc=m` iterations followed by a call to `continue` to perform `Nmcmc=n` iterations will produce precisely the same effect as a single call to `pmcmc` to perform `Nmcmc=m+n` iterations. By default, all the algorithmic parameters are the same as used in the original call to `pmcmc`. Additional arguments will override the defaults.

Details

`pmcmc` implements an MCMC algorithm in which the true likelihood of the data is replaced by an unbiased estimate computed by a particle filter. This gives an asymptotically correct Bayesian procedure for parameter estimation (Andrieu and Roberts, 2009). An extension to give a correct Bayesian posterior distribution of unobserved state variables (Andrieu et al, 2010) has not yet been implemented.

Author(s)

Edward L. Ionides <ionides at umich dot edu>, Aaron A. King <kingaa at umich dot edu>

References

C. Andrieu, A. Doucet and R. Holenstein, Particle Markov chain Monte Carlo methods, J. R. Stat. Soc. B, to appear, 2010.

C. Andrieu and G.O. Roberts, The pseudo-marginal approach for efficient computation, Ann. Stat. 37:697-725, 2009.

See Also

`pmcmc-class`, `pmcmc-methods`, `pomp`, `pomp-class`, `pfilter`.

Description

Methods of the "pmcmc" class.

Usage

```
## S4 method for signature 'pmcmc'
logLik(object, ...)
## S4 method for signature 'pmcmc'
conv.rec(object, pars, ...)
## S4 method for signature 'pmcmc'
filter.mean(object, pars, ...)
## S4 method for signature 'pmcmc'
plot(x, y = NULL, ...)
compare.pmcmc(z)
```

Arguments

object, x	The pmcmc object.
pars	Names of parameters.
y	Ignored.
z	A pmcmc object or list of pmcmc objects.
...	Further arguments (either ignored or passed to underlying functions).

Methods

conv.rec `conv.rec(object, pars = NULL)` returns the columns of the convergence-record matrix corresponding to the names in `pars`. By default, all rows are returned.

logLik Returns the value in the `loglik` slot.

pmcmc Re-runs the PMCMC iterations. See the documentation for [pmcmc](#).

compare.pmcmc Given a pmcmc object or a list of pmcmc objects, `compare.pmcmc` produces a set of diagnostic plots.

plot Plots a series of diagnostic plots. When `x` is a pmcmc object, `plot(x)` is equivalent to `compare.pmcmc(list(x))`.

filter.mean `filter.mean(object, pars = NULL)` returns the rows of the filtering-mean matrix corresponding to the names in `pars`. By default, all rows are returned.

print Prints a summary of the pmcmc object.

show Displays the pmcmc object.

pfilter See [pfilter](#).

Author(s)

Edward L. Ionides <ionides at umich dot edu>, Aaron A. King <kingaa at umich dot edu>

References

C. Andrieu, A. Doucet and R. Holenstein, Particle Markov chain Monte Carlo methods, J. Roy. Stat. Soc B, to appear, 2010.

C. Andrieu and G.O. Roberts, The pseudo-marginal approach for efficient computation, Ann Stat 37:697-725, 2009.

See Also

[pmcmc](#), [pomp](#), [pomp-class](#), [pfilter](#)

pomp

Partially-observed Markov process object.

Description

Create a new `pomp` object to hold a partially-observed Markov process model together with a uni- or multi-variate time series.

Usage

```
## S4 method for signature 'data.frame'
pomp(data, times, t0, ..., rprocess, dprocess, rmeasure, dmeasure,
      measurement.model,
      skeleton = NULL, skeleton.type = c("map", "vectorfield"), skelmap.delta.t = 1,
      initializer, rprior, dprior, params, covar, tcovar,
      obsnames, statenames, paramnames, covarnames, zeronames,
      PACKAGE, parameter.transform, parameter.inv.transform)
## S4 method for signature 'numeric'
pomp(data, times, t0, ..., rprocess, dprocess, rmeasure, dmeasure,
      measurement.model,
      skeleton = NULL, skeleton.type = c("map", "vectorfield"), skelmap.delta.t = 1,
      initializer, rprior, dprior, params, covar, tcovar,
      obsnames, statenames, paramnames, covarnames, zeronames,
      PACKAGE, parameter.transform, parameter.inv.transform)
## S4 method for signature 'matrix'
pomp(data, times, t0, ..., rprocess, dprocess, rmeasure, dmeasure,
      measurement.model,
      skeleton = NULL, skeleton.type = c("map", "vectorfield"), skelmap.delta.t = 1,
      initializer, rprior, dprior, params, covar, tcovar,
      obsnames, statenames, paramnames, covarnames, zeronames,
      PACKAGE, parameter.transform, parameter.inv.transform)
## S4 method for signature 'pomp'
```

```
pomp(data, times, t0, ..., rprocess, dprocess, rmeasure, dmeasure,
      measurement.model,
      skeleton, skeleton.type, skelmap.delta.t,
      initializer, rprior, dprior, params, covar, tcovar,
      obsnames, statenames, paramnames, covarnames, zeronames,
      PACKAGE, parameter.transform, parameter.inv.transform)
```

Arguments

<code>data, times</code>	The time series data and times at which observations are made. <code>data</code> can be specified as a vector, a matrix, a data-frame, or a pomp object.. If <code>data</code> is a numeric vector, <code>times</code> must be a numeric vector of the same length. If <code>data</code> is a matrix, it should have dimensions <code>nobs</code> x <code>ntimes</code> , where <code>nobs</code> is the number of observed variables and <code>ntimes</code> is the number of times at which observations were made (i.e., each column is a distinct observation of the <code>nobs</code> variables). In this case, <code>times</code> must be given as a numeric vector (of length <code>ntimes</code>). If <code>data</code> is a data-frame, <code>times</code> must name of the column of observation times. Note that, in this case, <code>data</code> is a data-frame, it will be internally coerced to an array with storage-mode ‘double’. Note that the <code>times</code> must be numeric and strictly increasing.
<code>t0</code>	The zero-time. This must be no later than the time of the first observation, <code>times[1]</code> . The stochastic dynamical system is initialized at time <code>t0</code> .
<code>rprocess</code>	optional function; a function of prototype <code>rprocess(xstart, times, params, ...)</code> that simulates from the unobserved process. The easiest way to specify <code>rprocess</code> is to use one of the plugins provided as part of the pomp package. See below for details.
<code>dprocess</code>	optional function; a function of prototype <code>dprocess(x, times, params, log, ...)</code> that evaluates the likelihood of a sequence of consecutive state transitions. The easiest way to specify <code>dprocess</code> is to use one of the plugins provided as part of the pomp package. It is not typically necessary (or even feasible) to define <code>dprocess</code> . See below for details.
<code>rmeasure</code>	optional; the measurement model simulator. This can be specified in one of three ways: (1) as a function of prototype <code>rmeasure(x, t, params, ...)</code> that makes a draw from the observation process given states <code>x</code> , time <code>t</code> , and parameters <code>params</code> . (2) as the name of a native (compiled) routine with prototype “ <code>pomp_measure_model_simulator</code> ” as defined in the header file “ <code>examples/pomp.h</code> ”. In the above cases, if the measurement model depends on covariates, the optional argument <code>covars</code> will be filled with interpolated values at each call. (3) using the formula-based <code>measurement.model</code> facility (see below).
<code>dmeasure</code>	optional; the measurement model probability density function. This can be specified in one of three ways: (1) as a function of prototype <code>dmeasure(y, x, t, params, log, ...)</code> that computes the p.d.f. of <code>y</code> given <code>x</code> , <code>t</code> , and <code>params</code> . (2) as the name of a native (compiled) routine with prototype “ <code>pomp_measure_model_density</code> ” as defined in the header file “ <code>examples/pomp.h</code> ”. In the above cases, if the measurement model depends on covariates, the optional argument <code>covars</code> will be filled with interpolated values at each call. (3) using the formula-based <code>measurement.model</code> facility (see below). As might be expected, if <code>log=TRUE</code> , this function should return the log likelihood.

<code>measurement.model</code>	optional; a formula or list of formulae, specifying the measurement model. These formulae are parsed internally and used to generate <code>rmeasure</code> and <code>dmeasure</code> functions. If <code>measurement.model</code> is given it overrides any specification of <code>rmeasure</code> or <code>dmeasure</code> . See below for an example. NB: it will typically be possible to accelerate measurement model computations by writing <code>dmeasure</code> and/or <code>rmeasure</code> functions directly.
<code>skeleton</code> , <code>skeleton.type</code> , <code>skelmap.delta.t</code>	<p>The function <code>skeleton</code> specifies the deterministic skeleton of the unobserved Markov process. If we are dealing with a discrete-time Markov process, its deterministic skeleton is a map: indicate this by specifying <code>skeleton.type="map"</code>. If we are dealing with a continuous-time Markov process, its deterministic skeleton is a vectorfield: indicate this by specifying <code>skeleton.type="vectorfield"</code>. The skeleton function can be specified in one of two ways: (1) as an R function of prototype <code>skeleton(x,t,params,...)</code> that evaluates the deterministic skeleton at state <code>x</code> and time <code>t</code> given the parameters <code>params</code>, or (2) as the name of a native (compiled) routine with prototype “<code>pomp_skeleton</code>” as defined in the header file “<code>pomp.h</code>”. If the deterministic skeleton depends on covariates, the optional argument <code>covars</code> will be filled with interpolated values of the covariates at the time <code>t</code>.</p> <p>With a discrete-time skeleton, the default assumption is that time advances 1 unit per iteration of the map; to change this, set <code>skelmap.delta.t</code> to the appropriate time-step.</p>
<code>initializer</code>	optional function of prototype <code>initializer(params,t0,...)</code> that yields initial conditions for the state process when given a vector, <code>params</code> , of parameters. By default (i.e., if it is unspecified when <code>pomp</code> is called), the initializer assumes any parameters in <code>params</code> the names of which end in “ <code>.0</code> ” are initial values. These are simply copied over as initial conditions when <code>init.state</code> is called (see init.state-pomp). The names of the state variables are the same as the corresponding initial value parameters, but with the “ <code>.0</code> ” dropped.
<code>rprior</code>	optional; function drawing a sample from a prior distribution on parameters. This can be specified in one of two ways: (1) as an R function of prototype <code>rprior(params,...)</code> , (2) as the name of a native (compiled) routine with prototype “ <code>pomp_rprior</code> ” as defined in the header file “ <code>pomp.h</code> ”.
<code>dprior</code>	optional; function evaluating the prior distribution. This can be specified in one of two ways: (1) as an R function of prototype <code>dprior(params,log=FALSE,...)</code> , (2) as the name of a native (compiled) routine with prototype “ <code>pomp_dprior</code> ” as defined in the header file “ <code>pomp.h</code> ”.
<code>params</code>	optional named numeric vector of parameters.
<code>covar</code> , <code>tcovar</code>	An optional table of covariates: <code>covar</code> is the table (with one column per variable) and <code>tcovar</code> the corresponding times (one entry per row of <code>covar</code>). <code>covar</code> can be specified as either a matrix or a data frame. In either case the columns are taken to be distinct covariates. If <code>covar</code> is a data frame, <code>tcovar</code> can be either the name or the index of the time variable. If a covariate table is supplied, then the value of each of the covariates is interpolated as needed, i.e., whenever <code>rprocess</code> , <code>dprocess</code> , <code>rmeasure</code> , <code>dmeasure</code> , <code>skeleton</code> , or <code>init.state</code> is

	evaluated. The resulting interpolated values are passed to the corresponding functions as a numeric vector named <code>covars</code> .
<code>obsnames</code> , <code>statenames</code> , <code>paramnames</code> , <code>covarnames</code>	Optional character vectors specifying the names of observables, state variables, parameters, or covariates, respectively. These are only used in the event that one or more of the basic functions (<code>rprocess</code> , <code>dprocess</code> , <code>rmeasure</code> , <code>dmeasure</code> , <code>skeleton</code>) are defined using native routines. In that case, these name vectors are matched against the corresponding names and the indices of the names are passed to the native routines. Using this facility allows one to write one or more of <code>rprocess</code> , <code>dprocess</code> , <code>rmeasure</code> , <code>dmeasure</code> , <code>skeleton</code> in native code in a way that does not depend on the order of states, parameters, and covariates at run time. See the “Advanced topics in pomp” vignette for more on this topic and examples.
<code>zeronames</code>	Optional character vector specifying the names of accumulator variables. See the “Advanced topics in pomp” vignette for a discussion of this.
<code>PACKAGE</code>	An optional string giving the name of the dynamically loaded library in which any native routines are to be found.
<code>parameter.transform</code> , <code>parameter.inv.transform</code>	Optional functions specifying parameter transformations. These functions must have arguments <code>params</code> and <code>...</code> . <code>parameter.transform</code> should transform parameters from the user’s scale to the scale that <code>rprocess</code> , <code>dprocess</code> , <code>rmeasure</code> , <code>dmeasure</code> , <code>skeleton</code> , and <code>initializer</code> will use internally. <code>parameter.inv.transform</code> should be the inverse of <code>parameter.transform</code> . Note that it is the user’s responsibility to make sure this holds. If <code>obj</code> is the constructed pomp object, and <code>coef(obj)</code> is non-empty, a simple check of this is <pre>x <- coef(obj, transform=TRUE) obj1 <- obj coef(obj1, transform=TRUE) <- x identical(coef(obj), coef(obj1)) identical(coef(obj1, transform=TRUE), x).</pre> By default, both functions are the identity transformation. See the “introduction_to_pomp” vignette for an example.
<code>...</code>	Any additional arguments given to <code>pomp</code> will be stored in the <code>pomp</code> object and passed as arguments to each of the functions <code>rprocess</code> , <code>dprocess</code> , <code>rmeasure</code> , <code>dmeasure</code> , and <code>initializer</code> whenever they are evaluated.

Details

It is not typically necessary (or desirable, or even feasible) to define all of the functions `rprocess`, `dprocess`, `rmeasure`, `dmeasure`, and `skeleton` in any given problem. Each algorithm makes use of a different subset of these functions. In general, the specification of process-model codes `rprocess` and/or `dprocess` can be somewhat nontrivial: for this reason, [plugins](#) have been developed to streamline this process for the user. Currently, if one’s process model evolves in discrete time or one is willing to make such an approximation (e.g., via an Euler approximation), then the [euler.sim](#), [discrete.time.sim](#), or [onestep.sim](#) plugin for `rprocess` and [onestep.dens](#) plugin for `dprocess` are available. For exact simulation of certain continuous-time Markov chains, an implementation of Gillespie’s algorithm is available (see [gillespie.sim](#)). To use the plugins, consult the help documentation ([?plugins](#)) and the vignettes.

It is anticipated that, in specific cases, it will be possible to obtain increased computational efficiency by writing custom versions of `rprocess` and/or `dprocess`. See the “Advanced topics in pomp” vignette for a discussion of this. If such custom versions are desired, the following describes how each of these functions should be written in this case.

rprocess In general, the specification of `rprocess` can be somewhat nontrivial: for this reason, [plugins](#) have been developed to streamline this process for the user. Currently, if one’s process model evolves in discrete time or one is willing to make such an approximation (e.g., via an Euler approximation), then the [euler.sim](#) or [onestep.sim](#) plugin is available. For exact simulation of certain continuous-time Markov chains, an implementation of Gillespie’s algorithm is available (see [gillespie.sim](#)). To use the plugins, consult the help documentation ([?plugins](#)) and the vignettes.

If the plugins are not used `rprocess` must have at least the following arguments: `xstart`, `times`, `params`, and `...`. It can also take additional arguments. It is guaranteed that these will be filled with the corresponding elements the user has included as additional arguments in the construction of the `pomp` object.

In calls to `rprocess`, `xstart` can be assumed to be a rank-2 array (matrix) with rows corresponding to state variables and columns corresponding to independent realizations of the process. `params` will similarly be a rank-2 array with rows corresponding to parameters and columns corresponding to independent realizations. The columns of `params` correspond to those of `xstart`; in particular, they will agree in number. Both `xstart` and `params` will have rownames, which are available for use by the user.

`rprocess` must return a rank-3 array with rownames. Suppose `x` is the array returned. Then `dim(x)=c(nvars,nreps,ntimes)`, where `nvars` (`=nrow(xstart)`) is the number of state variables, `nreps` (`=ncol(xstart)`) is the number of independent realizations simulated, and `ntimes` is the length of the vector `times`. `x[,j,k]` is the value of the state process in the `j`-th realization at time `times[k]`. In particular, `x[, ,1]` must be identical to `xstart`. The rownames of `x` must correspond to those of `xstart`.

dprocess In general, the specification of `dprocess` can be somewhat nontrivial: for this reason, [plugins](#) have been developed to streamline this process for the user. Currently, if one’s process model evolves in discrete time or one is willing to make such an approximation (e.g., via an Euler approximation), then the [onestep.dens](#) plugin for `dprocess` is available. To use the plugins, consult the help documentation ([?plugins](#)) and the vignettes.

If the plugins are not used, `dprocess` must have at least the following arguments: `x`, `times`, `params`, `log`, and `...`. It may take additional arguments. It is guaranteed that these will be filled with the corresponding elements the user has included as additional arguments in the construction of the `pomp` object.

In calls to `dprocess`, `x` may be assumed to be an `nvars x nreps x ntimes` array, where these terms have the same meanings as above. `params` will be a rank-2 array with rows corresponding to individual parameters and columns corresponding to independent realizations. The columns of `params` correspond to those of `x`; in particular, they will agree in number. Both `x` and `params` will have rownames, available for use by the user.

`dprocess` must return a rank-2 array (matrix). Suppose `d` is the array returned. Then `dim(d)=c(nreps,ntimes-1)`. `d[j,k]` is the probability density of the transition from state `x[,j,k-1]` at time `times[k-1]` to state `x[,j,k]` at time `times[k]`. If `log=TRUE`, then the log of the pdf is returned.

In writing this function, you may assume that the transitions are consecutive. It should be quite clear that, but for this assumption, it would be quite difficult in general to write the

transition probabilities. In fact, from one perspective, the algorithms in **pomp** are designed to overcome just this difficulty.

At present, no methods in pomp make use of dprocess.

The measurement-model, deterministic skeleton, and initializer components are easily specified without the use of plugins. The following is a guide to writing these components.

rmeasure if provided, must take at least the arguments `x`, `t`, `params`, and `...`. It may take additional arguments, which will be filled with user-specified data as above. `x` may be assumed to be a named numeric vector of length `nvars`, (which has the same meanings as above). `t` is a scalar quantity, the time at which the measurement is made. `params` may be assumed to be a named numeric vector of length `npars`.

rmeasure must return a named numeric vector. If `y` is the returned vector, then `length(y)=nobs`, where `nobs` is the number of observable variables.

dmeasure if provided, must take at least the arguments `y`, `x`, `t`, `params`, `log`, and `...`. `y` may be assumed to be a named numeric vector of length `nobs` containing (actual or simulated) values of the observed variables; `x` will be a named numeric vector of length `nvar` containing state variables; `params`, a named numeric vector containing parameters; and `t`, a scalar, the corresponding observation time. It may take additional arguments which will be filled with user-specified data as above. **dmeasure** must return a single numeric value, the pdf of `y` given `x` at time `t`. If `log=TRUE`, then the log of the pdf is returned.

skeleton If **skeleton** is an R function, it must have at least the arguments `x`, `t`, `params`, and `...`. `x` is a numeric vector containing the coordinates of a point in state space at which evaluation of the skeleton is desired. `t` is a numeric value giving the time at which evaluation of the skeleton is desired. Of course, these will be irrelevant in the case of an autonomous skeleton. `params` is a numeric vector holding the parameters. The optional argument `covars` is a numeric vector containing the values of the covariates at the time `t`. `covars` will have one value for each column of the covariate table specified when the **pomp** object was created. `covars` is constructed from the covariate table (see `covar`, below) by interpolation. **skeleton** may take additional arguments, which will be filled, as above, with user-specified data. **skeleton** must return a numeric vector of the same length as `x`. The return value is interpreted as the vectorfield (if the dynamical system is continuous) or the value of the map (if the dynamical system is discrete), at the point `x` at time `t`.

If **skeleton** is the name of a native routine, this routine must be of prototype “`pomp_skeleton`” as defined in the header “`pomp.h`” (see the “`include`” directory in the installed package directory).

initializer if provided, must have at least the arguments `params`, `t0`, and `...`. `params` is a named numeric vector of parameters. `t0` will be the time at which initial conditions are desired. **initializer** must return a named numeric vector of initial states.

Value

An object of class **pomp**. If `data` is an object of class **pomp**, then by default the returned **pomp** object is identical to `data`. If additional arguments are given, these override the defaults.

Warning

Some error checking is done by **pomp**, but complete error checking is impossible. If the user-specified functions do not conform to the above specifications (see *Details*), then the results may

be invalid. In particular, if both `rmeasure` and `dmeasure` are specified, the user should verify that these two functions correspond to the same model and if `skeleton` is specified, the user is responsible for verifying that it corresponds to the true deterministic skeleton of the model. Each **pomp**-package algorithm uses some subset of the five basic components (`rprocess`, `dprocess`, `rmeasure`, `dmeasure`, `skeleton`). If an algorithm requires a component that was not given in the construction of the `pomp` object, an error is generated.

Author(s)

Aaron A. King <kingaa at umich dot edu>

See Also

[pomp-methods](#), [plugins](#), [time](#), [time<-](#), [timezero](#), [timezero<-](#), [coef](#), [coef<-](#), [obs](#), [states](#), [window](#), [as.data.frame.pomp](#)

Examples

```
## For examples, see the vignettes, the data()-loadable
## example \code{pomp} objects, and the provided example files.
## Not run:
pompExample()
pomp.home <- system.file("examples",package="pomp")
pomp.examples <- list.files(pomp.home)
file.show(
  file.path(pomp.home,pomp.examples),
  header=paste("=====",pomp.examples,"=====")
)

## End(Not run)
```

pomp-methods

Methods of the "pomp" class

Description

Methods of the `pomp` class.

Usage

```
## S3 method for class 'pomp'
as.data.frame(x, row.names, optional, ...)
## S4 method for signature 'pomp'
coef(object, pars, transform = FALSE, ...)
## S4 replacement method for signature 'pomp'
coef(object, pars, transform = FALSE, ...) <- value
## S4 method for signature 'pomp'
obs(object, vars, ...)
## S4 method for signature 'pomp'
```

```

data.array(object, vars, ...)
## S4 method for signature 'pomp'
partrans(object, params, dir = c("forward","inverse"), ...)
## S4 method for signature 'pomp'
plot(x, y, variables, panel = lines,
      nc = NULL, yax.flip = FALSE,
      mar = c(0, 5.1, 0, if (yax.flip) 5.1 else 2.1),
      oma = c(6, 0, 5, 0), axes = TRUE, ...)
## S4 method for signature 'pomp'
print(x, ...)
## S4 method for signature 'pomp'
show(object)
## S4 method for signature 'pomp'
states(object, vars, ...)
## S4 method for signature 'pomp'
time(x, t0 = FALSE, ...)
## S4 replacement method for signature 'pomp'
time(object, t0 = FALSE, ...) <- value
## S4 method for signature 'pomp'
timezero(object, ...)
## S4 replacement method for signature 'pomp'
timezero(object, ...) <- value
## S4 method for signature 'pomp'
window(x, start, end, ...)
## S4 method for signature 'pomp'
as(object, class)
## S4 method for signature 'pomp,data.frame'
coerce(from, to = "data.frame", strict = TRUE)

```

Arguments

<code>object, x</code>	The pomp object.
<code>pars</code>	optional character; names of parameters to be retrieved or set.
<code>vars</code>	optional character; names of observed variables to be retrieved.
<code>transform</code>	optional logical; should the parameter transformations be applied?
<code>value</code>	numeric; values to be assigned.
<code>params</code>	a vector or matrix of parameters to be transformed.
<code>dir</code>	direction of the transformation. <code>dir="forward"</code> applies the transformation from the “natural” scale to the “internal” scale. This is the transformation specified by the <code>parameter.transform</code> argument to <code>pomp</code> ; it is stored in the <code>‘par.trans’</code> slot of <code>object</code> . <code>dir="inverse"</code> applies the inverse transformation (stored in the <code>‘par.untrans’</code> slot).
<code>t0</code>	logical; if TRUE on a call to <code>time</code> , the zero time is prepended to the time vector; if TRUE on a call to <code>time<-</code> , the first element in <code>value</code> is taken to be the initial time.
<code>start, end</code>	start and end times of the window.

<code>class</code>	character; name of the class to which object should be coerced.
<code>from, to</code>	the classes between which coercion should be performed.
<code>strict</code>	ignored.
<code>y</code>	ignored.
<code>variables</code>	optional character; names of variables to plot.
<code>panel</code>	a function of prototype <code>panel(x, col, bg, pch, type, ...)</code> which gives the action to be carried out in each panel of the display.
<code>nc</code>	the number of columns to use. Defaults to 1 for up to 4 series, otherwise to 2.
<code>yax.flip</code>	logical; if TRUE, the y-axis (ticks and numbering) should flip from side 2 (left) to 4 (right) from series to series.
<code>mar, oma</code>	the 'par' settings for 'mar' and 'oma' to use. Modify with care!
<code>axes</code>	logical; indicates if x- and y- axes should be drawn.
<code>row.names, optional</code>	ignored.
<code>...</code>	Further arguments (either ignored or passed to underlying functions).

Details

coef `coef(object)` returns the contents of the `params` slot of `object`. `coef(object, pars)` returns only those parameters named in `pars`. `coef(object, transform=TRUE)` returns `parameter.inv.transform(coef(object))` where `parameter.inv.transform` is the user parameter inverse transformation function specified when `object` was created. Likewise, `coef(object, pars, transform=TRUE)` returns `parameter.inv.transform(coef(object))[pars]`.

coef<- Assigns values to the `params` slot of the `pomp` object. `coef(object) <- value` has the effect of replacing the parameters of `object` with `value`. If `coef(object)` exists, then `coef(object, pars) <- value` replaces those parameters of `object` named in `pars` with the elements of `value`; the names of `value` are ignored. If some of the names in `pars` do not already name parameters in `coef(object)`, then they are concatenated. If `coef(object)` does not exist, then `coef(object, pars) <- value` assigns `value` to the parameters of `object`; in this case, the names of `object` will be `pars` and the names of `value` will be ignored. `coef(object, transform=TRUE) <- value` assigns `parameter.transform(value)` to the `params` slot of `object`. Here, `parameter.transform` is the parameter transformation function specified when `object` was created. `coef(object, pars, transform=TRUE) <- value` first, discards any names the `value` may have, sets `names(value) <- pars`, and then replaces the elements of `object's params` slot `parameter.transform(value)`. In this case, if some of the names in `pars` do not already name parameters in `coef(object, transform=TRUE)`, then they are concatenated.

obs, data.array These functions are synonymous. `obs(object)` returns the array of observations. `obs(object, vars)` gives just the observations of variables named `vars`. `vars` may specify the variables by position or by name.

states `states(object)` returns the array of states. `states(object, vars)` gives just the state variables named in `vars`. `vars` may specify the variables by position or by name.

time `time(object)` returns the vector of observation times. `time(object, t0=TRUE)` returns the vector of observation times with the zero-time `t0` prepended.

time `time(object) <- value` replaces the observation times slot (`times`) of `object` with `value`. `time(object, t0=TRUE) <- value` has the same effect, but the first element in `value` is taken to be the initial time. The second and subsequent elements of `value` are taken to be the observation times. Those data and states (if they exist) corresponding to the new times are retained.

timezero, timezero `timezero(object)` returns the zero-time `t0`. `timezero(object) <- value` sets the zero-time to `value`.

window `window(x, start=t1, end=t2)` returns a new pomp object, identical to `x` but with only the data in the window between times `t1` and `t2` (inclusive). By default, `start` is the time of the first observation and `end` is the time of the last.

show Displays the pomp object.

plot Plots the data and state trajectories (if the latter exist). Additional arguments are passed to the low-level plotting routine.

print Prints the pomp object in a nice way.

as, coerce The `coerce` method should typically not be used directly. It is defined by `setAs` as a method to be used by `as`. A pomp object can be coerced to a data frame via `as(object, "data.frame")`. The data frame contains the times, the data, and the state trajectories, if they exist.

rprocess simulates the process model. See [rprocess-pomp](#).

dprocess evaluates the process model density. See [dprocess-pomp](#).

rmeasure simulates the measurement model. See [rmeasure-pomp](#).

dmeasure evaluates the measurement-model density. See [dmeasure-pomp](#).

skeleton evaluates the deterministic skeleton (be it a vector field or a map). See [skeleton-pomp](#).

init.state returns a vector of initialial conditions. See [init.state-pomp](#).

simulate `simulate` can be used to simulate state and observation trajectories. See documentation under [simulate-pomp](#).

Author(s)

Aaron A. King <kingaa at umich dot edu>

See Also

[pomp](#), [pomp-class](#), [rprocess](#), [dprocess](#), [rmeasure](#), [dmeasure](#), [init.state](#), [simulate](#)

pompBuilder

Write, compile, link, and build a pomp object using native codes

Description

pompBuilder is an EXPERIMENTAL facility for producing compiled pomp objects.

Usage

```
pompBuilder(data, times, t0, name, statenames, paramnames,
            tcovar, covar,
            rmeasure, dmeasure, step.fn, step.fn.delta.t,
            skeleton, skeleton.type, skelmap.delta.t = 1,
            parameter.transform, parameter.inv.transform,
            ..., link = TRUE, save = FALSE)
```

Arguments

<code>data, times, t0</code>	The data, times, and zero-time. See pomp for more information. data must be a data-frame.
<code>name</code>	character; the stem of the name for the files that will be produced.
<code>statenames, paramnames</code>	names of state-variables and parameters, respectively
<code>tcovar, covar</code>	optional. covar is a data-frame containing covariates (variables in columns, timepoints in rows); tcovar is the name of the column containing time.
<code>rmeasure, dmeasure</code>	C codes implementing the measurement model
<code>step.fn, step.fn.delta.t</code>	step.fn is a C code that implements an Euler step function. The Euler time-step is step.fn.delta.t, which should be a positive number.
<code>skeleton, skeleton.type, skelmap.delta.t</code>	skeleton is a C code that implements the deterministic skeleton. As in pomp, skeleton.type indicates whether the skeleton is a map (discrete-time) or vectorfield (continuous-time). If the former, skelmap.delta.t is the time-step of the map.
<code>parameter.transform, parameter.inv.transform</code>	optional C codes that implement parameter transformations. parameter.transform maps parameters from the estimation scale to the natural scale; parameter.inv.transformation maps them from the natural scale to the estimation scale.
<code>...</code>	additional arguments are passed to pomp
<code>link</code>	logical; if TRUE, the resulting code will be linked after compilation.
<code>save</code>	logical; if TRUE, the resulting C code will be saved in the current working directory. The shared-object library will also be created in this directory. If FALSE, the C code and shared-object library will be created in the temporary directory.

Details

pompBuilder assumes that files can be written to the current working directory and that dynamic shared objects can be compiled and linked, i.e., that R CMD SHLIB will work. This will not typically be the case in out-of-the-box Windows installations.

Value

The constructed pomp object. A side-effect is the writing and compilation of a C code into a dynamics shared object. These files will reside in the current working directory (see [getwd](#)). If pompBuilder has been called with `link=FALSE`, this dynamic shared object must be linked (see [dyn.load](#)) before the pomp object can be used.

Parallel computing caution: note that, since a side-effect of running pompBuilder is the writing and compilation of a file, caution must be used when running parallel computations. Simultaneous execution of pompBuilder on nodes sharing a common disk will cause all nodes to attempt to write the same file at the same time; the results will be undefined. If multiple nodes are to work on the same pomp object built by pompBuilder, first run pompBuilder once (perhaps with `link=FALSE`) to write the C file and compile it into a dynamic shared object file. The pomp object returned by pompBuilder can then be shared with all worker nodes. Note, however, that all worker nodes must dynamically load (using [dyn.load](#)) the dynamic shared object file before anything can be done with the pomp object.

Author(s)

Aaron A. King <kingaa at umich dot edu>

See Also

[pomp](#) and the demos.

Examples

```
## see the demos
```

pompExample

Pre-built examples of pomp objects.

Description

pompExample loads pre-built example pomp objects.

Usage

```
pompExample(example, envir = .GlobalEnv)
```

Arguments

example	example to load given as a name or literal character string. Evoked without an argument, pompExample lists all available examples.
envir	the environment into which the objects should be loaded.

Value

pompExample has the side effect of creating one or more pomp objects in the global workspace.

Author(s)

Aaron A. King <kingaa at umich dot edu>

See Also

[blowflies](#), [dacca](#), [gompertz](#), [ou2](#), [ricker](#), [rw2](#), [euler.sir](#), [gillespie.sir](#), [bbs](#), [verhulst](#)

Examples

```
pompExample()
pompExample(euler.sir)
pompExample("gompertz")
```

probe

Probe a partially-observed Markov process.

Description

probe applies one or more “probes” to time series data and model simulations and compares the results. It can be used to diagnose goodness of fit and/or as the basis for “probe-matching”, a generalized method-of-moments approach to parameter estimation. `probe.match` calls an optimizer to adjust model parameters to do probe-matching, i.e., to minimize the discrepancy between simulated and actual data. This discrepancy is measured using the “synthetic likelihood” as defined by Wood (2010). `probe.match.objfun` constructs an objective function for probe-matching suitable for use in optim-like optimizers.

Usage

```
## S4 method for signature 'pomp'
probe(object, probes, params, nsim, seed = NULL, ...)
## S4 method for signature 'probed.pomp'
probe(object, probes, params, nsim, seed, ...)
## S4 method for signature 'pomp'
probe.match.objfun(object, params, est, probes, nsim,
  seed = NULL, fail.value = NA, transform = FALSE, ...)
## S4 method for signature 'probed.pomp'
probe.match.objfun(object, probes, nsim, seed, ...)
## S4 method for signature 'pomp'
probe.match(object, start, est = character(0),
  probes, nsim, seed = NULL,
  method = c("subplex", "Nelder-Mead", "SANN", "BFGS",
    "sannbox", "nloptr"),
  verbose = getOption("verbose"),
  fail.value = NA, transform = FALSE, ...)
## S4 method for signature 'probed.pomp'
probe.match(object, probes, nsim, seed,
  ..., verbose = getOption("verbose"))
```

```
## S4 method for signature 'probe.matched.pomp'
probe.match(object, est, probes,
            nsim, seed, transform, fail.value, ...,
            verbose = getOption("verbose"))
```

Arguments

<code>object</code>	An object of class <code>pomp</code> .
<code>probes</code>	A single probe or a list of one or more probes. A probe is simply a scalar- or vector-valued function of one argument that can be applied to the data array of a <code>pomp</code> . A vector-valued probe must always return a vector of the same size. A number of basic examples are provided with the package (see basic.probes).
<code>params</code>	optional named numeric vector of model parameters. By default, <code>params=coef(object)</code> .
<code>nsim</code>	The number of model simulations to be computed.
<code>seed</code>	optional; if non-NULL, the random number generator will be initialized with this seed for simulations. See simulate-pomp .
<code>start</code>	named numeric vector; the initial guess of parameters.
<code>est</code>	character vector; the names of parameters to be estimated.
<code>method</code>	Optimization method. Choices refer to algorithms used in optim , subplex , and nloptr .
<code>verbose</code>	logical; print diagnostic messages?
<code>fail.value</code>	optional numeric scalar; if non-NA, this value is substituted for non-finite values of the objective function. It should be a large number (i.e., bigger than any legitimate values the objective function is likely to take).
<code>transform</code>	logical; if TRUE, optimization is performed on the transformed scale.
<code>...</code>	Additional arguments. In the case of <code>probe</code> , these are currently ignored. In the case of <code>probe.match</code> , these are passed to the optimizer (one of optim , subplex , nloptr , or sannbox). These are passed via the optimizer's control list (in the case of <code>optim</code> , <code>subplex</code> , and <code>sannbox</code>) or the <code>opts</code> list (in the case of <code>nloptr</code>).

Details

A call to `probe` results in the evaluation of the probe(s) in `probes` on the data. Additionally, `nsim` simulated data sets are generated (via a call to [simulate](#)) and the probe(s) are applied to each of these. The results of the probe computations on real and simulated data are stored in an object of class `probed.pomp`.

A call to `probe.match` results in an attempt to optimize the agreement between model and data, as measured by the specified probes, over the parameters named in `est`. The results, including coefficients of the fitted model and values of the probes for data and fitted-model simulations, are stored in an object of class [probe.matched.pomp](#).

The objective function minimized by `probe.match` — in a form suitable for use with [optim](#)-like optimizers — is created by a call to `probe.match.objfun`. Specifically, `probe.match.objfun` will return a function that takes a single numeric-vector argument that is assumed to contain the parameters named in `est`, in that order. This function will return the negative synthetic log likelihood for the probes specified.

Value

`probe` returns an object of class `probed.pomp`. `probed.pomp` is derived from the [pomp](#) class and therefore have all the slots of `pomp`. In addition, a `probed.pomp` class has the following slots:

probes list of the probes applied.

datvals, simvals values of each of the probes applied to the real and simulated data, respectively.

quantiles fraction of simulations with probe values less than the value of the probe of the data.

pvals two-sided p-values: fraction of the `simvals` that deviate more extremely from the mean of the `simvals` than does `datavals`.

synth.loglik the log synthetic likelihood (Wood 2010). This is the likelihood assuming that the probes are multivariate-normally distributed.

`probe.match` returns an object of class `probe.matched.pomp`, which is derived from class `probed.pomp`. `probe.matched.pomp` objects therefore have all the slots above plus the following:

est, transform, fail.value values of the corresponding arguments in the call to `probe.match`.

value value of the objective function at the optimum.

evals number of function and gradient evaluations by the optimizer. See [optim](#).

convergence, msg Convergence code and message from the optimizer. See [optim](#) and [nloptr](#).

`probe.match.objfun` returns a function suitable for use as an objective function in an [optim](#)-like optimizer.

Author(s)

Daniel C. Reuman, Aaron A. King

References

B. E. Kendall, C. J. Briggs, W. M. Murdoch, P. Turchin, S. P. Ellner, E. McCauley, R. M. Nisbet, S. N. Wood Why do populations cycle? A synthesis of statistical and mechanistic modeling approaches, *Ecology*, 80:1789–1805, 1999.

S. N. Wood Statistical inference for noisy nonlinear ecological dynamic systems, *Nature*, 466: 1102–1104, 2010.

See Also

[pomp-class](#), [pomp-methods](#), [basic.probes](#), [probe.match](#)

Examples

```
pompExample(ou2)
good <- probe(
  ou2,
  probes=list(
    y1.mean=probe.mean(var="y1"),
    y2.mean=probe.mean(var="y2"),
    y1.sd=probe.sd(var="y1"),
```

```

        y2.sd=probe.sd(var="y2"),
        extra=function(x)max(x["y1",])
      ),
      nsim=500
    )
summary(good)
plot(good)

bad <- probe(
  ou2,
  params=c(alpha.1=0.1,alpha.4=0.2,x1.0=0,x2.0=0,
            alpha.2=-0.5,alpha.3=0.3,
            sigma.1=3,sigma.2=-0.5,sigma.3=2,
            tau=1),
  probes=list(
    y1.mean=probe.mean(var="y1"),
    y2.mean=probe.mean(var="y2"),
    y1.sd=probe.sd(var="y1"),
    y2.sd=probe.sd(var="y2"),
    extra=function(x)range(x["y1",])
  ),
  nsim=500
)
summary(bad)
plot(bad)

```

probed.pomp-methods	<i>Methods of the "probed.pomp", "probe.matched.pomp", "spect.pomp", and "spect.matched.pomp" classes</i>
---------------------	---

Description

Methods of the `probed.pomp`, `probe.matched.pomp`, `spect.pomp`, and `spect.matched.pomp` classes

Usage

```

## S4 method for signature 'probed.pomp'
summary(object, ...)
## S4 method for signature 'probed.pomp'
plot(x, y, ...)
## S4 method for signature 'probe.matched.pomp'
summary(object, ...)
## S4 method for signature 'probe.matched.pomp'
plot(x, y, ...)
## S4 method for signature 'spect.pomp'
summary(object, ...)
## S4 method for signature 'probed.pomp'
logLik(object, ...)
## S4 method for signature 'spect.pomp'

```

```

plot(x, y, max.plots.per.page = 4,
     plot.data = TRUE,
     quantiles = c(.025, .25, .5, .75, .975),
     quantile.styles = list(lwd=1, lty=1, col="gray70"),
     data.styles = list(lwd=2, lty=2, col="black"))
## S4 method for signature 'spect.matched.pomp'
summary(object, ...)
## S4 method for signature 'spect.matched.pomp'
plot(x, y, ...)
## S4 method for signature 'probed.pomp'
as(object, class)

```

Arguments

<code>object, x</code>	the object to be summarized or plotted.
<code>y</code>	ignored.
<code>max.plots.per.page</code>	maximum number of plots per page
<code>plot.data</code>	plot the data spectrum?
<code>quantiles</code>	quantiles to plot
<code>quantile.styles</code>	plot style parameters for the quantiles
<code>data.styles</code>	plot style parameters for the data spectrum
<code>class</code>	character; name of the class to which object should be coerced.
<code>...</code>	Further arguments (either ignored or passed to underlying functions).

Methods

plot displays diagnostic plots.

summary displays summary information.

logLik returns the synthetic likelihood for the probes. NB: in general, this is not the same as the likelihood.

as when a ‘probed.pomp’ is coerced to a ‘data.frame’, the first row gives the probes applied to the data; the rest of the rows give the probes evaluated on simulated data. The rownames of the result can be used to distinguish these.

In addition, slots of this object can be accessed via the \$ operator.

Author(s)

Daniel C. Reuman, Aaron A. King

See Also

[probe](#), [probed.pomp](#), [probe.matched.pomp](#), [probe.match](#)

`profileDesign`*Design matrices for likelihood profile calculations.*

Description

`profileDesign` generates a data-frame where each row can be used as the starting point for a profile likelihood calculation.

Usage

```
profileDesign(..., lower, upper, nprof,  
              stringsAsFactors = default.stringsAsFactors())
```

Arguments

<code>...</code>	Specifies the parameters over which to profile.
<code>lower, upper</code>	Named numeric vectors, specifying the range over which the other parameters are to be sampled.
<code>nprof</code>	The number of starts per profile point.
<code>stringsAsFactors</code>	should character vectors be converted to factors?

Value

`profileDesign` returns a data frame with `nprof` points per profile point. The other parameters in `vars` are sampled using `sobol`.

Author(s)

Aaron A. King <kingaa at umich dot edu>

See Also

[sobol](#)

Examples

```
## A one-parameter profile design:  
x <- profileDesign(p=1:10, lower=c(a=0, b=0), upper=c(a=1, b=5), nprof=20)  
dim(x)  
plot(x)  
## A two-parameter profile design:  
x <- profileDesign(p=1:10, q=3:5, lower=c(a=0, b=0), upper=c(b=5, a=1), nprof=20)  
dim(x)  
plot(x)
```

ricker*Ricker model with Poisson observations.*

Description

ricker is a pomp object encoding a stochastic Ricker model with Poisson measurement error.

Details

The state process is $N_{t+1} = rN_t \exp(-N_t + e_t)$, where the e_t are i.i.d. normal random deviates with zero mean and variance σ^2 . The observed variables y_t are distributed as $\text{Poisson}(\phi N_t)$.

See Also

[pomp-class](#) and the vignettes

Examples

```
pompExample(ricker)
plot(ricker)
coef(ricker)
```

rw2*Two-dimensional random-walk process*

Description

rw2 is a pomp object encoding a 2-D normal random walk.

Details

The random-walk process is fully but noisily observed.

See Also

[pomp-class](#) and the vignettes

Examples

```
pompExample(rw2)
plot(rw2)
x <- simulate(rw2, nsim=10, seed=20348585L, params=c(x1.0=0, x2.0=0, s1=1, s2=3, tau=1))
plot(x[[1]])
```

sannbox

Simulated annealing with box constraints.

Description

sannbox is a straightforward implementation of simulated annealing with box constraints.

Usage

```
sannbox(par, fn, control = list(), ...)
```

Arguments

par	Initial values for the parameters to be optimized over.
fn	A function to be minimized, with first argument the vector of parameters over which minimization is to take place. It should return a scalar result.
control	A named list of control parameters. See ‘Details’.
...	ignored.

Details

The control argument is a list that can supply any of the following components:

trace Non-negative integer. If positive, tracing information on the progress of the optimization is produced. Higher values may produce more tracing information.

fnscale An overall scaling to be applied to the value of fn during optimization. If negative, turns the problem into a maximization problem. Optimization is performed on $fn(par)/fnscale$.

parscale A vector of scaling values for the parameters. Optimization is performed on $par/parscale$ and these should be comparable in the sense that a unit change in any element produces about a unit change in the scaled value.

maxit The total number of function evaluations: there is no other stopping criterion. Defaults to 10000.

temp starting temperature for the cooling schedule. Defaults to 1.

tmax number of function evaluations at each temperature. Defaults to 10.

candidate.dist function to randomly select a new candidate parameter vector. This should be a function with three arguments, the first being the current parameter vector, the second the temperature, and the third the parameter scaling. By default, `candidate.dist` is `function(par, temp, scale) rnorm(n=length(par), mean=par, sd=scale*temp)`.

sched cooling schedule. A function of a three arguments giving the temperature as a function of iteration number and the control parameters temp and tmax. By default, `sched` is `function(k, temp, tmax) temp/log((k+1)/tmax)`. Alternatively, one can supply a numeric vector of temperatures. This must be of length at least maxit.

Value

sannbox returns a list with components:

counts two-element integer vector. The first number gives the number of calls made to fn. The second number is provided for compatibility with `optim` and will always be NA.

convergence provided for compatibility with `optim`; will always be 0.

final.params last tried value of par.

final.value value of fn corresponding to final.params.

par best tried value of par.

value value of fn corresponding to par.

Author(s)

Daniel Reuman, Imperial College London and Aaron A. King <kingaa at umich dot edu>

See Also

[traj.match](#), [probe.match](#).

simulate-pomp

Running simulations of a partially-observed Markov process

Description

simulate can be used to generate simulated data sets and/or to simulate the state process.

Usage

```
## S4 method for signature 'pomp'
simulate(object, nsim = 1, seed = NULL, params,
         states = FALSE, obs = FALSE, times, t0,
         as.data.frame = FALSE, ...)
```

Arguments

object	An object of class pomp.
nsim	The number of simulations to perform. Note that the number of replicates will be nsim times ncol(xstart).
seed	optional; if set, the pseudorandom number generator (RNG) will be initialized with seed. the random seed to use. The RNG will be restored to its original state afterward.
params	either a named numeric vector or a numeric matrix with rownames. The parameters to use in simulating the model. If params is not given, then the contents of the params slot of object will be used, if they exist.
states	Do we want the state trajectories?

<code>obs</code>	Do we want data-frames of the simulated observations?
<code>times, t0</code>	<code>times</code> specifies the times at which simulated observations will be made. <code>t0</code> specifies the start time (the time at which the initial conditions hold). The default for <code>times</code> is <code>times=time(object,t0=FALSE)</code> and <code>t0=timezero(object)</code> , respectively.
<code>as.data.frame</code>	logical; if TRUE, return the result as a data-frame.
<code>...</code>	further arguments that are currently ignored.

Details

Simulation of the state process and of the measurement process are each accomplished by a single call to the user-supplied `rprocess` and `rmeasure` functions, respectively. This makes it possible for the user to write highly optimized code for these potentially expensive computations.

Value

If `states=FALSE` and `obs=FALSE` (the default), a list of `nsim` pomp objects is returned. Each has a simulated data set, together with the parameters used (in slot `params`) and the state trajectories also (in slot `states`). If `times` is specified, then the simulated observations will be at times `times`.

If `nsim=1`, then a single pomp object is returned (and not a singleton list).

If `states=TRUE` and `obs=FALSE`, simulated state trajectories are returned as a rank-3 array with dimensions `nvar` x `(ncol(params)*nsim)` x `ntimes`. Here, `nvar` is the number of state variables and `ntimes` the length of the argument `times`. The measurement process is not simulated in this case.

If `states=FALSE` and `obs=TRUE`, simulated observations are returned as a rank-3 array with dimensions `nobs` x `(ncol(params)*nsim)` x `ntimes`. Here, `nobs` is the number of observables.

If both `states=TRUE` and `obs=TRUE`, then a named list is returned. It contains the state trajectories and simulated observations as above.

Author(s)

Aaron A. King <kingaa at umich dot edu>

See Also

[pomp-class](#)

Examples

```
pompExample(ou2)
x <- simulate(ou2,seed=3495485,nsim=10)
x <- simulate(ou2,seed=3495485,nsim=10,states=TRUE,obs=TRUE)
```

sir*SIR models.*

Description

`euler.sir` is a `pomp` object encoding a simple seasonal SIR model. Simulation is performed using an Euler multinomial approximation. `gillespie.sir` has the same model implemented using Gillespie's algorithm. `bbs` is a nonseasonal SIR model together with data from a 1978 outbreak of influenza in a British boarding school.

Details

This example is discussed extensively in the “Introduction to **pomp**” and “Advanced topics in **pomp**” vignettes.

The codes that construct these `pomp` objects can be found in the “examples” directory in the installed package. Do `system.file("examples", package="pomp")` to find this directory. For the basic `rprocess`, `dmeasure`, `rmeasure`, and `skeleton` functions, these codes use compiled native routines built into the package's library. View “`src/sir.c`” in the package source or `file.show("examples/sir.c")` from an R session to view these codes.

The boarding school influenza outbreak is described in Anonymous (1978).

References

Anonymous (1978). Influenza in a boarding school. *British Medical Journal* 1:587

See Also

[pomp-class](#) and the vignettes

Examples

```
pompExample(euler.sir)
plot(euler.sir)
plot(simulate(euler.sir, seed=20348585))
coef(euler.sir)

pompExample(gillespie.sir)
plot(gillespie.sir)
plot(simulate(gillespie.sir, seed=20348585))
coef(gillespie.sir)

pompExample(bbs)
plot(bbs)
coef(bbs)
```

`sliceDesign`*Design matrices for likelihood slices.*

Description

`sliceDesign` generates a data-frame representing points taken along one or more slices through a point in a multidimensional space.

Usage

```
sliceDesign(center, ...)
```

Arguments

`center` `center` is a named numeric vector specifying the point through which the slice(s) is (are) to be taken.

`...` Additional numeric vector arguments specify the slices.

Value

`sliceDesign` returns a data frame with one row per point along a slice. The column `slice` is a factor that tells which slice each point belongs to.

Author(s)

Aaron A. King <kingaa at umich dot edu>

See Also

[profileDesign](#)

Examples

```
## A single 11-point slice through the point c(A=3,B=8,C=0) along the B direction.
x <- sliceDesign(center=c(A=3,B=8,C=0),B=seq(0,10,by=1))
dim(x)
plot(x)
## Two slices through the same point along the A and C directions.
x <- sliceDesign(c(A=3,B=8,C=0),A=seq(0,5,by=1),C=seq(0,5,length=11))
dim(x)
plot(x)
```

sobol	<i>Sobol' low-discrepancy sequence</i>
-------	--

Description

Generate a data-frame containing a Sobol' low-discrepancy sequence.

Usage

```
sobol(vars, n)
sobolDesign(lower, upper, nseq)
```

Arguments

vars	Named list of ranges of variables.
lower, upper	named numeric vectors giving the lower and upper bounds of the ranges, respectively.
n, nseq	Number of vectors requested.

Value

sobol	Returns a data frame with n 'observations' of the variables in vars.
sobolDesign	Returns a data frame with nseq 'observations' of the variables over the range specified.

Author(s)

Aaron A. King <kingaa at umich dot edu>

References

W. H. Press, S. A. Teukolsky, W. T. Vetterling, \& B. P. Flannery, Numerical Recipes in C, Cambridge University Press, 1992

See Also

[sliceDesign](#), [profileDesign](#)

Examples

```
plot(sobol(vars=list(a=c(0,1),b=c(100,200)),100))
plot(sobolDesign(lower=c(a=0,b=100),upper=c(b=200,a=1),100))
```

spect	<i>Power spectrum computation for partially-observed Markov processes.</i>
-------	--

Description

spect estimates the power spectrum of time series data and model simulations and compares the results. It can be used to diagnose goodness of fit and/or as the basis for frequency-domain parameter estimation (spect.match).

spect.match tries to match the power spectrum of the model to that of the data. It calls an optimizer to adjust model parameters to minimize the discrepancy between simulated and actual data.

Usage

```
## S4 method for signature 'pomp'
spect(object, params, vars, kernel.width, nsim, seed = NULL,
      transform = identity,
      detrend = c("none", "mean", "linear", "quadratic"),
      ...)
## S4 method for signature 'spect.pomp'
spect(object, params, vars, kernel.width, nsim, seed = NULL, transform,
      detrend, ...)
spect.match(object, start, est = character(0),
            vars, nsim, seed = NULL,
            kernel.width, transform = identity,
            detrend = c("none", "mean", "linear", "quadratic"),
            weights, method = c("subplex", "Nelder-Mead", "SANN"),
            verbose = getOption("verbose"),
            eval.only = FALSE, fail.value = NA, ...)
```

Arguments

object	An object of class pomp.
params	optional named numeric vector of model parameters. By default, params=coef(object).
vars	optional; names of observed variables for which the power spectrum will be computed. This must be a subset of rownames(obs(object)). By default, the spectrum will be computed for all observables.
kernel.width	width parameter for the smoothing kernel used for calculating the estimate of the spectrum.
nsim	number of model simulations to be computed.
seed	optional; if non-NULL, the random number generator will be initialized with this seed for simulations. See simulate-pomp .
transform	function; this transformation will be applied to the observables prior to estimation of the spectrum, and prior to any detrending.

<code>detrend</code>	de-trending operation to perform. Options include no detrending, and subtraction of constant, linear, and quadratic trends from the data. Detrending is applied to each data series and to each model simulation independently.
<code>weights</code>	optional. The mismatch between model and data is measured by a weighted average of mismatch at each frequency. By default, all frequencies are weighted equally. <code>weights</code> can be specified either as a vector (which must have length equal to the number of frequencies) or as a function of frequency. If the latter, <code>weights(freq)</code> must return a nonnegative weight for each frequency.
<code>start</code>	named numeric vector; the initial guess of parameters.
<code>est</code>	character vector; the names of parameters to be estimated.
<code>method</code>	Optimization method. Choices are <code>subplex</code> and any of the methods used by <code>optim</code> .
<code>verbose</code>	logical; print diagnostic messages?
<code>eval.only</code>	logical; if TRUE, no optimization is attempted. Instead, the probe-mismatch value is simply evaluated at the <code>start</code> parameters.
<code>fail.value</code>	optional scalar; if non-NA, this value is substituted for non-finite values of the objective function.
<code>...</code>	Additional arguments. In the case of <code>spect</code> , these are currently ignored. In the case of <code>spect.match</code> , these are passed to <code>optim</code> or <code>subplex</code> in the control list.

Details

A call to `spect` results in the estimation of the power spectrum for the (transformed, detrended) data and `nsim` model simulations. The results of these computations are stored in an object of class `spect.pomp`.

A call to `spect.match` results in an attempt to optimize the agreement between model and data spectrum over the parameters named in `est`. The results, including coefficients of the fitted model and power spectra of fitted model and data, are stored in an object of class `spect.matched.pomp`.

Value

`spect` returns an object of class `spect.pomp`, which is derived from class `pomp` and therefore has all the slots of that class. In addition, `spect.pomp` objects have the following slots:

kernel.width width parameter of the smoothing kernel used.

transform transformation function used.

freq numeric vector of the frequencies at which the power spectrum is estimated.

datspec, simspec estimated power spectra for data and simulations, respectively.

pvals one-sided p-values: fraction of the simulated spectra that differ more from the mean simulated spectrum than does the data. The metric used is L^2 distance.

detrend detrending option used.

`spect.match` returns an object of class `spect.matched.pomp`, which is derived from class `{spect.pomp}` and therefore has all the slots of that class. In addition, `spect.matched.pomp` objects have the following slots:

est, weights, fail.value values of the corresponding arguments in the call to `spect.match`.

evals number of function and gradient evaluations by the optimizer. See [optim](#).

value Value of the objective function.

convergence, msg Convergence code and message from the optimizer. See [optim](#).

Author(s)

Daniel C. Reuman, Cai GoGwilt, Aaron A. King

References

D.C. Reuman, R.A. Desharnais, R.F. Costantino, O. Ahmad, J.E. Cohen (2006) Power spectra reveal the influence of stochasticity on nonlinear population dynamics. *Proceedings of the National Academy of Sciences* **103**, 18860-18865.

D.C. Reuman, R.F. Costantino, R.A. Desharnais, J.E. Cohen (2008) Color of environmental noise affects the nonlinear dynamics of cycling, stage-structured populations. *Ecology Letters*, **11**, 820-830.

See Also

[pomp-class](#), [pomp-methods](#), [probe](#), [probe.match](#)

Examples

```
pompExample(ou2)
good <- spect(
  ou2,
  vars=c("y1", "y2"),
  kernel.width=3,
  detrend="mean",
  nsim=500
)
summary(good)
plot(good)

ou2.bad <- ou2
coef(ou2.bad, c("x1.0", "x2.0", "alpha.1", "alpha.4")) <- c(0, 0, 0.1, 0.2)
bad <- spect(
  ou2.bad,
  vars=c("y1", "y2"),
  kernel.width=3,
  detrend="mean",
  nsim=500
)
summary(bad)
plot(bad)
```


traj.match

Trajectory matching

Description

Facilities for matching trajectories to data. Trajectory matching is equivalent to maximum likelihood estimation under the assumption that process noise is entirely absent, i.e., that all stochasticity is measurement error.

Usage

```
## S4 method for signature 'pomp'
traj.match(object, start, est = character(0),
           method = c("Nelder-Mead", "subplex", "SANN", "BFGS",
                      "sannbox", "nloptr"),
           transform = FALSE, ...)
## S4 method for signature 'traj.matched.pomp'
traj.match(object, est, transform, ...)
## S4 method for signature 'pomp'
traj.match.objfun(object, params, est, transform = FALSE, ...)
```

Arguments

object	A pomp object. If object has no skeleton slot, an error will be generated.
start	named numeric vector containing an initial guess for parameters. By default start=coef(object) if the latter exists.
params	optional named numeric vector of parameters. This should contain all parameters needed by the skeleton and dmeasure slots of object. In particular, any parameters that are to be treated as fixed should be present here. Parameter values given in params for parameters named in est will be ignored. By default, params=coef(object) if the latter exists.
est	character vector containing the names of parameters to be estimated. In the case of traj.match.objfun, the objective function that is constructed will assume that its argument contains the parameters in this order.
method	Optimization method. Choices are subplex , “sannbox”, and any of the methods used by optim .
transform	logical; if TRUE, optimization is performed on the transformed scale.
...	Extra arguments that will be passed either to the optimizer (optim , subplex , nloptr , or sannbox , via their control (optim, subplex, sannbox) or opts (nloptr) lists) or to the ODE integrator. In traj.match, extra arguments will be passed to the optimizer. In traj.match.objfun, extra arguments are passed to trajectory . If extra arguments are needed by both optimizer and trajectory , construct an objective function first using traj.match.objfun, then give this objective function to the optimizer.

Details

In **pomp**, trajectory matching is the term used for maximizing the likelihood of the data under the assumption that there is no process noise. Specifically, `traj.match` calls an optimizer (`optim`, `subplex`, and `sannbox` are the currently supported options) to minimize an objective function. For any value of the model parameters, this objective function is calculated by

1. computing the deterministic trajectory of the model given the parameters. This is the trajectory returned by `trajectory`, which relies on the model's deterministic skeleton as specified in the construction of the `pomp` object.
2. evaluating the negative log likelihood of the data under the measurement model given the deterministic trajectory and the model parameters. This is accomplished via the model's `dmeasure` slot. The negative log likelihood is the objective function's value.

The objective function itself — in a form suitable for use with `optim`-like optimizers — is created by a call to `traj.match.objfun`. Specifically, `traj.match.objfun` will return a function that takes a single numeric-vector argument that is assumed to contain the parameters named in `est`, in that order.

Value

`traj.match` returns an object of class `traj.matched.pomp`. This class inherits from class `pomp` and contains the following additional slots:

transform, est the values of these arguments on the call to `traj.match`.

evals number of function and gradient evaluations by the optimizer. See `optim`.

value value of the objective function. Larger values indicate better fit (i.e., `traj.match` attempts to maximize this quantity).

convergence, msg convergence code and message from the optimizer. See `optim`.

Available methods for objects of this type include `summary` and `logLik`. The other slots of this object can be accessed via the `$` operator.

`traj.match.objfun` returns a function suitable for use as an objective function in an `optim`-like optimizer.

See Also

`trajectory`, `pomp`, `optim`, `subplex`

Examples

```
pompExample(ou2)
true.p <- c(
  alpha.1=0.9, alpha.2=0, alpha.3=-0.4, alpha.4=0.99,
  sigma.1=2, sigma.2=0.1, sigma.3=2,
  tau=1,
  x1.0=50, x2.0=-50
)
simdata <- simulate(ou2, nsim=1, params=true.p, seed=43553)
guess.p <- true.p
```

```

res <- traj.match(
  simdata,
  start=guess.p,
  est=c('alpha.1','alpha.3','alpha.4','x1.0','x2.0','tau'),
  maxit=2000,
  method="Nelder-Mead",
  reltol=1e-8
)

summary(res)

plot(range(time(res)),range(c(obs(res),states(res))),type='n',xlab="time",ylab="x,y")
points(y1~time,data=as(res,"data.frame"),col='blue')
points(y2~time,data=as(res,"data.frame"),col='red')
lines(x1~time,data=as(res,"data.frame"),col='blue')
lines(x2~time,data=as(res,"data.frame"),col='red')

pompExample(ricker)
ofun <- traj.match.objfun(ricker,est=c("r","phi"),transform=TRUE)
optim(fn=ofun,par=c(2,0),method="BFGS")

pompExample(bbs)
## some options are passed to the ODE integrator
ofun <- traj.match.objfun(bbs,est=c("beta","gamma"),transform=TRUE,hmax=0.001,rtol=1e-6)
optim(fn=ofun,par=c(0,-1),method="Nelder-Mead",control=list(reltol=1e-10))

```

trajectory

Compute trajectories of the deterministic skeleton.

Description

The method `trajectory` computes a trajectory of the deterministic skeleton of a Markov process. In the case of a discrete-time system, the deterministic skeleton is a map and a trajectory is obtained by iterating the map. In the case of a continuous-time system, the deterministic skeleton is a vectorfield; `trajectory` integrates the vectorfield to obtain a trajectory.

Usage

```

## S4 method for signature 'pomp'
trajectory(object, params, times, t0, as.data.frame = FALSE, ...)

```

Arguments

<code>object</code>	an object of class <code>pomp</code> .
<code>params</code>	a rank-2 array of parameters. Each column of <code>params</code> is a distinct parameter vector.
<code>times, t0</code>	<code>times</code> is a numeric vector specifying the times at which a trajectory is desired. <code>t0</code> specifies the start time (the time at which the initial conditions hold). The default for <code>times</code> is <code>times=time(object, t0=FALSE)</code> and <code>t0=timezero(object)</code> , respectively.

`as.data.frame` logical; if TRUE, return the result as a data-frame.

... additional arguments are passed to the ODE integrator if the skeleton is a vectorfield and ignored if it is a map. See [ode](#) for a description of the additional arguments accepted.

Details

This function makes repeated calls to the user-supplied skeleton of the `pomp` object. For specifications on supplying this, see [pomp](#).

When the skeleton is a vectorfield, `trajectory` integrates it using [ode](#).

When the skeleton is a map, `trajectory` iterates it. By default, time is advanced 1 unit per iteration. The user can change this behavior by specifying the desired timestep using the argument `skelmap.delta.t` in the construction of the `pomp` object.

Value

Returns an array of dimensions `nvar x nreps x ntimes`. If `x` is the returned matrix, `x[i,j,k]` is the *i*-th component of the state vector at time `times[k]` given parameters `params[,j]`.

Author(s)

Aaron A. King <kingaa at umich dot edu>

See Also

[pomp](#), [traj.match](#), [ode](#)

Examples

```
pompExample(euler.sir)
x <- trajectory(euler.sir)
plot(time(euler.sir),x["I",1,],type='l',xlab='time',ylab='I')
lines(time(euler.sir),x["cases",1,],col='red')

coef(euler.sir,c("gamma")) <- log(12)
x <- trajectory(euler.sir)
plot(time(euler.sir),x["I",1,],type='l',xlab='time',ylab='I')
lines(time(euler.sir),x["cases",1,],col='red')

x <- trajectory(euler.sir,as.data.frame=TRUE)
```

verhulst	<i>Simple Verhulst-Pearl (logistic) model.</i>
----------	--

Description

verhulst is a `pomp` object encoding a univariate stochastic logistic model with measurement error.

Details

The model is written as an Ito diffusion, $dn = rn(1 - n/K)dt + \sigma ndW$, where W is a Wiener process. It is implemented using the [euler.sim](#) plug-in.

See Also

[pomp-class](#) and the vignettes

Examples

```
pompExample(verhulst)
plot(verhulst)
coef(verhulst)
params <- cbind(
  c(n.0=100,K=10000,r=0.2,sigma=0.4,tau=0.1),
  c(n.0=1000,K=11000,r=0.1,sigma=0.4,tau=0.1)
)
x <- simulate(verhulst,params=params,states=TRUE)
matplot(time(verhulst),t(x['n',,]),type='l')
y <- trajectory(verhulst,params=params)
matlines(time(verhulst),t(y['n',,]),type='l',lwd=2)
```

Index

*Topic **datasets**

- blowflies, [10](#)
- dacca, [13](#)
- gompertz, [16](#)
- LondonYorke, [18](#)
- ou2, [26](#)
- ricker, [55](#)
- rw2, [55](#)
- sir, [59](#)
- verhulst, [69](#)

*Topic **design**

- profileDesign, [54](#)
- sliceDesign, [60](#)
- sobol, [61](#)

*Topic **distribution**

- eulermultinom, [14](#)

*Topic **models**

- basic.probes, [8](#)
- mif-methods, [22](#)
- nlf, [23](#)
- pfilter, [27](#)
- pfilter-methods, [29](#)
- plugins, [31](#)
- pmcmc-methods, [36](#)
- pomp, [37](#)
- pomp-methods, [43](#)
- pomp-package, [3](#)
- probe, [49](#)
- probed.pomp-methods, [52](#)
- simulate-pomp, [57](#)
- spect, [62](#)
- traj.match, [65](#)
- trajectory, [67](#)

*Topic **optimize**

- sannbox, [56](#)

*Topic **smooth**

- B-splines, [7](#)

*Topic **ts**

- abc, [4](#)

- abc-methods, [6](#)

- basic.probes, [8](#)

- bsmc, [11](#)

- mif, [19](#)

- mif-methods, [22](#)

- nlf, [23](#)

- pfilter, [27](#)

- pfilter-methods, [29](#)

- pmcmc, [34](#)

- pmcmc-methods, [36](#)

- pomp, [37](#)

- pomp-methods, [43](#)

- pomp-package, [3](#)

- probe, [49](#)

- probed.pomp-methods, [52](#)

- simulate-pomp, [57](#)

- spect, [62](#)

- traj.match, [65](#)

- trajectory, [67](#)

- \$,bsmcd.pomp-method (bsmc), [11](#)

- \$,pfilterd.pomp-method
(pfilter-methods), [29](#)

- \$,probe.matched.pomp-method
(probed.pomp-methods), [52](#)

- \$,probed.pomp-method
(probed.pomp-methods), [52](#)

- \$,traj.matched.pomp-method
(traj.match), [65](#)

- \$-bsmcd.pomp (bsmc), [11](#)

- \$-pfilterd.pomp (pfilter-methods), [29](#)

- \$-probe.matched.pomp
(probed.pomp-methods), [52](#)

- \$-probed.pomp (probed.pomp-methods), [52](#)

- \$-traj.matched.pomp (traj.match), [65](#)

- abc, [4](#), [6](#)

- abc, abc-method (abc), [4](#)

- abc, pomp-method (abc), [4](#)

- abc, probed.pomp-method (abc), [4](#)

- abc-abc (abc), [4](#)

- abc-class (abc), 4
- abc-methods, 6, 6
- abc-pomp (abc), 4
- abc-probed.pomp (abc), 4
- as.pfilterd.pomp-method
 - (pfilter-methods), 29
- as.pomp-method (pomp-methods), 43
- as.probed.pomp-method
 - (probed.pomp-methods), 52
- as.data.frame.pfilterd.pomp
 - (pfilter-methods), 29
- as.data.frame.pomp, 43
- as.data.frame.pomp (pomp-methods), 43
- B-splines, 7
- basic.probes, 8, 50, 51
- bbs, 49
- bbs (sir), 59
- blowflies, 10, 49
- blowflies1 (blowflies), 10
- blowflies2 (blowflies), 10
- bsmc, 4, 11
- bsmc.pomp-method (bsmc), 11
- bsmc-pomp (bsmc), 11
- bspline.basis (B-splines), 7
- coef, 22, 43
- coef.pomp-method (pomp-methods), 43
- coef-pomp (pomp-methods), 43
- coef<- (pomp-methods), 43
- coef<-, pomp-method (pomp-methods), 43
- coef<--pomp (pomp-methods), 43
- coerce.pfilterd.pomp, data.frame-method
 - (pfilter-methods), 29
- coerce.pomp, data.frame-method
 - (pomp-methods), 43
- coerce.probed.pomp, data.frame-method
 - (probed.pomp-methods), 52
- compare.mif (mif-methods), 22
- compare.pmcmt (pmcmt-methods), 36
- cond.logLik (pfilter-methods), 29
- cond.logLik.pfilterd.pomp-method
 - (pfilter-methods), 29
- cond.logLik-pfilterd.pomp
 - (pfilter-methods), 29
- continue (mif), 19
- continue, abc-method (abc), 4
- continue, mif-method (mif), 19
- continue, pmcmt-method (pmcmt), 34
- continue-abc (abc), 4
- continue-mif (mif), 19
- continue-pmcmt (pmcmt), 34
- conv.rec (mif-methods), 22
- conv.rec, abc-method (abc-methods), 6
- conv.rec, mif-method (mif-methods), 22
- conv.rec, pmcmt-method (pmcmt-methods), 36
- conv.rec-abc (abc-methods), 6
- conv.rec-mif (mif-methods), 22
- conv.rec-pmcmt (pmcmt-methods), 36
- dacca, 13, 49
- data.array (pomp-methods), 43
- data.array.pomp-method (pomp-methods), 43
- data.array-pomp (pomp-methods), 43
- data.frame-pomp (pomp), 37
- deulermultinom (eulermultinom), 14
- discrete.time.sim, 40
- discrete.time.sim (plugins), 31
- dmeasure, 46
- dprior, abc-method (abc-methods), 6
- dprior-abc (abc-methods), 6
- dprocess, 46
- dyn.load, 48
- eff.sample.size (pfilter-methods), 29
- eff.sample.size.pfilterd.pomp-method
 - (pfilter-methods), 29
- eff.sample.size-pfilterd.pomp
 - (pfilter-methods), 29
- euler.sim, 40, 41, 69
- euler.sim (plugins), 31
- euler.sir, 14, 49
- euler.sir (sir), 59
- eulermultinom, 14, 33
- filter.mean (pfilter-methods), 29
- filter.mean.pfilterd.pomp-method
 - (pfilter-methods), 29
- filter.mean.pmcmt-method
 - (pmcmt-methods), 36
- filter.mean-pfilterd.pomp
 - (pfilter-methods), 29
- filter.mean-pmcmt (pmcmt-methods), 36
- getwd, 48
- gillespie.sim, 40, 41

- gillespie.sim (plugins), 31
- gillespie.sir, 49
- gillespie.sir (sir), 59
- gompertz, 16, 49
- init.state, 46
- kernel, 8
- logLik,mif-method (mif-methods), 22
- logLik,pfilterd.pomp-method
(pfilter-methods), 29
- logLik,pmcmc-method (pmcmc-methods), 36
- logLik,probed.pomp-method
(probed.pomp-methods), 52
- logLik,traj.matched.pomp-method
(traj.match), 65
- logLik-mif (mif-methods), 22
- logLik-pfilterd.pomp (pfilter-methods),
29
- logLik-pmcmc (pmcmc-methods), 36
- logLik-probed.pomp
(probed.pomp-methods), 52
- logLik-traj.matched.pomp (traj.match),
65
- logmeanexp, 17
- LondonYorke, 18
- matrix-pomp (pomp), 37
- mean, 8
- mif, 3, 4, 19, 23
- mif,mif-method (mif), 19
- mif,pfilterd.pomp-method (mif), 19
- mif,pomp-method (mif), 19
- mif-methods, 22
- mif-mif (mif), 19
- mif-pfilterd.pomp (mif), 19
- mif-pomp (mif), 19
- nlf, 3, 4, 23
- nloptr, 50, 51, 65
- numeric-pomp (pomp), 37
- obs, 9, 43
- obs (pomp-methods), 43
- obs,pomp-method (pomp-methods), 43
- obs-pomp (pomp-methods), 43
- ode, 68
- onestep.dens, 40, 41
- onestep.dens (plugins), 31
- onestep.sim, 40, 41
- onestep.sim (plugins), 31
- optim, 24, 50, 51, 57, 63–66
- ou2, 26, 49
- parmat, 26
- partrans (pomp-methods), 43
- partrans,pomp-method (pomp-methods), 43
- partrans-pomp (pomp-methods), 43
- paste, 7
- periodic.bspline.basis (B-splines), 7
- pfilter, 3, 4, 20, 22, 23, 27, 30, 35–37
- pfilter,pfilterd.pomp-method (pfilter),
27
- pfilter,pomp-method (pfilter), 27
- pfilter-methods, 29
- pfilter-pfilterd.pomp (pfilter), 27
- pfilter-pomp (pfilter), 27
- pfilterd.pomp, 28, 35
- pfilterd.pomp-class (pfilter), 27
- plot,abc-method (abc-methods), 6
- plot,bsmcd.pomp-method (bsmc), 11
- plot,mif-method (mif-methods), 22
- plot,pmcmc-method (pmcmc-methods), 36
- plot,pomp-method (pomp-methods), 43
- plot,probe.matched.pomp-method
(probed.pomp-methods), 52
- plot,probed.pomp-method
(probed.pomp-methods), 52
- plot,spect.matched.pomp-method
(probed.pomp-methods), 52
- plot,spect.pomp-method
(probed.pomp-methods), 52
- plot-abc (abc-methods), 6
- plot-bsmcd.pomp (bsmc), 11
- plot-mif (mif-methods), 22
- plot-pmcmc (pmcmc-methods), 36
- plot-pomp (pomp-methods), 43
- plot-probe.matched.pomp
(probed.pomp-methods), 52
- plot-probed.pomp (probed.pomp-methods),
52
- plot-spect.pomp (probed.pomp-methods),
52
- plugins, 31, 38, 40, 41, 43
- pmcmc, 3, 4, 34, 36, 37
- pmcmc,pfilterd.pomp-method (pmcmc), 34
- pmcmc,pmcmc-method (pmcmc), 34
- pmcmc,pomp-method (pmcmc), 34

- pmcmc-class (pmcmc), 34
- pmcmc-methods, 36
- pmcmc-pfilterd.pomp (pmcmc), 34
- pmcmc-pmcmc (pmcmc), 34
- pmcmc-pomp (pmcmc), 34
- pomp, 3, 4, 6, 14, 22, 23, 26, 28, 32, 33, 35, 37, 37, 40, 42, 46–48, 51, 63, 65, 66, 68
- pomp, data.frame-method (pomp), 37
- pomp, matrix-method (pomp), 37
- pomp, numeric-method (pomp), 37
- pomp, pomp-method (pomp), 37
- pomp-class, 10, 13, 29, 30, 46, 51, 58, 64
- pomp-methods, 10, 43, 43, 51, 64
- pomp-package, 3
- pomp-pomp (pomp), 37
- pompBuilder, 46
- pompExample, 48
- pred.mean (pfilter-methods), 29
- pred.mean, pfilterd.pomp-method (pfilter-methods), 29
- pred.mean-pfilterd.pomp (pfilter-methods), 29
- pred.var (pfilter-methods), 29
- pred.var, pfilterd.pomp-method (pfilter-methods), 29
- pred.var-pfilterd.pomp (pfilter-methods), 29
- print, pomp-method (pomp-methods), 43
- print-pomp (pomp-methods), 43
- probe, 6, 9, 49, 53, 64
- probe, pomp-method (probe), 49
- probe, probed.pomp-method (probe), 49
- probe-pomp (probe), 49
- probe-probed.pomp (probe), 49
- probe.acf (basic.probes), 8
- probe.ccf (basic.probes), 8
- probe.marginal (basic.probes), 8
- probe.match, 3, 4, 9, 51, 53, 57, 64
- probe.match (probe), 49
- probe.match, pomp-method (probe), 49
- probe.match, probe.matched.pomp-method (probe), 49
- probe.match, probed.pomp-method (probe), 49
- probe.match-pomp (probe), 49
- probe.match-probe.matched.pomp (probe), 49
- probe.match-probed.pomp (probe), 49
- probe.match.objfun (probe), 49
- probe.match.objfun, pomp-method (probe), 49
- probe.match.objfun, probed.pomp-method (probe), 49
- probe.match.objfun-pomp (probe), 49
- probe.match.objfun-probed.pomp (probe), 49
- probe.matched.pomp, 50, 53
- probe.matched.pomp-class (probe), 49
- probe.matched.pomp-methods (probed.pomp-methods), 52
- probe.mean (basic.probes), 8
- probe.median (basic.probes), 8
- probe.nlar (basic.probes), 8
- probe.period (basic.probes), 8
- probe.quantile (basic.probes), 8
- probe.sd (basic.probes), 8
- probe.var (basic.probes), 8
- probed.pomp, 5, 53
- probed.pomp-class (probe), 49
- probed.pomp-methods, 52
- profileDesign, 54, 60, 61
- quantile, 8
- reulermultinom (eulermultinom), 14
- rgammawn (eulermultinom), 14
- ricker, 49, 55
- rmeasure, 46
- rprior, 12
- rprocess, 46
- rw2, 49, 55
- sannbox, 50, 56, 65, 66
- show, pomp-method (pomp-methods), 43
- show-pomp (pomp-methods), 43
- simulate, 3, 4, 46, 50
- simulate, pomp-method (simulate-pomp), 57
- simulate-pomp, 50, 57, 62
- sir, 59
- sliceDesign, 60, 61
- sobol, 54, 61
- sobolDesign (sobol), 61
- spect, 62
- spect, pomp-method (spect), 62
- spect, spect.pomp-method (spect), 62
- spect-pomp (spect), 62
- spect-spect.pomp (spect), 62

- spect.match, [3](#)
- spect.match(spect), [62](#)
- spect.match,pomp-method(spect), [62](#)
- spect.match,spect.pomp-method(spect), [62](#)
- spect.match-pomp(spect), [62](#)
- spect.match-spect.pomp(spect), [62](#)
- spect.matched.pomp, [63](#)
- spect.matched.pomp-class(spect), [62](#)
- spect.matched.pomp-methods
(probed.pomp-methods), [52](#)
- spect.pomp, [63](#)
- spect.pomp-class(spect), [62](#)
- spect.pomp-methods
(probed.pomp-methods), [52](#)
- sprintf, [7](#)
- states, [43](#)
- states(pomp-methods), [43](#)
- states,pomp-method(pomp-methods), [43](#)
- states-pomp(pomp-methods), [43](#)
- subplex, [24](#), [50](#), [63](#), [65](#), [66](#)
- summary,probe.matched.pomp-method
(probed.pomp-methods), [52](#)
- summary,probed.pomp-method
(probed.pomp-methods), [52](#)
- summary,spect.matched.pomp-method
(probed.pomp-methods), [52](#)
- summary,spect.pomp-method
(probed.pomp-methods), [52](#)
- summary,traj.matched.pomp-method
(traj.match), [65](#)
- summary-probe.matched.pomp
(probed.pomp-methods), [52](#)
- summary-probed.pomp
(probed.pomp-methods), [52](#)
- summary-spect.matched.pomp
(probed.pomp-methods), [52](#)
- summary-spect.pomp
(probed.pomp-methods), [52](#)
- summary-traj.matched.pomp(traj.match), [65](#)
- time, [43](#)
- time,pomp-method(pomp-methods), [43](#)
- time-pomp(pomp-methods), [43](#)
- time<- (pomp-methods), [43](#)
- time<-,pomp-method(pomp-methods), [43](#)
- time<--pomp(pomp-methods), [43](#)
- timezero, [43](#)
- timezero(pomp-methods), [43](#)
- timezero,pomp-method(pomp-methods), [43](#)
- timezero-pomp(pomp-methods), [43](#)
- timezero<- (pomp-methods), [43](#)
- timezero<-,pomp-method(pomp-methods), [43](#)
- timezero<--pomp(pomp-methods), [43](#)
- traj.match, [3](#), [4](#), [57](#), [65](#), [68](#)
- traj.match,pomp-method(traj.match), [65](#)
- traj.match,traj.matched.pomp-method
(traj.match), [65](#)
- traj.match-pomp(traj.match), [65](#)
- traj.match-traj.matched.pomp
(traj.match), [65](#)
- traj.match.objfun(traj.match), [65](#)
- traj.match.objfun,pomp-method
(traj.match), [65](#)
- traj.match.objfun-pomp(traj.match), [65](#)
- traj.matched.pomp-class(traj.match), [65](#)
- trajectory, [4](#), [65](#), [66](#), [67](#)
- trajectory,pomp-method(trajectory), [67](#)
- trajectory-pomp(trajectory), [67](#)
- verhulst, [49](#), [69](#)
- window, [43](#)
- window,pomp-method(pomp-methods), [43](#)
- window-pomp(pomp-methods), [43](#)