

Package ‘ISAT’

August 20, 2018

Title Extract Cell Density and Nearest Distance Based on 'PerkinElmer InForm' Software Output

Version 1.0.5

Date 2018-07-31

Author Minyu Wang, Yu Sun, Yu-Kuan Huang

Maintainer Minyu Wang <minyu.wang@petermac.org>

Description Reads the output of the 'PerkinElmer InForm' software <<http://www.perkinelmer.com/product/inform-cell-analysis-one-seat-cls135781>>. In addition to cell-density count, it can derive statistics of intercellular spatial distance for each cell-type.

Depends R (>= 3.4)

Suggests knitr, rmarkdown, dplyr

VignetteBuilder knitr

Imports gtools, stats, stringr, utils

License GPL-2

Encoding UTF-8

LazyData true

RoxygenNote 6.1.0

NeedsCompilation no

Repository CRAN

Date/Publication 2018-08-20 11:30:03 UTC

R topics documented:

findNN	2
findNNs	2
getFileCount	3
procDist	3

Index	5
--------------	----------

findNN *Find the nearest neighbour (NN) given a cell and a group of cells;*

Description

Find the nearest neighbour (NN) given a cell and a group of cells;

Usage

```
findNN(cell, cellList, XY_LABELS = c("Cell.X.Position",
  "Cell.Y.Position"))
```

Arguments

cell	An object cell
cellList	A list of cell types to be calculated for
XY_LABELS	x and y positions of the cell

Value

The Nearest Neighbour Cell distance and calculate the distance

Examples

```
Cell.X.Position=sample (1:100,1)
Cell.Y.Position=sample (1:100,1)
Tcell=data.frame(Cell.X.Position,Cell.Y.Position)
Cell.X.Position=sample(1:500,5,replace=TRUE)
Cell.Y.Position=sample(1:500,5,replace=TRUE)
Tumor.cells=data.frame(Cell.X.Position,Cell.Y.Position)
findNN(Tcell,Tumor.cells,XY_LABELS=c('Cell.X.Position', 'Cell.Y.Position'))
```

findNNs *Read a file and compute the NN through permutations;*

Description

Read a file and compute the NN through permutations;

Usage

```
findNNs(filename, cell_names = NULL)
```

Arguments

filename	the file to be processed
cell_names	A list of cell types

Value

The Nearest Neighbour Cell distance in the file

<code>getFileCount</code>	<i>Get the count number of each phenotype for each tissue category</i>
---------------------------	--

Description

Get the count number of each phenotype for each tissue category

Usage

```
getFileCount(dataFile)
```

Arguments

`dataFile` File path to the data file

Value

a data frame summary of count

<code>procDist</code>	<i>Extract the statistics from the result given by findNNs</i>
-----------------------	--

Description

Extract the statistics from the result given by findNNs

Usage

```
procDist(distResult, thred = 30)
```

Arguments

`distResult` A distance result file from findNNs
`thred` a threshold distance as cut-off

Value

The statistics extracted from the distace result file

Examples

```
Cell.X.Position=sample(1:1000, 20, replace=TRUE)
Cell.Y.Position=sample(1:1000, 20, replace=TRUE)
distance = runif(20,min=0,max=100)
distResult = data.frame (Cell.X.Position,Cell.Y.Position,distance)
thred=30
procDist(distResult,thred)
```

Index

`findNN`, 2

`findNNs`, 2

`getFileCount`, 3

`procDist`, 3