

Package ‘JSUparameters’

December 17, 2021

Type Package

Title Estimate Parameters of the Best-Fitting JohnsonSU Distribution

Version 1.0.0

Description

Uses least squares optimisation to estimate the parameters of the best-fitting JohnsonSU distribution for a given dataset, with the possibility of the distributions corresponding to the limiting cases of the JohnsonSU distribution. The code for the Golden Section Search used in the optimisation has been adapted from E. Cai. This package has been created as an extension of my Master's thesis. E. Cai (2013, ``Scripts and Functions: Using R to Implement the Golden Section Search Method for Numerical Optimization", <<https://chemicalstatistician.wordpress.com/2013/04/22/using-r-to-implement-the-golden-bisection-method/>>).

License GPL (>= 3)

Encoding UTF-8

NeedsCompilation no

Author C.J. Clarke [aut, cre],
Andrew Smith [ths]

Maintainer C.J. Clarke <courtney.clarke@ucdconnect.ie>

Repository CRAN

Date/Publication 2021-12-17 10:22:06 UTC

R topics documented:

JSUparameters	2
Index	5

 JSUparameters

Find the Best-Fitting JohnsonSU Distribution to a dataset.

Description

This function finds the best-fitting JohnsonSU distribution for a given dataset through least squares optimisation.

Usage

```
JSUparameters(dat)
```

Arguments

`dat` The data you would like to fit a JohnsonSU distribution to.

Details

This function contains many sub-funcions. 1. `OptimiseGivenZeta()`: This function will find the best-fitting JohnsonSU distribution for the given dataset, for a given value of zeta (typically found using a GSS). 2. `golden()`: Carries out a Golden Section Search (GSS) to find the minimum of a function within a given interval. 3. `calculate_ssq()`: Calculates the sum of squares (SSQ) for a given value of zeta. 4. `Check4Cases()`: This function will go through the 4 possible cases (JohnsonSU, shifted lognormal, shifted negative lognormal, constant) and find which is the best-fitting distribution to the given dataset, via least squares optimisation.

Value

The following items will be returned no matter the optimal distribution:

CaseID	The distribution case in which the given dataset falls; one of JSU, Lognormal, Negative Lognormal or Constant.
SSQ	The SSQ associated with the optimal distribution for the given dataset.
flags	The values of flag1 and flag2. If flag1 is raised during the algorithm, it signifies multiple local minima may be present within the GSS. If flag2 is raised during the algorithm, it signifies that the fitted distribution has zero density at some observation(s) in the given dataset. Whether these flags indicate problems or not is at the discretion of the user.

If the optimal distribution is the JSU distribution, the shifted lognormal distribution or the shifted negative lognormal distribution, the following will be returned aswell as CaseID, SSQ and flags:

delta	The value of delta associated with the optimal distribution.
xi	The value of xi associated with the optimal distribution.
gamma	The value of gamma associated with the optimal distribution.
lambda	The value of lambda associated with the optimal distribution.

If the optimal distribution is the constant distribution, the following will be returned aswell as CaseID, SSQ and flags:

constant The value of constant associated with the optimal distribution. Note: this only occurs in the constant distribution.

If the optimal distribution is the normal distribution, the following will be returned aswell as CaseID, SSQ and flags:

mean The mean of the normal distribution.

std The standard deviation of the normal distribution.

If the optimal distribution is the degenerate case, the following will be returned aswell as CaseID, SSQ and flags:

smallest The smallest observation in the given dataset.

largest The largest observation in the given dataset.

average The average of the interior observations in the given dataset, i.e. excluding the smallest and largest.

Note

Typically, users of this package need only use the JSUparameters() function directly and all other functions are used in the background.

Author(s)

CJ Clarke

References

E. Cai, Scripts and Functions: Using R to Implement the Golden Section Search Method for Numerical Optimization, The Chemical Statistician Blog, (2013), available at <https://chemicalstatistician.wordpress.com/2013/04/22/r-to-implement-the-golden-bisection-method/>

Examples

```
### simple example
dat = rnorm(500)
JSUparameters(dat)

### stock example (taken from my Master's thesis)
## Not run:
# go to https://finance.yahoo.com/quote/
# download the csv file
# load in the csv file (check your own file path)
iseq = read.csv("Downloads/^ISEQ.csv")
# only store the closing price (convert from characters)
iseq = as.numeric(iseq$Close)
# interpolate the missing observation
which(is.na(iseq)) # 195
```

```
iseq[195] = (iseq[194] + iseq[196])/2
# calculate the log returns
returns = log(iseq[2:1247] / iseq[1:1246])
# find the best-fitting JSU distribution to this data
JSUparameters(returns)

## End(Not run)

### use your own stock returns data to find the best-fitting JSU distribution
```

Index

JSUparameters, [2](#)