

Package ‘LKT’

July 15, 2022

Title Logistic Knowledge Tracing

Version 1.2.0

Description Computes Logistic Knowledge Tracing ('LKT') which is a general method for tracking human learning in an educational software system. Please see Pavlik, Eglington, and Harrel-Williams (2021) <<https://ieeexplore.ieee.org/document/9616435>>. 'LKT' is a method to compute features of student data that are used as predictors of subsequent performance. 'LKT' allows great flexibility in the choice of predictive components and features computed for these predictive components. The system is built on top of 'LiblineaR', which enables extremely fast solutions compared to base `glm()` in R.

License GPL-3

Encoding UTF-8

LazyData true

VignetteBuilder knitr

RoxxygenNote 7.2.0

Depends R (>= 3.5.0), SparseM (>= 1.78), methods, Matrix, data.table (>= 1.13.2), LiblineaR (>= 2.10-8), HDInterval (>= 0.2.2)

Imports glmnet (>= 4.0-2), glmnetUtils (>= 1.1.8), lme4 (>= 1.1-23), cluster (>= 2.1.3)

Suggests rmarkdown, pROC (>= 1.16.2), knitr, utils, caret, ggplot2

NeedsCompilation no

Author Philip I. Pavlik Jr. [aut, ctb, cre] (<<https://orcid.org/0000-0001-6467-9452>>), Luke G. Eglington [aut, ctb] (<<https://orcid.org/0000-0002-8432-9203>>)

Maintainer Philip I. Pavlik Jr. <imrryr@gmail.com>

Repository CRAN

Date/Publication 2022-07-15 13:00:12 UTC

R topics documented:

computefeatures	2
---------------------------	---

computeSpacingPredictors	3
countOutcome	3
largerawsample	4
LKT	4
LKT_HDI	7
samplelkt	8
smallSet	9
ViewExcel	9

Index	10
--------------	-----------

computefeatures	<i>computefeatures</i>
------------------------	------------------------

Description

Compute feature describing prior practice effect.

Usage

```
computefeatures(data, feat, par1, par2, index, index2, par3, par4, par5, fcomp)
```

Arguments

data	copy of main data frame.
feat	is the feature to be computed.
par1	nonlinear parameters used for nonlinear features.
par2	nonlinear parameters used for nonlinear features.
index	a student by component levels index
index2	a component levels index
par3	nonlinear parameters used for nonlinear features.
par4	nonlinear parameters used for nonlinear features.
par5	nonlinear parameters used for nonlinear features.
fcomp	the component name.

Value

a vector suitable for regression input.

```
computeSpacingPredictors  
  computeSpacingPredictors
```

Description

Compute repetition spacing time based features from input data CF..Time. and/or CF..reltime. which will be automatically computed from Duration..sec. if not present themselves.

Usage

```
computeSpacingPredictors(data, KCs)
```

Arguments

data	is a dataset with Anon.Student.Id and CF..ansbin.
KCs	are the components for which spaced features will be specified in LKT

Value

data which is the same frame with the added spacing relevant columns.

```
countOutcome      countOutcome
```

Description

Compute the prior sum of the response appearing in the outcome column for the index

Usage

```
countOutcome(data, index, response)
```

Arguments

data	the dataset to compute an outcome vector for
index	the subsets to count over
response	the actually response value being counted

Value

the vector of the lagged cumulative sum.

`largerawsample` *Trial sequences for practice participants.*

Description

A dataset containing a raw sample from the Memphis Datasshop.

Usage

`largerawsample`

Format

A data frame please see the DataShop for more info.

It has many columns.

Source

<https://datashop.memphis.edu/Export?datasetId=1465>

LKT

LKT

Description

Compute a logistic regression model of learning for input data.

Usage

```
LKT(
  data,
  components,
  features,
  fixedpars = NA,
  seedpars = NA,
  covariates = NA,
  curvefeats = NA,
  dualfit = FALSE,
  interc = FALSE,
  cv = FALSE,
  elastic = FALSE,
  verbose = TRUE,
  epsilon = 1e-04,
  cost = 512,
  lowb = 1e-05,
  highb = 0.99999,
```

```

    type = 0,
    maketimes = FALSE,
    bias = 0,
    maxitv = 100,
    autoKC = rep(0, length(components)),
    autoKCcont = rep("NA", length(components)),
    connectors = rep("+", length(components) - 1)
)

```

Arguments

data	A dataset with Anon.Student.Id and CF..ansbin.
components	A vector of factors that can be used to compute each features for each subject.
features	a vector methods to use to compute a feature for the component.
fixedpars	a vector of parameters for all features+components.
seedpars	a vector of parameters for all features+components to seed non-linear parameter search.
covariates	A list of components that interacts with component by feature in the main specification.
curvefeats	vector of columns to use with "diff" functions
dualfit	TRUE or FALSE, fit a simple latency using logit. Requires Duration..sec. column in data.
interc	TRUE or FALSE, include a global intercept.
cv	TRUE or FALSE, if TRUE runs N-fold cv. Requires premade column named 'fold' with integers denoting the N folds
elastic	glmnet, cv.glmnet, cva.glmnet or FALSE.
verbose	provides more output in some cases.
epsilon	passed to LiblineaR
cost	passed to LiblineaR
lowb	lower bound for non-linear optimizations
highb	upper bound for non-linear optimizations
type	passed to LiblineaR
maketimes	Boolean indicating whether to create time based features (or may be precomputed)
bias	passed to LiblineaR
maxitv	passed to nonlinear optimization a maxit control
autoKC	a vector to indicate whether to use autoKC for the component (0) or the k for the numebr of clusters
autoKCcont	a vector of text strings set to "rand" for component to make autoKC assignment to cluster is randomized (for comaprison)
connectors	a vector if linear equation R operators including +, * and :

Value

list of values "model", "coefs", "r2", "prediction", "nullmodel", "latencymodel", "optimizedpars", "subjectrmse", "newdata", and "automat"

Examples

```

temp <- samplelkt
temp$CF..ansbin.<-ifelse(temp$Outcome=="CORRECT",1,ifelse(temp$Outcome=="INCORRECT",0,-1))
temp <- data.table::setDT(temp)
temp <- computeSpacingPredictors(temp, "KC..Default.")
temp <- temp[temp$CF..ansbin==0 | temp$CF..ansbin==1,]
temp$KC..Default.<-substr(temp$KC..Default.,1,10)
modelob <- LKT(
  data = temp, interc=TRUE,
  components = c("Anon.Student.Id", "KC..Default.", "KC..Default."),
  features = c("logitdec", "logitdec", "lineafm"),
  fixedpars = c(.9, .85)
)
print(modelob$coefs)
print(modelob$loglik)

modelob <- LKT(
  data = temp, interc=TRUE,
  components = c("Anon.Student.Id", "KC..Default.", "KC..Default."),
  features = c("logitdec", "logitdec", "lineafm"),
  seedpars = c(.9, .85)
)
print(modelob$coefs)
print(modelob$loglik)

modelob <- LKT(
  data = temp, interc=TRUE,
  connectors = c("+", "*", "+"),
  components = c("Anon.Student.Id", "KC..Default.", "KC..Default."),
  features = c("intercept", "logitdec", "lineafm"),
  fixedpars = c(.9, .85)
)
print(modelob$coefs)
print(modelob$loglik)

modelob <- LKT(
  data = temp, interc=TRUE,
  components = c("Anon.Student.Id", "KC..Default.", "KC..Default."),
  features = c("logitdec", "logitdec$", "lineafm$"),
  fixedpars = c(.9, .85)
)
print(modelob$coefs)
print(modelob$loglik)

# this example illustrates how mean fit is worse for CV
# compared to the first example above. In this case,
# this is mainly do to the small dataset allowing overgeneralization

```

```

# despite the model only having 4 coefficients
temp <- samplelkt
unq <- sample(unique(temp$Anon.Student.Id))
sfold <- rep(1:5,length.out=length(unq))
temp$fold <- rep(0,length(temp[,1]))
for(i in 1:5){temp$fold[which(temp$Anon.Student.Id %in% unq[which(sfold==i)])]=i}
modelob <- LKT(
  data = temp, interc=TRUE,
  components = c("Anon.Student.Id", "KC..Default.", "KC..Default."),
  features = c("logitdec", "logitdec", "lineafm"),
  fixedpars = c(.9, .85),cv=TRUE
)
print(modelob$cv_res)
print(mean(modelob$cv_res$rmse))
print(mean(modelob$cv_res$mcfad))

# this example illustrates the limitation of CV when data does not contain
# sufficient examples of each predictor
#modelob <- LKT(
#  data = temp, interc=TRUE,
#  components = c("Anon.Student.Id", "KC..Default.", "KC..Default."),
#  features = c("logitdec", "logitdec$", "lineafm$"),
#  fixedpars = c(.9, .85),cv=TRUE
#)
#print(modelob$cv_res)

```

LKT_HDI

LKT_HDI

Description

Bootstrap credibility intervals to aid in interpreting coefficients.

Usage

```

LKT_HDI(
  dat,
  n_boot,
  n_students,
  components,
  features,
  covariates,
  fixedpars,
  get_hdi = TRUE,
  cred_mass = 0.95
)

```

Arguments

<code>dat</code>	Dataframe
<code>n_boot</code>	Number of subsamples to fit
<code>n_students</code>	Number of students per subsample
<code>components</code>	components in model
<code>features</code>	features in model
<code>covariates</code>	covariates in model
<code>fixedpars</code>	fixed pars in model
<code>get_hdi</code>	boolean to decide if generating HDI per coefficient
<code>cred_mass</code>	credibility mass parameter to decide width of HDI

Value

list of values "par_reps", "mod_full", "coef_hdi"

samplelkt

Trial sequences for practice participants.

Description

A dataset containing a small sample of participants in a memory experiment.

Usage

`samplelkt`

Format

A data frame with 2074 rows and many variables:

Anon.Student.Id unique identifier for each student
Duration.sec. unique identifier for each student
KC.Default. unique identifier for each student
Outcome unique identifier for each student ...

Source

<https://datashop.memphis.edu/index.jsp>

smallSet

smallSet

Description

smallSet

Usage

`smallSet(data, nSub)`

Arguments

<code>data</code>	Dataframe of student data
<code>nSub</code>	Number of students

ViewExcel

ViewExcel

Description

ViewExcel

Usage

`ViewExcel(df = .Last.value, file = tempfile(fileext = ".csv"))`

Arguments

<code>df</code>	Dataframe
<code>file</code>	name of the Excel file

Index

* datasets

largerawsample, [4](#)
samplelkt, [8](#)

computefeatures, [2](#)
computeSpacingPredictors, [3](#)
countOutcome, [3](#)

largerawsample, [4](#)
LKT, [4](#)
LKT_HDI, [7](#)

samplelkt, [8](#)
smallSet, [9](#)

ViewExcel, [9](#)