

# Package ‘Rcan’

May 19, 2020

**Version** 1.3.82

**Title** Cancer Registry Data Analysis and Visualisation

**Date** 2020-05-17

**Author** Mathieu Laversanne [aut, cre],  
Jerome Vignat [aut],  
Cancer Surveillance Unit [cph]

**Maintainer** Mathieu Laversanne <laversannem@iarc.fr>

**Depends** R (>= 3.5)

**Description** Tools for basic and advance cancer statistics and graphics.  
Groups individual data, merges registry data and population data, calculates age-specific rate, age-standardized rate, cumulative risk, estimated annual percentage rate with standards error. Creates graphics across variable and time, such as age-specific trends, bar chart and period-cohort trends.

**License** GPL (>= 2)

**URL** <https://github.com/timat35/Rcan>

**LazyLoad** yes

**Imports** data.table, stats, ggplot2, grid, scales, grDevices, graphics,  
utils

**Suggests** testthat

**RoxygenNote** 7.1.0

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2020-05-19 11:40:07 UTC

## R topics documented:

Rcan-package . . . . .	2
csu_ageSpecific . . . . .	4
csu_ageSpecific_top . . . . .	7
csu_asr . . . . .	10

csu_bar_top . . . . .	14
csu_CI5XI_data . . . . .	17
csu_ci5_mean . . . . .	19
csu_cumrisk . . . . .	21
csu_eapc . . . . .	23
csu_group_cases . . . . .	25
csu_merge_cases_pop . . . . .	28
csu_registry_data_1 . . . . .	30
csu_registry_data_2 . . . . .	32
csu_time_trend . . . . .	33
csu_trendCohortPeriod . . . . .	35
csu_trend_legend . . . . .	38
data_individual_file . . . . .	40
data_population_file . . . . .	41
ICD_group_CI5 . . . . .	42
ICD_group_GLOBOCAN . . . . .	43
<b>Index</b>	<b>45</b>

---

Rcan-package

*Cancer Registry Data Analysis and Visualisation*


---

## Description

Tools for basic and advance cancer statistics and graphics. Groups individual data, merges registry data and population data, calculates age-specific rate, age-standardized rate, cumulative risk, estimated annual percentage rate with standards error. Creates graphics across variable and time, such as age-specific trends, bar chart and period-cohort trends.

## Author(s)

Mathieu Laversanne [aut, cre], Jerome Vignat [aut], Cancer Surveillance Unit [cph]

Maintainer: Mathieu Laversanne <laversannem@iarc.fr>

## References

[https://publications.iarc.fr/\\_publications/media/download/3753/609d0d7711047dd76d7f3dbaa25d7f041fcd.pdf](https://publications.iarc.fr/_publications/media/download/3753/609d0d7711047dd76d7f3dbaa25d7f041fcd.pdf)

## See Also

[csu\\_group\\_cases](#) [csu\\_merge\\_cases\\_pop](#) [csu\\_asr](#) [csu\\_cumrisk](#) [csu\\_eapc](#) [csu\\_ageSpecific](#)  
[csu\\_ageSpecific\\_top](#) [csu\\_bar\\_top](#) [csu\\_time\\_trend](#) [csu\\_trendCohortPeriod](#)

**Examples**

```
data(ICD_group_GLOBOCAN)
data(data_individual_file)

#group individual data by
# 5 year age group
# ICD grouping from dataframe ICD_group_GLOBOCAN
df_data_year <- csu_group_cases(data_individual_file,
  var_age="age",
  group_by=c("sex", "regcode", "reglabel"),
  df_ICD = ICD_group_GLOBOCAN,
  var_ICD = "site",
  var_year = "doi")

head(df_data_year)
# individual cases grouped by ICD and 5 years age group and year.
readline(prompt="Press [enter] to continue to merge cases and population")

data(data_population_file)

df_data <- csu_merge_cases_pop(
df_data_year,
data_population_file,
var_age = "age_group",
var_cases = "cases",
var_py = "pop",
group_by = c("sex"))

head(df_data)
#Merge 5-years age grouped data with population by year (automatic) and sex
readline(prompt="Press [enter] to continue to merge cases and population")

data(csu_registry_data_2)

# ASR with standard error with missing age.
df_asr <- csu_asr(csu_registry_data_2,
  "age", "cases", "py",
  group_by = c("registry", "registry_label", "sex", "year", "ethnic" ),
  var_age_group = c("registry_label"),
  var_st_err = "st_err")

df_asr[1:4,]

# ASR with standard error with missing age.
readline(prompt="Press [enter] to continue to EAPC")
```

```

# EAPC with standard error

df_eapc <- csu_eapc(df_asr,
  "asr", "year",
  group_by=c("registry", "registry_label", "sex", "ethnic" ))

df_eapc[1:4,]

# EAPC with standard error
readline(prompt="Press [enter] to continue to age specific graph")

data(csu_registry_data_1)

# plot age specific rate for 1 population.
df_colombia <- subset(csu_registry_data_1, registry_label=="Colombia, Cali")

csu_ageSpecific(df_colombia,
  plot_title = "Colombia, Liver, male")

# plot age specific rate for 1 population, and comparison with CI5XI data.
csu_ageSpecific(df_colombia,
  plot_title = "Colombia, Liver, male",
  CI5_comparison = "Liver")

# plot age specific rate for 4 population, legend at the bottom and comparison with CI5XI data.
csu_ageSpecific(csu_registry_data_1,
  group_by="registry_label",
  legend=csu_trend_legend(position="bottom", nrow = 2),
  plot_title = "Liver, male",
  CI5_comparison = 16)

```

---

csu_ageSpecific	<i>csu_ageSpecific</i>
-----------------	------------------------

---

## Description

csu\_ageSpecific calculate and plot Age-Specific Rate.

## Usage

```

csu_ageSpecific(df_data,
  var_age="age",
  var_cases="cases",
  var_py="py",
  group_by = NULL,
  missing_age = NULL,

```

```

        db_rate = 100000,
logscale=FALSE,
        plot_title=NULL,
        legend=csu_trend_legend(),
        color_trend = NULL,
        CI5_comparison=NULL,
        var_rate="rate")

```

### Arguments

df_data	Data (need to be R data . frame format, see example to import csv file).																		
var_age	Age variable. Several format are accepted																		
	<table border="0"> <tr><td>1</td><td>"0-4"</td><td>0</td></tr> <tr><td>2</td><td>"5-9"</td><td>5</td></tr> <tr><td>3</td><td>"10-14"</td><td>10</td></tr> <tr><td>...</td><td>...</td><td>...</td></tr> <tr><td>17</td><td>"80-84"</td><td>80</td></tr> <tr><td>18</td><td>"85+"</td><td>85</td></tr> </table>	1	"0-4"	0	2	"5-9"	5	3	"10-14"	10	...	...	...	17	"80-84"	80	18	"85+"	85
1	"0-4"	0																	
2	"5-9"	5																	
3	"10-14"	10																	
...	...	...																	
17	"80-84"	80																	
18	"85+"	85																	
	Missing age value must be precise in the option missing_age. Last age group will always be considere without size (ie: 80+,85+, etc..).																		
var_cases	Number of event (cases, deaths, ...) variable.																		
var_py	Population year variable.																		
group_by	Variable to compare different age specific rate (sex, country, cancer ...). Only one variable can be chosen.																		
missing_age	Age value representing the missing age cases.																		
db_rate	The denominator population. Default is 100000.																		
logscale	Logical value: if TRUE Y-axis use logscale.																		
plot_title	Title of the plot.																		
legend	Legend option: see <a href="#">csu_trend_legend</a> . Use only if group_by is not NULL.																		
color_trend	Vector of color for the trend. The color codes are hexadecimal (e.g. "#FF0000") or predefined R color names (e.g. "red").																		
CI5_comparison	Add a dotted line representing the CI5XI for a specific cancer. Value can be a cancer_label (example: "Liver"), or a cancer_code (example = 16). See <a href="#">csu_ci5_mean</a> to get the list of possible values.																		
var_rate	Name of the age specific variable if a dataframe is return.																		

### Details

This function calculate and plot the age specific rate. The group\_by option allow to compare different population or cancer. The CI5\_comparison option allow to compare with the CI5XI and

therefore test the quality of the data. If the population data stops before 85+ (75+ for instance), the population data **must** be 0 when the population data is unknown so, the program can detect automatically the last age group (70+,75+,80+ or 85+) for population.

### Value

Return a plot and a data.frame.

### Author(s)

Mathieu Laversanne

### References

[https://publications.iarc.fr/\\_publications/media/download/3753/609d0d7711047dd76d7f3dbaa25d7f041fcd.pdf](https://publications.iarc.fr/_publications/media/download/3753/609d0d7711047dd76d7f3dbaa25d7f041fcd.pdf)

### See Also

[csu\\_group\\_cases](#) [csu\\_merge\\_cases\\_pop](#) [csu\\_asr](#) [csu\\_cumrisk](#) [csu\\_eapc](#) [csu\\_ageSpecific\\_top](#)  
[csu\\_bar\\_top](#) [csu\\_time\\_trend](#) [csu\\_trendCohortPeriod](#)

### Examples

```
data(csu_registry_data_1)
data(csu_registry_data_2)

# you can import your data from csv file using read.csv:
# mydata <- read.csv("mydata.csv", sep=",")

# to select only 1 population.
test <- subset(csu_registry_data_1 , registry_label == "Colombia, Cali")

# plot age specific rate for 1 population.
csu_ageSpecific(test,
plot_title = "Colombia, Liver, male")

# plot age specific rate for 1 population, and comparison with CI5XI data.
csu_ageSpecific(test,
plot_title = "Colombia, Liver, male",
CI5_comparison = "Liver")

# plot age specific rate for 4 population,
# legend at the bottom and comparison with CI5XI data using cancer code.
csu_ageSpecific(
csu_registry_data_1,
group_by="registry_label",
legend=csu_trend_legend(position="bottom", nrow = 1),
plot_title = "Liver, male",
CI5_comparison = 16
```

```
)

# plot age specific rate for 4 population, legend at the right.
csu_ageSpecific(
  csu_registry_data_1,
  group_by="registry_label",
  legend=csu_trend_legend(
    position="right", right_space_margin = 6.5
  ),
  plot_title = "Liver, male")

# Plot embedded in a graphic device
pdf("test.pdf",width = 11.692 , height = 8.267)

csu_ageSpecific(
  csu_registry_data_1,
  group_by="registry_label",
  legend=csu_trend_legend(position="bottom", nrow = 2),
  plot_title = "Liver, male",
  CI5_comparison = 16)

plot.new()

csu_ageSpecific(
  csu_registry_data_1,
  group_by="registry_label",
  legend=csu_trend_legend(
    position="right", right_space_margin = 6.5
  ),
  plot_title = "Liver, male")

dev.off()
```

**Description**

csu\_ageSpecific\_top calculate and plot Age-Specific Rate for the top X cancer or top X population.

**Usage**

```
csu_ageSpecific_top(df_data,
  var_age="age",
  var_cases="cases",
  var_py="py",
  var_top,
  group_by=NULL,
  missing_age=NULL,
  db_rate = 100000,
  logscale = FALSE,
  nb_top = 5,
  plot_title=NULL,
  plot_subtitle=NULL,
  var_color=NULL)
```

**Arguments**

df\_data Data (need to be R data.frame format, see example to import csv file).  
 var\_age Age variable. Several format are accepted

1	"0-4"	0
2	"5-9"	5
3	"10-14"	10
...	...	...
17	"80-84"	80
18	"85+"	85

Missing age value must be precise in the option missing\_age.  
 Last age group will always be considere without size (ie: 80+,85+, etc..).

var\_cases Number of event (cases, deaths, ...) variable.  
 var\_py Population year variable.  
 var\_top Cancer label variable or country/registry variable for example.  
 group\_by Variable to compare different age specific rate (sex, registry ...).  
 Only one variable can be chosen. One graph will be produce per variable. If the variable is a factor, the labels associate to the variable will be the subtitle of the plot. See [factor](#).

missing\_age Age value representing the missing age cases.  
 db\_rate The denominator population. Default is 100000.  
 logscale Logical value: if TRUE Y-axis use logscale.  
 nb\_top Lowest Rank include. Default is 5.



plot_title	Title of the plot.
plot_subtitle	Subtitle of the plot. (For example, "Top 5 cancer").
var_color	Variable with a color associate to each cancer. The color codes are hexadecimal (e.g. "#FF0000") or predefined R color names (e.g. "red"). This allow to keep the same color coding for each graph.

## Details

This function keep only the top X cancer and plot their age specific rate. The group\_by option allow to compare different population. If the population data stops before 85+ (75+ for instance), the population data **must** be 0 when the population data is unknown so, the program can detect automatically the last age group (70+,75+,80+ or 85+) for population.

## Value

Return plots and a data . frame.

## Author(s)

Mathieu Laversanne

## References

[https://publications.iarc.fr/\\_publications/media/download/3753/609d0d7711047dd76d7f3dbaa25d7f041fcd.pdf](https://publications.iarc.fr/_publications/media/download/3753/609d0d7711047dd76d7f3dbaa25d7f041fcd.pdf)

## See Also

[csu\\_group\\_cases](#) [csu\\_merge\\_cases\\_pop](#) [csu\\_asr](#) [csu\\_cumrisk](#) [csu\\_eapc](#) [csu\\_ageSpecific](#)  
[csu\\_bar\\_top](#) [csu\\_time\\_trend](#) [csu\\_trendCohortPeriod](#)

## Examples

```
library(Rcan)
data("csu_CI5XI_data")

#get the registry code associate to registry_label
#print(unique(csu_CI5XI_data[,c("registry_label", "registry_code")]),nrows = 1000)

#get the cancer code associate to cancer_label
#print(unique(csu_CI5XI_data[,c("cancer_label", "cancer_code")]),nrows = 1000)

#remove all cancers:
df_data <- subset(csu_CI5XI_data ,cancer_code < 62)
df_data$sex <- factor(df_data$sex, levels=c(1,2), labels=c("Male", "Female"))

#select Thailand changmai
df_data_1 <- subset(df_data, registry_code==764001)
```

```
# plot for Thailand Changmai
dt_result_1 <-
csu_ageSpecific_top(df_data_1,
var_age="age",
var_cases="cases",
var_py="py",
var_top="cancer_label",
group_by="sex",
plot_title= "Thailand, Chiangmai",
plot_subtitle = "Top 5 cancer",
missing_age = 19)

#select USAm NPCR
df_data_2 <- subset(df_data,registry_code== 840000 & ethnic_group == 99)

# plot for USA NPCR
dt_result_2 <-
csu_ageSpecific_top(
df_data_2,
var_age="age",
var_cases="cases",
var_py="py",
var_top="cancer_label",
group_by="sex",
plot_title= "USA",
plot_subtitle = "Top 5 cancer",
missing_age = 19
)
```

---

csu\_asr

*csu\_asr*

---

## Description

csu\_asr calculate Age-Standardized Rate (ASR) and Truncated Age-Standardized Rate (TASR) across different population (Registry, year, sex...)

## Usage

```
csu_asr(df_data,
var_age = "age",
```

```

var_cases = "cases",
var_py = "py",
group_by=NULL,
var_age_group=NULL,
missing_age = NULL,
db_rate = 100000,
first_age = 1,
last_age = 18,
pop_base = "SEGI",
crude_rate = FALSE,
var_st_err = NULL,
correction_info = FALSE,
var_asr = "asr",
age_dropped = FALSE)

```

**Arguments**

df_data	Data (need to be R data . frame format, see example to import csv file).																		
var_age	Age variable. Several format are accepted																		
	<table border="0" style="margin-left: 40px;"> <tr><td>1</td><td>"0-4"</td><td>0</td></tr> <tr><td>2</td><td>"5-9"</td><td>5</td></tr> <tr><td>3</td><td>"10-14"</td><td>10</td></tr> <tr><td>...</td><td>...</td><td>...</td></tr> <tr><td>17</td><td>"80-84"</td><td>80</td></tr> <tr><td>18</td><td>"85+"</td><td>85</td></tr> </table>	1	"0-4"	0	2	"5-9"	5	3	"10-14"	10	...	...	...	17	"80-84"	80	18	"85+"	85
1	"0-4"	0																	
2	"5-9"	5																	
3	"10-14"	10																	
...	...	...																	
17	"80-84"	80																	
18	"85+"	85																	
	<p>Missing age value must be precise in the option missing_age.                  Last age group will always be considere without size (ie: 80+,85+, etc..).</p>																		
var_cases	Number of event (cases, deaths, ...) variable.																		
var_py	Population year variable.																		
group_by	A vector of variables to compare different ASR (sex, country, cancer ...). Any variable included in the next option var_age_group <b>must</b> be also include here.																		
var_age_group	Variables over which the number of population age-group might change. For example the last age group (70+, 75+, 80+ or 85+) can vary across registries, or year, but not across sex.																		
missing_age	Age value representing the missing age cases. If not precise, missing age value will not affect the calculation.																		
db_rate	The denominator population. Default is 100000.																		
first_age	First age group included (for Truncated ASR), <b>must</b> be between 1 and 17. 1 represents 0-4, 2 represents 5-9, ... 5 represents 20-24 etc.																		
last_age	Last age group included (for Truncated ASR), <b>must</b> be between 2 and 18. 2 represents 5-9, ... 5 represents 20-24, ... 18 represents 85+ etc. To calculate ASR for 15-69 years, use: first_age(4), last_age(14).																		

pop_base	Select the standard population:
"SEGI"	SEGI world standard population (1960).
"EURO"	EURO is the European standard population (1976).
"EURO2"	EURO2 is the European standard population (2013).
"WHO"	WHO is the WHO standard population (2001).
crude_rate	Logical value. if TRUE calculate the crude rate instead of the ASR. Variables var_age_group, missing_age, pop_base, var_st_err, correction_info are not used. Default name of the new variable is "crude_rate".
var_st_err	Calculate the Standard error and name of the new variable.
correction_info	Logical value. if TRUE compute the variable "correction" : percentage of missing age cases.
var_asr	Name of the new variable for the ASR.
age_dropped	Only for truncated ASR. Logical value: if TRUE, Assume the age group not used are already dropped from the data. First_age and last_age option <b>must</b> still be filled.

### Details

This function take automatically account the number of age group (last age group can be 70+,75+,80+,85+):  
If the population data stops before 85+ (75+ for instance), the population data **must** be 0 when the population data is unknown so, the program can detect automatically the last age group (70+,75+,80+ or 85+) for population.

### Value

Give the list of population with less than 18 age group (last age group: 70+, 75+, 80+).  
Return a data.frame.

### Author(s)

Mathieu Laversanne

### References

[https://publications.iarc.fr/\\_publications/media/download/3753/609d0d7711047dd76d7f3dbaa25d7f041fcd.pdf](https://publications.iarc.fr/_publications/media/download/3753/609d0d7711047dd76d7f3dbaa25d7f041fcd.pdf)

### See Also

[csu\\_group\\_cases](#) [csu\\_merge\\_cases\\_pop](#) [csu\\_cumrisk](#) [csu\\_eapc](#) [csu\\_ageSpecific](#) [csu\\_ageSpecific\\_top](#)  
[csu\\_bar\\_top](#) [csu\\_time\\_trend](#) [csu\\_trendCohortPeriod](#)

**Examples**

```

data(csu_registry_data_1)
data(csu_registry_data_2)

# you can import your data from csv file using read.csv:
# mydata <- read.csv("mydata.csv", sep=",")

# Age standardized rate (ASR) with no missing age cases.
result <- csu_asr(csu_registry_data_1,
                 "age", "cases", "py",
                 group_by = c("registry", "registry_label" ),
                 var_age_group = c("registry_label"))

# you can export your result as csv file using write.csv:
# write.csv(result, file="result.csv")

# ASR, with the percentage of correction due to missing age cases.
result <- csu_asr(csu_registry_data_1,
                 "age", "cases", "py",
                 group_by = c("registry", "registry_label" ),
                 var_age_group = c("registry_label"),
                 missing_age = 19,
                 correction_info = TRUE)

# ASR and standard error with missing age.
result <- csu_asr(csu_registry_data_2,
                 "age", "cases", "py",
                 group_by = c("registry", "registry_label", "sex", "year", "ethnic" ),
                 var_age_group = c("registry_label"),
                 var_st_err = "st_err",
                 missing_age = 99)

# Truncated ASR, 25-69 years.
result <- csu_asr(csu_registry_data_2,
                 "age", "cases", "py",
                 group_by = c("registry", "registry_label", "sex", "year", "ethnic" ),
                 var_age_group = c("registry_label"),
                 var_st_err = "st_err",
                 first_age = 6,
                 last_age = 14,
                 missing_age = 99)

# Truncated ASR, 0-15 with denominator population = 1000000.
result <- csu_asr(csu_registry_data_2,
                 "age", "cases", "py",
                 group_by = c("registry", "registry_label", "sex", "year", "ethnic" ),
                 var_age_group = c("registry_label"),
                 var_st_err = "st_err",
                 first_age = 1,
                 last_age = 3,
                 missing_age = 99,
                 db_rate = 1000000)

```

```
# ASR with EURO population as reference (instead of SEGI)
result <- csu_asr(csu_registry_data_1,
                 "age", "cases", "py",
                 group_by = c("registry", "registry_label" ),
                 var_age_group = c("registry_label"),
                 missing_age = 19,
                 pop_base = "EURO")
```

---

 csu\_bar\_top

*csu\_bar\_top*


---

## Description

csu\_bar\_top plots top X single-sided or double-sided bar chart.

## Usage

```
csu_bar_top(df_data,
            var_value,
            var_bar,
            group_by=NULL,
            nb_top = 10,
            plot_title=NULL,
            plot_subtitle=NULL,
            xtitle= NULL,
            label_by=NULL,
            color=NULL,
            digits = 1)
```

## Arguments

df_data	Data (need to be R data . frame format, see examples to import csv file).
var_value	Value variable. There must be only 1 value for each bar.
var_bar	Bar label variable.
group_by	<ul style="list-style-type: none"> <li>• Single-sided bar chart. NULL (default)</li> <li>• Double-sided bar chart. Variable name with exactly 2 values. (For example, "sex").</li> </ul> Must be filled if label_by argument is defined.
nb_top	Lowest Rank included. Default is 10.
plot_title	Title of the plot. (For example, "Top 10 cancer sites").
plot_subtitle	Subtitle of the plot. (For example, "Males").
xtitle	x-axis title. (For example, "Number of cases").

label_by	2 values vector. Will overwrite the legend label for double-sided bar chart. (See group_by). For example: c("Male", "Female").
color	The color codes are hexadecimal (e.g. "#FF0000") or predefined R color names (e.g. "red"). <ul style="list-style-type: none"> <li>• Single-sided bar chart. 1 hexadecimal color code (same color for each bar) or variable name with a color associated to each bar label variable.</li> <li>• Double-sided bar chart. 2 values vector. For example: c("#2c7bb6", "#b62ca1").</li> </ul>
digits	Number of decimal digits. Default: 1

### Details

This function plots a top X (default is top 10) bar chart, single-sided or double sided.

### Value

Return plots and a data.frame.

### Author(s)

Mathieu Laversanne

### See Also

[csu\\_group\\_cases](#) [csu\\_merge\\_cases\\_pop](#) [csu\\_asr](#) [csu\\_cumrisk](#) [csu\\_eapc](#) [csu\\_ageSpecific](#)  
[csu\\_ageSpecific\\_top](#) [csu\\_time\\_trend](#) [csu\\_trendCohortPeriod](#)

### Examples

```
data(data_individual_file)
data(data_population_file)
data(ICD_group_GLOBOCAN)

#Group individual data by:
#5 year age group
#ICD grouping from dataframe ICD_group_GLOBOCAN
#year extract from date of incidence

df_data_year <- csu_group_cases(data_individual_file,
  var_age="age",
  group_by=c("sex", "regcode", "reglabel"),
  df_ICD = ICD_group_GLOBOCAN,
  var_ICD = "site",
  var_year = "doi")

#Merge 5-years age grouped data with population by year (automatic) and sex

df_data <- csu_merge_cases_pop(
```

```
df_data_year,
data_population_file,
var_age = "age_group",
var_cases = "cases",
var_py = "pop",
group_by = c("sex"))

#prepare for calculate ASR
df_data$age_group_label <- NULL # to avoid warning
df_data <- subset(df_data , year == 2012) # to keep only 2012 data
df_data$year <- NULL # to avoid warning

# calculate asr
df_asr <- csu_asr(df_data,
  "age_group",
  "cases",
  "pop",
  group_by=c("sex", "ICD_group", "LABEL", "reglabel", "regcode"),
  missing_age =19)

#remove Other cancer
df_asr <- subset(df_asr , LABEL != "Other")
df_asr <- subset(df_asr , LABEL != "Other skin")

#keep male
df_asr_M <- subset(df_asr , sex==1)

#Single sided bar plot
data1 <- csu_bar_top(
  df_asr_M,
  var_value="cases",
  var_bar="LABEL",
  nb_top = 10,
  plot_title = "Top 10 cancer sites",
  xtitle= "Number of cases",
  color= c("#2c7bb6"),
  digits=0)

#Double sided bar plot example 1
data2 <- csu_bar_top(
  df_asr,
  var_value="cases",
  var_bar="LABEL",
  group_by="sex",
  nb_top = 15,
  plot_title = "Top 15 cancer sites",
  xtitle= "Number of cases",
  label_by=c("Male", "Female"),
  color = c("#2c7bb6", "#b62ca1"),
  digits=0)
```



```
#Double sided bar plot example 2
data3 <- csu_bar_top(
  df_asr,
  var_value="asr",
  var_bar="LABEL",
  group_by="sex",
  nb_top = 10,
  plot_title = "Top 10 cancer sites",
  xtitle= "Age-standardized rate per 100,000",
  label_by=c("Male", "Female"),
  color = c("#2c7bb6", "#b62ca1"),
  digits=1)
```

---

 csu\_CI5XI\_data

*Cancer in five continent volume XI.*


---

### Description

CI5 XI summary database.

### Usage

```
data("csu_CI5XI_data")
```

### Format

A data frame with 1113210 observations on the following 10 variables.

registry\_code Registry code (integer)

registry\_label Name of the registry (character)

sex sex (integer)

cancer\_code cancer code (integer)

cancer\_label cancer label (character)

age age variable from 1 to 19. 1 is 0-4 years, 2 is 5-9, etc..., 17 is 80-84, 18 is 85+, 19 represents missing age. (integer)

cases Number of cases (incidence) (integer)

py Population-year: Reference population of the registry (integer)

CI5\_continent Continent code (integer)

ethnic\_group ethnic code (integer)

### Details

All information are available here: <http://ci5.iarc.fr/CI5-XI/Default.aspx>

**Source**

<http://ci5.iarc.fr/CI5-XI/Default.aspx>

**See Also**

[csu\\_asr](#) [csu\\_cumrisk](#) [csu\\_eapc](#) [csu\\_ageSpecific](#)

**Examples**

```
data("csu_CI5XI_data")

#get the registry code associate to registry_label
#print(unique(csu_CI5XI_data[,c("registry_code", "registry_label" )]),nrows = 1000)

#get the cancer code associate to cancer_label
#print(unique(csu_CI5XI_data[,c("cancer_label", "cancer_code")]),nrows = 1000)

#remove all cancers:
df_data <- subset(csu_CI5XI_data ,cancer_code < 62)

#change group_by option to factor
df_data$sex <- factor(df_data$sex, levels=c(1,2), labels=c("Male", "Female"))

#select Thailand changmai
df_data_1 <- subset(df_data, registry_code==764001)

dt_result_1 <- csu_ageSpecific_top(df_data_1,
                                var_age="age",
                                var_cases="cases",
                                var_py="py",
                                var_top="cancer_label",
                                group_by="sex",
                                plot_title= "Thailand, Chiangmai",
                                plot_subtitle = "Top 5 cancer",
                                missing_age = 19)

#select USA
df_data_2 <- subset(df_data,registry_code== 840000 & ethnic_group == 99)

dt_result_2 <- csu_ageSpecific_top(df_data_2,
                                var_age="age",
                                var_cases="cases",
                                var_py="py",
                                var_top="cancer_label",
                                group_by="sex",
```

```
plot_title= "USA",
plot_subtitle = "Top 5 cancer",
missing_age = 19)
```

csu\_ci5\_mean                      *cancer registry data*

**Description**

CI5 XI data, all population grouped.

**Usage**

```
data("csu_ci5_mean")
```

**Format**

A data frame with 1026 observations on the following 5 variables.

- ci5\_cancer\_code cancer code
- ci5\_cancer\_label cancer label
- CSU\_age\_factor age variable from 1 to 18. 1 is 0-4 years, 2 is 5-9, etc..., 17 is 80-84, 18 is 85+.
- CSU\_C Number of cases (incidence)
- CSU\_P Population-year: Reference population

**Details**

This dataset have been created in order to compare age specific rate with the CI5XI mean directly on the age specific rate graph. Here is the table of cancer\_label and cancer\_code available:

ci5_cancer_code	ci5_cancer_label
1	Lip
2	Tongue
3	Mouth
4	Salivary glands
5	Tonsil
6	Other oropharynx
7	Nasopharynx
8	Hypopharynx
9	Pharynx unspecified
10	Oesophagus
11	Stomach
12	Small intestine

13	Colon
14	Rectum
15	Anus
16	Liver
17	Gallbladder
18	Pancreas
19	Nose, sinuses
20	Larynx
21	Lung
23	Bone
24	Melanoma of skin
25	Other skin
26	Mesothelioma
27	Kaposi sarcoma
28	Connective and soft tissue
29	Breast
30	Vulva
31	Vagina
32	Cervix uteri
33	Corpus uteri
35	Ovary
37	Placenta
38	Penis
39	Prostate
40	Testis
42	Kidney
43	Renal pelvis
44	Ureter
45	Bladder
47	Eye
48	Brain, nervous system
49	Thyroid
50	Adrenal gland
51	Other endocrine
52	Hodgkin disease
53	Non-Hodgkin lymphoma
54	Immunoproliferative diseases
55	Multiple myeloma
56	Lymphoid leukaemia
57	Myeloid leukaemia
58	Leukaemia unspecified
59	Myeloproliferative disorders
60	Myelodysplastic syndromes
62	All sites
63	All sites but skin

See: [csu\\_ageSpecific](#)

**Source**

<http://ci5.iarc.fr/Default.aspx>

**See Also**

[csu\\_ageSpecific](#)

**Examples**

```
data(csu_registry_data_1)
test <- subset(csu_registry_data_1 , registry_label == "Colombia, Cali")
csu_ageSpecific(test,
  plot_title = "Colombia, Liver, male",
  CI5_comparison = "Liver")

#See more examples here:
help(csu_ageSpecific)
```

---

csu\_cumrisk

*csu\_cumrisk*

---

**Description**

csu\_cumrisk Calculate cumulative risk across different population (Registry, year, sex...)

**Usage**

```
csu_cumrisk(df_data,
  var_age = "age",
  var_cases = "cases",
  var_py = "py",
  group_by=NULL,
  missing_age = NULL,
  last_age = 15,
  var_st_err=NULL,
  correction_info=FALSE,
  var_cumrisk="cumrisk")
```

**Arguments**

df\_data            Data (need to be R data.frame format, see example to import csv file).  
var\_age            Age variable. Several format are accepted

1	"0-4"	0
2	"5-9"	5
3	"10-14"	10

```

... ..
17 "80-84" 80
18 "85+" 85

```

	Missing age value must be precise in the option <code>missing_age</code> . Last age group will always be considered without size (ie: 80+,85+, etc..).
<code>var_cases</code>	Number of event (cases, deaths, ...) variable.
<code>var_py</code>	Population year variable.
<code>group_by</code>	A vector of variables to compare different ASR (sex, country, cancer ...).
<code>missing_age</code>	Age value representing the missing age cases. If not precise, missing age value will not affect the calculation.
<code>last_age</code>	Last age group included, <b>must</b> be between 2 and 17. 2 represents 5-9, ... 5 represents 20-24, ..., 17 represents 80-84, 18 represents 85+ etc. default is 15 (calculates cumulative risk 0-74)
<code>var_st_err</code>	Calculate the Standard error and name of the new variable.
<code>correction_info</code>	Logical value. if TRUE compute the variable "correction" : percentage of missing age cases.
<code>var_cumrisk</code>	Name of the new variable for the cumulative risk.

### Details

Calculate cumulative risk across different population  
the age group included in cumulative risk will always exclude the last age group since we do not know the size of the last age group (ie: 85+, 80+ etc..)

### Value

Return a `data.frame`.

### Author(s)

Mathieu Laversanne

### References

[https://publications.iarc.fr/\\_publications/media/download/3753/609d0d7711047dd76d7f3dbaa25d7f041fcd.pdf](https://publications.iarc.fr/_publications/media/download/3753/609d0d7711047dd76d7f3dbaa25d7f041fcd.pdf)

### See Also

[csu\\_group\\_cases](#) [csu\\_merge\\_cases\\_pop](#) [csu\\_asr](#) [csu\\_cumrisk](#) [csu\\_eapc](#) [csu\\_ageSpecific](#)  
[csu\\_ageSpecific\\_top](#) [csu\\_bar\\_top](#) [csu\\_time\\_trend](#) [csu\\_trendCohortPeriod](#)

**Examples**

```

data(csu_registry_data_1)
data(csu_registry_data_2)

# you can import your data from csv file using read.csv:
# mydata <- read.csv("mydata.csv", sep=",")

# Cumulative risk, 0-74 years, with no missing age cases.
result <- csu_cumrisk(csu_registry_data_1,
  "age", "cases", "py",
  group_by = c("registry", "registry_label" ))

# you can export your result as csv file using write.csv:
# write.csv(result, file="result.csv")

# Cumulative risk, 0-74 years, with the percentage of correction due to missing age cases.
result <- csu_cumrisk(csu_registry_data_1,
  "age", "cases", "py",
  group_by = c("registry", "registry_label" ),
  missing_age = 19,
  correction_info = TRUE)

# Cumulative risk 0-74 years and standard error with missing age.
result <- csu_cumrisk(csu_registry_data_2,
  "age", "cases", "py",
  group_by = c("registry", "registry_label", "sex", "year", "ethnic" ),
  var_st_err = "st_err",
  missing_age = 99)

# Cumulative risk, 0-69 years.
result <- csu_cumrisk(csu_registry_data_2,
  "age", "cases", "py",
  group_by = c("registry", "registry_label", "sex", "year", "ethnic" ),
  var_st_err = "st_err",
  last_age = 14,
  missing_age = 99)

```

---

csu\_eapc

*csu\_eapc*


---

**Description**

csu\_eapc calculate the Estimated Annual Percentage Change (EAPC) of rates during a time period with the Confidence Interval (CI) across different population (Registry, year, sex...)

**Usage**

```

csu_eapc(df_data,
  var_rate="asr",

```

```
var_year="year",
group_by=NULL,
var_eapc = "eapc",
CI_level = 0.95)
```

### Arguments

df_data	Data (need to be R data.frame format, see example to import csv file).
var_rate	Rate variable. (Standardized or not, incidence, mortality, etc..)
var_year	Period variable. (Year, month, etc...)
group_by	A vector of variables to compare different EAPC (sex, country, cancer ...).
var_eapc	Name of the new variable for the EAPC. The variable for the CI will be name based on var_eapc + "_" + up/Low.
CI_level	Confidence interval level. Default is 0.95.

### Details

This function use Generalized Linear Model (GLM):  
`glm(rate ~ year, family=poisson(link="log"))`.  
 We use the poisson family instead of Gaussian, so we can compute EAPC even if the is a rate of 0.

### Value

Return a dataframe.

### Author(s)

Mathieu Laversanne

### References

[http://rht.iconcologia.net/stats/sart/eapc/eapc\\_method.pdf](http://rht.iconcologia.net/stats/sart/eapc/eapc_method.pdf)

### See Also

[csu\\_group\\_cases](#) [csu\\_merge\\_cases\\_pop](#) [csu\\_asr](#) [csu\\_cumrisk](#) [csu\\_ageSpecific](#) [csu\\_ageSpecific\\_top](#)  
[csu\\_bar\\_top](#) [csu\\_time\\_trend](#) [csu\\_trendCohortPeriod](#)

### Examples

```
data(csu_registry_data_2)

# you import your data from csv file using read.csv:
# mydata <- read.csv("mydata.csv", sep=",")

# Estimated Annual Percentage Change (EAPC) base on ASR.
```



```

df_asr <-
csu_asr(csu_registry_data_2,
  "age", "cases", "py",
  group_by = c("registry", "registry_label", "sex", "year", "ethnic" ),
  var_age_group = c("registry_label"),
  missing_age = 99
)

result <-
csu_eapc(df_asr,
"asr", "year",
group_by=c("registry", "registry_label", "sex", "ethnic" )
)

# you can export your result as csv file using write.csv:
# write.csv(result, file="result.csv")

```

---

csu_group_cases	<i>csu_group_cases</i>
-----------------	------------------------

---

### Description

csu\_group\_cases groups individual data into 5 years age-group data and other user defined variable (sex, registry, etc...).

Optionally: Group cancer based on a standard ICD10 coding; Extract year from custom year format.

### Usage

```

csu_group_cases(df_data,
var_age ,
group_by=NULL,
var_cases = NULL,
df_ICD = NULL,
var_ICD=NULL,
var_year = NULL,
all_cancer=FALSE)

```

### Arguments

df_data	Individual data (need to be R data.frame format, see examples to import csv file).
var_age	Age variable. (Numeric). Value > 150 will be considered as missing age.
group_by	(Optional) A vector of variables to create the different population (sex, country, etc...).

var\_cases (Optional) cases variable: If there is already a variable for the number of cases.

df\_ICD (Optional) ICD file for ICD grouping information. Must have 2 fields: "ICD", "LABEL"  
 . 2 formats are possible:  
 Each ICD code separated by ICD group

```
ICD LABEL
C82 NHL
C83 NHL
C84 NHL
C85 NHL
C96 NHL
```

ICD code already grouped.

```
ICD_group LABEL
C82-85,C96 NHL
```

2 ICD codes separated by "-" includes all the ICD code between.

2 ICD codes separated by "," includes only these 2 ICD code.

For instance, C82-85, C96 (or C82-C85, C96) includes:

C82, C83, C84, C85 and C96

Must be filled if var\_ICD argument is defined

example: [ICD\\_group\\_GLOBOCAN](#)

var\_ICD (Optional) ICD variable: ICD variable in the individual data.  
 Must be filled if df\_ICD argument is defined

var\_year (Optional) Year variable: Extract year from custom format , as long as the year is expressed with 4 digits (i.e. ("yyyymmdd","ddmmyyyy", "yyy/mm","dd-mm-yyyy", etc..)) and group data by year.

all\_cancer (Optional) If TRUE, will calculate the number of cases for all cancers (C00-97) and all cancers but non-melanoma of skin (C00-97 but C44)  
 Need var\_ICD and df\_ICD arguments to be defined

## Details

For most analysis, individual cases database need to be grouped by category.

This function groups data by 5 years age-group and other user defined variable.

Next step will be to add 5 years population data. (see [csu\\_merge\\_cases\\_pop](#)).

## Value

Return a dataframe.

**Author(s)**

Mathieu Laversanne

**See Also**

[csu\\_merge\\_cases\\_pop](#) [csu\\_asr](#) [csu\\_cumrisk](#) [csu\\_eapc](#) [csu\\_ageSpecific](#) [csu\\_ageSpecific\\_top](#)  
[csu\\_bar\\_top](#) [csu\\_time\\_trend](#) [csu\\_trendCohortPeriod](#)

**Examples**

```
# you can import your data from csv file using read.csv:  
# mydata <- read.csv("mydata.csv", sep=",")
```

```
data(ICD_group_GLOBOCAN)  
data(data_individual_file)
```

```
#group individual data by  
# 5 year age group  
df_data_age <- csu_group_cases(data_individual_file,  
  var_age="age",  
  group_by=c("sex", "regcode", "reglabel", "site"))
```

```
#group individual data by  
# 5 year age group  
# ICD grouping from dataframe ICD_group_GLOBOCAN
```

```
df_data_icd <- csu_group_cases(data_individual_file,  
  var_age="age",  
  group_by=c("sex", "regcode", "reglabel"),  
  df_ICD = ICD_group_GLOBOCAN,  
  var_ICD = "site")
```

```
#group individual data by  
# 5 year age group  
# ICD grouping from dataframe ICD_group_GLOBOCAN  
# year (extract from date of incidence)
```

```
df_data_year <- csu_group_cases(data_individual_file,  
  var_age="age",  
  group_by=c("sex", "regcode", "reglabel"),  
  df_ICD = ICD_group_GLOBOCAN,  
  var_ICD = "site",  
  var_year = "doi")
```

```
# you can export your result as csv file using write.csv:
# write.csv(result, file="result.csv")
```

---

```
csu_merge_cases_pop  csu_merge_cases_pop
```

---

## Description

csu\_merge\_cases\_pop merges registry data and population data, group by year and other user defined variable (sex, registry, etc...).

## Usage

```
csu_merge_cases_pop(df_cases,
  df_pop,
  var_age,
  var_cases="cases",
  var_py=NULL,
  group_by=NULL)
```

## Arguments

df_cases	Registry data group by 5 years-age group (need to be R data . frame format, see examples to import csv file).
df_pop	Population data group by 5-years age group (need to be R data . frame format, see examples to import csv file).
var_age	Age variable. Several format are accepted

1	0-4	0
2	5-9	5
3	10-14	10
...	...	...
17	80-84	80
18	85+	85

**This variable must be a variable with the same column name in both dataset (df\_cases and df\_pop).**

Age >= 85 in the df\_pop dataset will be aggregated as 85+.

var_cases	Cases variable in the df_cases dataset.
-----------	---

var_py	(Optional) If population is "long format", name of the population variable in the df_pop dataset.
--------	---

group\_by If population data is wide format (see details), var\_py must be NULL.  
 (Optional) A vector of variables to create the different population (sex, country, etc...).

**Each variable must be a variable with the same column name in both dataset (df\_cases and df\_pop).**

Do not include the "year" variable since it is automatically detected (see details).

**Details**

This function merges registry data and population for further analysis.  
 Both datasets must be group by 5-years age group.

**If present, the year information in format "yyyy" will be detected automatically.**

2 formats are accepted for population data:.

Long format: (year and population are 2 variables)

sex	age	pop	year
1	1	116128	2005
1	2	130995	2005
1	3	137556	2005
...	...	...	...
2	16	27171	2007
2	17	13585	2007
2	18	13585	2007

Wide format: (One column per year and no population variable, "yyyy" year format must be included in columns name)

sex	age	Y2013	Y2014	Y2015
1	0-4	215607	237346	247166
1	5-9	160498	152190	152113
1	10-14	175676	171794	165406
...	...	...	...	...
2	75-79	20625	20868	23434
2	80-84	7187	7276	7620
2	85+	2551	2597	2617

**Value**

Return a dataframe.

**Author(s)**

Mathieu Laversanne

**See Also**

[csu\\_group\\_cases](#) [csu\\_asr](#) [csu\\_cumrisk](#) [csu\\_eapc](#) [csu\\_ageSpecific](#) [csu\\_ageSpecific\\_top](#)  
[csu\\_bar\\_top](#) [csu\\_time\\_trend](#) [csu\\_trendCohortPeriod](#)

**Examples**

```
# you can import your data from csv file using read.csv:
# mydata <- read.csv("mydata.csv", sep=",")

data(ICD_group_GLOBOCAN)
data(data_individual_file)
data(data_population_file)

#group individual data by
# 5 year age group
# ICD grouping from dataframe ICD_group_GLOBOCAN
# year (extract from date of incidence)

df_data_year <- csu_group_cases(data_individual_file,
  var_age="age",
  group_by=c("sex", "regcode", "reglabel"),
  df_ICD = ICD_group_GLOBOCAN,
  var_ICD = "site",
  var_year = "doi")

#Merge 5-years age grouped data with population by year (automatic) and sex

df_data <- csu_merge_cases_pop(
  df_data_year,
  data_population_file,
  var_age = "age_group",
  var_cases = "cases",
  var_py = "pop",
  group_by = c("sex"))

# you can export your result as csv file using write.csv:
# write.csv(result, file="result.csv")
```

---

csu\_registry\_data\_1    *cancer registry data*

---

**Description**

Cancer registry data for liver cancer, males, 2007, 4 registries.

**Usage**

```
data("csu_registry_data_1")
```

**Format**

A data frame with 76 observations on the following 5 variables.

age age variable from 1 to 19. 1 is 0-4 years, 2 is 5-9, etc..., 17 is 80-84, 18 is 85+, 19 represents missing age.

cases Number of cases (incidence)

py Population-year: Reference population of the registry

registry\_label Name of the registry

registry Registry code

**Details**

this 4 registries have been selected for this example as they different number of age group (75+, 80+, 85+) and some have missing age cases.

**Source**

<http://ci5.iarc.fr/Default.aspx>

**See Also**

[csu\\_asr](#) [csu\\_cumrisk](#) [csu\\_eapc](#) [csu\\_ageSpecific](#) [csu\\_ageSpecific\\_top](#) [csu\\_bar\\_top](#)

**Examples**

```
data(csu_registry_data_1)

# Age standardized rate (ASR) with no missing age cases.
result <- csu_asr(csu_registry_data_1,
                 "age", "cases", "py",
                 group_by = c("registry", "registry_label" ),
                 var_age_group = c("registry_label"))

#See more examples here:
help(csu_asr)
```

---

csu\_registry\_data\_2 *cancer registry data*

---

**Description**

Cancer registry data for liver cancer

**Usage**

```
data("csu_registry_data_2")
```

**Format**

A data frame with 125856 observations on the following 8 variables.

sex sex variable: 1 male, 2 female

year year variable, from 1953 to 2007

age age variable from 0 to 85 with missing age.

0 is 0-4 years, 5 is 5-9, ..., 80 is 80-84, 85 is 85+, 99 represents missing age.

cases Number of cases (incidence)

py Population-year: Reference population of the registry

registry\_label Name of the registry (118 populations)

registry Registry code (102 registries)

ethnic ethnic code: white (10), black (30), ..., all(99).

**Source**

<http://ci5.iarc.fr/Default.aspx>

**See Also**

[csu\\_asr](#) [csu\\_cumrisk](#) [csu\\_eapc](#) [csu\\_ageSpecific](#) [csu\\_ageSpecific\\_top](#) [csu\\_bar\\_top](#) [csu\\_time\\_trend](#)  
[csu\\_trendCohortPeriod](#)

**Examples**

```
data(csu_registry_data_2)

# ASR and standard error with missing age.
result <- csu_asr(csu_registry_data_2,
                 "age", "cases", "py",
                 group_by = c("registry", "registry_label", "sex", "year", "ethnic" ),
                 var_age_group = c("registry_label"),
                 missing_age = 99,
                 var_st_err = "st_err")
```



```
#See more examples here:
help(csu_asr)
```

---

```
csu_time_trend      csu_time_trend
```

---

## Description

csu\_time\_trend plot stats over year.

## Usage

```
csu_time_trend(df_data,
  var_trend = "asr",
  var_year = "year",
  group_by = NULL,
  logscale = FALSE,
  smoothing = NULL,
  legend = csu_trend_legend(),
  color_trend = NULL,
  ytitle = "Age standardized rate per 100,000",
  plot_title = "csu_title")
```

## Arguments

df_data	Data (need to be R data . frame format, see example to import csv file).
var_trend	Statistics variable to be plot on Y axis. Usually for the ASR, but it could be the cumulative risk, or the number of cases.
var_year	Time variable.
group_by	Variable to compare different age specific rate (sex, country, cancer ...). Only one variable can be chosen.
logscale	Logical value: if TRUE Y-axis use logscale.
smoothing	Apply a smoothing using the R loess function. . The numerical parameter controls the degree of smoothing. See option span in <a href="#">loess</a> .
legend	legend option: see <a href="#">csu_trend_legend</a> . Use only if group_by is not NULL.
color_trend	Vector of color for the trend. The color codes are hexadecimal (e.g. "#FF0000") or predefined R color names (e.g. "red").
ytitle	Y-axis title. Default is "Age standardized rate per 100,000".
plot_title	Title of the plot.

**Details**

This function is design the plot a statistics over time. It has been design for the ASR by year, but can be used for other statistics over time period. The group\_by option allow to compare different population or cancer.

**Value**

Return a plot.

**Author(s)**

Mathieu Laversanne

**See Also**

[csu\\_group\\_cases](#) [csu\\_merge\\_cases\\_pop](#) [csu\\_asr](#) [csu\\_cumrisk](#) [csu\\_eapc](#) [csu\\_ageSpecific](#)  
[csu\\_ageSpecific\\_top](#) [csu\\_bar\\_top](#) [csu\\_trendCohortPeriod](#)

**Examples**

```
data(csu_registry_data_2)

# you can import your data from csv file using read.csv:
# mydata <- read.csv("mydata.csv", sep=",")

# to select only 1 population

test <- subset(csu_registry_data_2 , registry_label == "Colombia, Cali")

# to change sex variable to factor with label
test$sex <- factor(test$sex, levels=c(1,2), labels=c("Male", "Female"))

# to calculate the asr
df_asr <- csu_asr(
  test,missing_age = 99,
  group_by = c("registry", "registry_label", "year", "sex", "ethnic"),
  var_age_group = c("registry", "registry_label")
)

# plot ASR ove year, by sex.
csu_time_trend(df_asr, group_by="sex",
  plot_title = "Colombia, Liver")

# plot ASR over year, by sex, with small smoothing.
csu_time_trend(df_asr, group_by="sex",
  plot_title = "Colombia, Liver",
  smoothing = 0.3)
```

```

# plot ASR over year, by sex, with high smoothing.
csu_time_trend(df_asr, group_by="sex",
  plot_title = "Colombia, Liver",
  smoothing = 0.5)

# Plot embedded in a graphic device
pdf("test.pdf",width = 11.692 , height = 8.267)
csu_time_trend(df_asr, group_by="sex",
  plot_title = "Colombia, Liver",
  smoothing = 0.3)

csu_time_trend(df_asr, group_by="sex",
  plot_title = "Colombia, Liver",
  smoothing = 0.5)

dev.off()

```

---

csu\_trendCohortPeriod *csu\_trendCohortPeriod*

---

## Description

csu\_trendCohortPeriod plot cohort period age specific graph.

## Usage

```

csu_trendCohortPeriod(
  df_data,
  var_age = "age",
  var_cases="cases",
  var_py="py",
  var_year = "year",
  type = "Cohort",
  missing_age = NULL,
  logscale = TRUE,
  db_rate = 100000,
  first_age = 6,
  last_age = 16,
  year_group = 5,
  age_dropped=FALSE,
  plot_title = "csu_title",
  format_export = NULL,
  graph_dev =FALSE)

```

## Arguments

df_data	Data (need to be R data . frame format, see example to import csv file).
var_age	Age variable. Several format are accepted

1	"0-4"	0
2	"5-9"	5
3	"10-14"	10
...	...	...
17	"80-84"	80
18	"85+"	85

Missing age value must be precise in the option `missing_age`.  
Last age group will always be considered without size (ie: 80+,85+, etc..).

<code>var_cases</code>	Number of event (cases, deaths, ...) variable.										
<code>var_py</code>	Population year variable.										
<code>var_year</code>	Time variable.										
<code>type</code>	Type of the plot:  <table> <tr><td>"Cohort"</td><td>Cohort graph.</td></tr> <tr><td>"Period"</td><td>Period graph.</td></tr> <tr><td>"Both"</td><td>Cohort Period graph.</td></tr> </table>	"Cohort"	Cohort graph.	"Period"	Period graph.	"Both"	Cohort Period graph.				
"Cohort"	Cohort graph.										
"Period"	Period graph.										
"Both"	Cohort Period graph.										
<code>missing_age</code>	Age value representing the missing age cases.										
<code>logscale</code>	Logical value: if TRUE Y-axis use logscale.										
<code>db_rate</code>	The denominator population. Default is 100000.										
<code>first_age</code>	First age group included, <b>must</b> be between 1 and 17. 1 represents 0-4, 2 represents 5-9, ... 5 represents 20-24 etc. Default is 6 (25-29 years).										
<code>last_age</code>	Last age group included, <b>must</b> be between 2 and 18. 2 represents 5-9, ... 5 represents 20-24, ... 18 represents 85+ etc. Default is 16 (75-79 years). To plot the age group from 15-19 years until 65-69 years, use: <code>first_age(4), last_age(14)</code>										
<code>year_group</code>	Usually, data are regrouped in 5 years period. . The numerical parameter controls the size of the group.										
<code>age_dropped</code>	Only if some age groups are missing in the data. Logical value: if TRUE, assume the age groups not used are already dropped from the data. First_age and last_age option <b>must</b> still be filled.										
<code>plot_title</code>	Title of the plot.										
<code>format_export</code>	export the graph in different format:  <table> <tr><td>NULL</td><td>Plot in R studio windows.</td></tr> <tr><td>"pdf"</td><td>Export in PDF format.</td></tr> <tr><td>"tiff"</td><td>Export in TIFF 300dpi format.</td></tr> <tr><td>"png"</td><td>Export in PNG 200dpi format.</td></tr> <tr><td>"svg"</td><td>Export in SVG format. Can be edit with <a href="https://inkscape.org/fr/">https://inkscape.org/fr/</a>.</td></tr> </table>	NULL	Plot in R studio windows.	"pdf"	Export in PDF format.	"tiff"	Export in TIFF 300dpi format.	"png"	Export in PNG 200dpi format.	"svg"	Export in SVG format. Can be edit with <a href="https://inkscape.org/fr/">https://inkscape.org/fr/</a> .
NULL	Plot in R studio windows.										
"pdf"	Export in PDF format.										
"tiff"	Export in TIFF 300dpi format.										
"png"	Export in PNG 200dpi format.										
"svg"	Export in SVG format. Can be edit with <a href="https://inkscape.org/fr/">https://inkscape.org/fr/</a> .										

The filename is the `plot_title` option.

`graph_dev` If the plot is embedded in a graphics Device function (such as `pdf()`), the `graph_dev` option should be set to `TRUE` for the first graph to avoid a blank page.

### Details

This function is design the plot a the age-specific cohort and period plot. The `type` option allow to choose between the 3 different graphics: "Cohort", "Period", or "Both". Please note than the cohort plot and the period plot can be superimposed if the `first_age` is too low.

### Value

Return a plot.

### Author(s)

Mathieu Laversanne

### See Also

[csu\\_group\\_cases](#) [csu\\_merge\\_cases\\_pop](#) [csu\\_asr](#) [csu\\_cumrisk](#) [csu\\_eapc](#) [csu\\_ageSpecific](#)  
[csu\\_ageSpecific\\_top](#) [csu\\_bar\\_top](#) [csu\\_time\\_trend](#)

### Examples

```
data(csu_registry_data_2)

# you can import your data from csv file using read.csv:
# mydata <- read.csv("mydata.csv", sep=",")

# to select only 1 population
test <- subset(csu_registry_data_2,registry == 84020 & sex == 1)

# plot cohort graph from 25-29 years until 75-79 years.
csu_trendCohortPeriod(df_data=test,
                      missing_age =99,
                      plot_title = "USA, Liver, males")

# plot Period graph from 0-5 until 85+.
csu_trendCohortPeriod(df_data=test,
                      missing_age =99,
                      plot_title = "USA, Liver, males",
                      type="Period",
                      first_age=1,
                      last_age=18)

# plot Cohort-Period graph from 30-34 years until 70-74 years.
csu_trendCohortPeriod(df_data=test,
```

```

missing_age =99,
plot_title = "USA, Liver, males",

type="Both",
first_age=7,
last_age=15)

# plot Cohort-Period graph from 30-34 years until 70-74 years with Y axis normal scale.
csu_trendCohortPeriod(df_data=test,
missing_age =99,
plot_title = "USA, Liver, males",

type="Both",
first_age=7,
last_age=15,
logscale=FALSE)

# plot Cohort graph from 25-29 years until 75-79 years, with data grouped in 2 years period.
csu_trendCohortPeriod(df_data=test,
missing_age =99,
plot_title = "USA, Liver, males",
type="Cohort",
year_group = 2)

# Plot embedded in a graphic device
pdf("example_test.pdf")
csu_trendCohortPeriod(df_data=test,
missing_age =99,
plot_title = "USA, Liver, males",

type="Both",
first_age=7,
last_age=15,
graph_dev=TRUE)

csu_trendCohortPeriod(df_data=test,
missing_age =99,
plot_title = "USA, Liver, males",

type="Both",
first_age=7,
last_age=15,
logscale=FALSE)

dev.off()

```

---

csu\_trend\_legend

*csu\_trend\_legend*


---

### Description

csu\_trend\_legend legend option use in Rcan package for trends.

**Usage**

```
csu_trend_legend(title=NULL, position="bottom",nrow=1, right_space_margin=1)
```

**Arguments**

`title` Title of the legend. (only if position = "bottom").

`position` Position of the legend:

"bottom" The legend is place at the bottom of the graph. use with option `nrow`.

"right" The legend is place at the right of each trend. use with option `right_space_margin`. If there is already a plot in the

`nrow` Number of row of the legend (only if position = "bottom").

`right_space_margin`

If the position = "right", the right margin need to be enough big, to contain the text legend. value should be between 1 and 10 depending the size of the text legend.

**Details**

This function return a list for the trend graphics of the package Rcan

**Value**

Return a structured list.

**Author(s)**

Mathieu Laversanne

**See Also**

[csu\\_ageSpecific](#)

**Examples**

```
data(csu_registry_data_1)

csu_ageSpecific(csu_registry_data_1,
  group_by="registry_label",
  legend=csu_trend_legend(title="registry", position="bottom", nrow = 2),
  plot_title = "Legend: bottom")

csu_ageSpecific(csu_registry_data_1,
  group_by="registry_label",
  legend=csu_trend_legend(position="right", right_space_margin = 2),
  plot_title = "Legend: right, cut")
```

```
csu_ageSpecific(csu_registry_data_1,
                group_by="registry_label",
                legend=csu_trend_legend(position="right", right_space_margin = 6.5),
                plot_title = "Legend: right")

#See more examples here:
help(csu_ageSpecific)
```

---

data\_individual\_file *Data individual example*

---

## Description

Data individual example for the function [csu\\_group\\_cases](#)  
1 line = 1 cases.

## Usage

```
data("data_individual_file")
```

## Format

A data frame with 19284 observations on the following 10 variables.

```
regcode registry code
reglabel registry label
sex sex
age age
doi date of birth (yyyymmdd)
site ICD10 code
histo histology
beh behavior code
grade grade
basis basis
```

## Details

This dataset provide an example how to group individual cases to 5 years data, grouped by ICD code and year using the function [csu\\_group\\_cases](#) and the database [ICD\\_group\\_GLOBOCAN](#)

## See Also

[csu\\_group\\_cases](#) [ICD\\_group\\_GLOBOCAN](#) [ICD\\_group\\_CI5](#)



## Examples

```
data(ICD_group_GLOBOCAN)
data(data_individual_file)

#group individual data by
# 5 year age group

df_data_age <- csu_group_cases(data_individual_file,
var_age="age",
group_by=c("sex", "regcode", "reglabel", "site"))

#group individual data by
# 5 year age group
# ICD grouping from dataframe ICD_group_GLOBOCAN

df_data_icd <- csu_group_cases(data_individual_file,
var_age="age",
group_by=c("sex", "regcode", "reglabel"),
df_ICD = ICD_group_GLOBOCAN,
var_ICD = "site")
```

---

data\_population\_file *Population data example*

---

## Description

Population data example for the function [csu\\_merge\\_cases\\_pop](#).

## Usage

```
data("data_population_file")
```

## Format

A data frame with 160 observations on the following 4 variables.

year year

sex sex

age\_group 5 year age group

pop Count of population year

## Details

This dataset provide an example to merge 5 years age grouped data with population data using the function [csu\\_merge\\_cases\\_pop](#)

**See Also**[csu\\_merge\\_cases\\_pop](#)**Examples**

```

data(ICD_group_GLOBOCAN)
data(data_individual_file)
data(data_population_file)

#group individual data by
# 5 year age group
# ICD grouping from dataframe ICD_group_GLOBOCAN
# year (extract from date of incidence)

df_data_year <- csu_group_cases(data_individual_file,
  var_age="age",
  group_by=c("sex", "regcode", "reglabel"),
  df_ICD = ICD_group_GLOBOCAN,
  var_ICD = "site",
  var_year = "doi")

#Merge 5-years age grouped data with population by year (automatic) and sex

df_pop <- csu_merge_cases_pop(df_data_year, data_population_file, var_age = "age_group",
  var_cases = "cases", var_py = "pop", group_by = c("sex"))

```

ICD\_group\_CI5

*ICD10 group detailed example***Description**

ICD10 group example for the function [csu\\_group\\_cases](#) based on CI5XI ICD grouping

**Usage**

```
data("ICD_group_CI5")
```

**Format**

A data frame with 97 observations on the following 2 variables.

ICD ICD10 code

LABEL label for cancer group

**Details**

This dataset provide an example how to regroup ICD code using the function [csu\\_group\\_cases](#)  
 For instance this group

ICD	LABEL
C18	COLORECTUM
C19	COLORECTUM
C20	COLORECTUM
C21	COLORECTUM

Will become:

ICD_group	LABEL
C18-C21	COLORECTUM

See: [csu\\_group\\_cases](#)

### See Also

[csu\\_group\\_cases ICD\\_group\\_GLOBOCAN](#)

### Examples

```
data(ICD_group_CI5)
data(data_individual_file)

#group individual data by
# 5 year age group
# ICD grouping from dataframe ICD_group_CI5

df_data_icd <- csu_group_cases(data_individual_file,
var_age="age",
group_by=c("sex", "regcode", "reglabel"),
df_ICD = ICD_group_CI5,
var_ICD = "site")
```

---

ICD\_group\_GLOBOCAN      *ICD10 group example*

---

### Description

ICD10 group example for the function [csu\\_group\\_cases](#) based on GLOBOCAN

### Usage

```
data("ICD_group_GLOBOCAN")
```

**Format**

A data frame with 97 observations on the following 2 variables.

ICD ICD10 code

LABEL label for cancer group

**Details**

This dataset provide an example how to regroup ICD code using the function [csu\\_group\\_cases](#)  
For instance this group

ICD	LABEL
C18	COLORECTUM
C19	COLORECTUM
C20	COLORECTUM
C21	COLORECTUM

Will become:

ICD_group	LABEL
C18-C21	COLORECTUM

See: [csu\\_group\\_cases](#)

**See Also**

[csu\\_group\\_cases ICD\\_group\\_CI5](#)

**Examples**

```
data(ICD_group_GLOBOCAN)
data(data_individual_file)

#group individual data by
# 5 year age group
# ICD grouping from dataframe ICD_group_GLOBOCAN

df_data_icd <- csu_group_cases(data_individual_file,
var_age="age",
group_by=c("sex", "regcode", "reglabel"),
df_ICD = ICD_group_GLOBOCAN,
var_ICD = "site")
```

# Index

## \*Topic **datasets**

- csu\_ci5\_mean, 19
- csu\_CI5XI\_data, 17
- csu\_registry\_data\_1, 30
- csu\_registry\_data\_2, 32
- data\_individual\_file, 40
- data\_population\_file, 41
- ICD\_group\_CI5, 42
- ICD\_group\_GLOBOCAN, 43

## \*Topic **package**

- Rcan-package, 2

- csu\_ageSpecific, 2, 4, 9, 12, 15, 18, 20–22, 24, 27, 30–32, 34, 37, 39
- csu\_ageSpecific\_top, 2, 6, 7, 12, 15, 22, 24, 27, 30–32, 34, 37
- csu\_asr, 2, 6, 9, 10, 15, 18, 22, 24, 27, 30–32, 34, 37
- csu\_bar\_top, 2, 6, 9, 12, 14, 22, 24, 27, 30–32, 34, 37
- csu\_ci5\_mean, 5, 19
- csu\_CI5XI\_data, 17
- csu\_cumrisk, 2, 6, 9, 12, 15, 18, 21, 22, 24, 27, 30–32, 34, 37
- csu\_eapc, 2, 6, 9, 12, 15, 18, 22, 23, 27, 30–32, 34, 37
- csu\_group\_cases, 2, 6, 9, 12, 15, 22, 24, 25, 30, 34, 37, 40, 42–44
- csu\_merge\_cases\_pop, 2, 6, 9, 12, 15, 22, 24, 26, 27, 28, 34, 37, 41, 42
- csu\_registry\_data\_1, 30
- csu\_registry\_data\_2, 32
- csu\_time\_trend, 2, 6, 9, 12, 15, 22, 24, 27, 30, 32, 33, 37
- csu\_trend\_legend, 5, 33, 38
- csu\_trendCohortPeriod, 2, 6, 9, 12, 15, 22, 24, 27, 30, 32, 34, 35
- data\_individual\_file, 40
- data\_population\_file, 41

- factor, 8

- ICD\_group\_CI5, 40, 42, 44
- ICD\_group\_GLOBOCAN, 26, 40, 43, 43

- loess, 33

- Rcan (Rcan-package), 2
- Rcan-package, 2