

Package ‘dr4pl’

August 17, 2021

Type Package

Date 2021-08-16

Title Dose Response Data Analysis using the 4 Parameter Logistic (4pl) Model

Version 2.0.0

Depends R (>= 3.1.0)

Description Models the relationship between dose levels and responses in a pharmacological experiment using the 4 Parameter Logistic model. Traditional packages on dose-response modelling such as 'drc' and 'nplr' often draw errors due to convergence failure especially when data have outliers or non-logistic shapes. This package provides robust estimation methods that are less affected by outliers and other initialization methods that work well for data lacking logistic shapes. We provide the bounds on the parameters of the 4PL model that prevent parameter estimates from diverging or converging to zero and base their justification in a statistical principle. These methods are used as remedies to convergence failure problems. Gadagkar, S. R. and Call, G. B. (2015) <[doi:10.1016/j.vascn.2014.08.006](https://doi.org/10.1016/j.vascn.2014.08.006)> Ritz, C. and Baty, F. and Streibig, J. C. and hard, D. (2015) <[doi:10.1371/journal.pone.0146021](https://doi.org/10.1371/journal.pone.0146021)>.

License GPL (>= 2)

LazyData TRUE

URL <https://bitbucket.org/dittmerlab/dr4pl>

BugReports <https://bitbucket.org/dittmerlab/dr4pl/issues?status=new&status=open>

RdMacros Rdpack

RoxygenNote 7.1.1

Encoding UTF-8

Imports ggplot2, Matrix, tensor, Rdpack, generics, rlang, glue

Suggests drc, devtools, roxygen2, testthat, knitr, rmarkdown, tibble

VignetteBuilder knitr

NeedsCompilation no

Author Justin T. Landis [aut, cre],
 Alice Peng [ctb],
 Hyowon An [aut],
 Aubrey G. Bailey [aut],
 Dirk P. Dittmer [aut],
 James S. Marron [aut]

Maintainer Justin T. Landis <jtlandis314@gmail.com>

Repository CRAN

Date/Publication 2021-08-17 16:10:18 UTC

R topics documented:

calculate.dr4pl	3
coef.dr4pl	3
confint.dr4pl	4
dr4pl	5
dr4pl-augment	9
dr4pl-param	9
dr4plEst	11
drc_error_1	12
drc_error_2	12
drc_error_3	13
drc_error_4	13
FindHillBounds	13
FindInitialParms	14
FindLogisticGrids	15
gof	16
gof-dr4pl	17
IC	18
MeanResponse	18
OutlierDetection	19
plot.dr4pl	20
print.dr4pl	22
print.summary.dr4pl	22
residuals.dr4pl	23
sample_data_1	24
sample_data_10	24
sample_data_11	24
sample_data_12	25
sample_data_13	25
sample_data_2	25
sample_data_3	26
sample_data_4	26
sample_data_5	26
sample_data_6	27
sample_data_7	27
sample_data_8	27

calculate.dr4pl 3

sample_data_9 28
summary.dr4pl 28
vcov.dr4pl 29

Index 31

calculate.dr4pl *dr4pl-calculate*

Description

calculate various useful statistics.

Usage

```
## S3 method for class 'dr4pl'  
calculate(x, parm = NULL, level = 0.95, ...)
```

Arguments

x an object of class 'dr4pl'
parm parameters of the dr4pl object. Usually made with [dr4pl_theta]
level confidence level to calculate. Defaults to 0.95
... extra arguments to be passed to [vcov.dr4pl]

coef.dr4pl *Obtain coefficients of a 4PL model*

Description

This function obtains the coefficients of a 4PL model. Estimates of the four parameters, the upper asymptote, IC50, slope and lower asymptote, are returned.

Usage

```
## S3 method for class 'dr4pl'  
coef(object, ...)
```

Arguments

object A 'dr4pl' object
... arguments passed to coef

Value

A vector of parameters

Examples

```
obj.dr4pl <- dr4pl(Response ~ Dose, data = sample_data_2) # Fit a 4PL model to data
coef(obj.dr4pl) # Print parameter estimates
```

```
obj.dr4pl <- dr4pl(Response ~ Dose, data = sample_data_3) # Fit a 4PL model to data
coef(obj.dr4pl) # Print parameter estimates
```

confint.dr4pl *Fit a 4 parameter logistic (4PL) model to dose-response data.*

Description

Compute the approximate confidence intervals of the parameters of a 4PL model based on the asymptotic normality of least squares estimators.

Usage

```
## S3 method for class 'dr4pl'
confint(object, parm = NULL, level = 0.95, ...)
```

Arguments

object	An object of the dr4pl class
parm	parameters of the dr4pl object. Usually made with [dr4pl_theta]
level	Confidence level
...	Other parameters to be passed to vcov

Details

This function computes the approximate confidence intervals of the true parameters of a 4PL model based on the asymptotic normality of the least squares estimators in nonlinear regression. The Hessian matrix is used to obtain the second order approximation to the sum-of-squares loss function. Please refer to Subsection 5.2.2 of Seber and Wild (1989).

Value

A matrix of the confidence intervals in which each row represents a parameter and each column represents the lower and upper bounds of the confidence intervals of the corresponding parameters.

References

Seber GAF, Wild CJ (1989). *Nonlinear regression*, Wiley Series in Probability and Mathematical Statistics: Probability and Mathematical Statistics. John Wiley & Sons, Inc., New York. ISBN 0-471-61760-1, doi: [10.1002/0471725315](https://doi.org/10.1002/0471725315), <http://dx.doi.org.libproxy.lib.unc.edu/10.1002/0471725315>.

Examples

```
obj.dr4pl <- dr4pl(Response ~ Dose, data = sample_data_1) # Fit a 4PL model to data

## Use the data 'sample_data_1' to obtain confidence intervals.
confint(obj.dr4pl) # 95% confidence intervals
confint(obj.dr4pl, level = 0.99) # 99% confidence intervals

theta <- FindInitialParms(x = sample_data_1$Dose, y = sample_data_1$Response)

# Use the same data 'sample_data_1' but different parameter estimates to obtain
# confidence intervals.
confint(obj.dr4pl, parm = theta)
```

dr4pl

Fitting 4 Parameter Logistic (4PL) models to dose-response data.

Description

This function fits a 4PL model to dose-response data. Users can obtain fitted parameter estimates as return values. Using auxiliary functions provided by this R package, users can plot a fitted dose-response curve and obtain confidence intervals of true parameters. In addition, the goodness-of-fit test for model adequacy of the 4PL models can be performed when replicates are available for each dose level.

Usage

```
dr4pl(...)

## S3 method for class 'formula'
dr4pl(
  formula,
  data = list(),
  init.parm = dr4pl_theta(),
  trend = "auto",
  method.init = "Mead",
  method.robust = "squared",
  method.optim = "Nelder-Mead",
  use.Hessian = FALSE,
  level = 0.9999,
  failure.message = FALSE,
  upperl = NULL,
  lowerl = NULL,
  ...
)

## S3 method for class 'data.frame'
```

```

dr4pl(
  data,
  dose,
  response,
  init.parm = dr4pl_theta(),
  trend = "auto",
  method.init = "Mead",
  method.robust = "squared",
  method.optim = "Nelder-Mead",
  use.Hessian = FALSE,
  level = 0.9999,
  failure.message = FALSE,
  upperl = NULL,
  lowerl = NULL,
  ...
)

## Default S3 method:
dr4pl(
  dose,
  response,
  init.parm = dr4pl_theta(),
  trend = "auto",
  method.init = "Mead",
  method.robust = "squared",
  method.optim = "Nelder-Mead",
  use.Hessian = FALSE,
  level = 0.9999,
  failure.message = FALSE,
  upperl = NULL,
  lowerl = NULL,
  ...
)

```

Arguments

...	Further arguments to be passed to <code>constrOptim</code> .
<code>formula</code>	Symbolic description of the model to be fit. Either of the form 'response ~ dose' or as a data frame with response values in first column and dose values in second column.
<code>data</code>	Data frame containing variables in the model.
<code>init.parm</code>	Either a call to <code>[dr4pl_theta]</code> , or a Vector of initial parameters to be optimized in the model. <ul style="list-style-type: none"> • UpperLimit: $\theta[1]$ • IC50/EC50: $\theta[2]$ • Slope: $\theta[3]$ • LowerLimit: $\theta[4]$

dr4pl assumes $\theta[1] > \theta[4]$. Note that when using `upperl` and `lowerl`, the user may need to set this parameter because the estimated parameters may not be within the feasible region.

<code>trend</code>	Indicator of whether a dose-response curve is a decreasing $\theta[3] < 0$ or increasing curve $\theta[3] > 0$. The default is "auto" which indicates that the trend of the curve is automatically determined by data. The option "decreasing" will impose a restriction $\theta[3] \leq 0$ while the option "increasing" will impose a restriction $\theta[3] \geq 0$ in an optimization process.
<code>method.init</code>	Method of obtaining initial values of the parameters. If this parameter is left unassigned, a default "Mead" method will be used. Assign "logistic" to use the logistic method.
<code>method.robust</code>	Parameter to select loss function for the robust estimation method to be used to fit a model. The argument NULL indicates the sum of squares loss, "absolute" indicates the absolute deviation loss, "Huber" indicates Huber's loss and "Tukey" indicates Tukey's biweight loss.
<code>method.optim</code>	Method of optimization of the loss function specified by <code>method.robust</code> . This function argument is directly passed to the function <code>constrOptim</code> which is provided in the base package of R.
<code>use.Hessian</code>	Indicator of whether the Hessian matrix (TRUE) or the gradient vector is used in the Hill bounds.
<code>level</code>	Confidence level to be used in Hill bounds computation.
<code>failure.message</code>	Indicator of whether a message indicating attainment of the Hill bounds and possible resolutions will be printed to the console (TRUE) or hidden (FALSE).
<code>upperl</code>	Either NULL or a numeric vector of length 4 that specifies the upper limit for the initial parameters of $c(\theta[1], \theta[2], \theta[3], \theta[4])$ during the optimization process. By default no <code>upperl</code> is assumed. If the user wants to constrain only some parameter values, set desired numeric bound in the appropriate position and fill Inf to impose no upper bounds on other values. All <code>upperl</code> values must be greater than corresponding initialized parameters.
<code>lowerl</code>	Either NULL or a numeric vector of length 4 that specifies the lower limit for the initial parameters of $c(\theta[1], \theta[2], \theta[3], \theta[4])$ during the optimization process. By default no <code>lowerl</code> is assumed. If the user wants to constrain only some parameter values, set desired numeric bound in the appropriate position and fill -Inf to impose no lower bounds on other values. All <code>lowerl</code> values must be greater than corresponding initialized parameters.
<code>dose</code>	Vector of dose levels
<code>response</code>	Vector of responses

Details

This function fits a 4 parameter logistic (4PL) model to dose-response data. A formula of the model is

$$\theta[1] + (\theta[4] - \theta[1]) / (1 + (z/\theta[2])^{\theta[3]})$$

`method.init` specifies an initialization method to get initial parameter estimates based on data. The currently supported initialization methods are "logistic" and "Mead". For further details, see the vignette.

`method.optim` specifies an optimization method to be used in "constrOptim" function. The currently supported optimization techniques include "Nelder-Mead", "BFGS", "CG", "L-BFGS-B", "SANN" and "Brent". For further details, see the help page of [optim](#).

`method.robust` chooses a robust estimation method among 4 methods. The method of estimation is usually identified by the loss function of the method. This package supports 4 types of loss functions: sum-of-squares loss, absolute deviation loss, Huber's loss and Tukey's biweight loss. Each of loss function is explained in detail in the vignette.

Value

A 'dr4pl' object for which "confint", "gof", "print" and "summary" methods are implemented. For details, see the help page of each method. For example, type `?confint.dr4pl` to obtain the confidence intervals of parameters of the 'dr4pl' object.

Methods (by class)

- `formula`: General 4PL model fitting function for analysis of dose-response relation.
- `data.frame`: Method for when formula argument is missing. dose and response arguments are necessary
- `default`: Used in the default case, supplying a single dose and response variable

Author(s)

Hyowon An, <ahwbest@gmail.com>

Justin T. Landis, <jtlandis314@gmail.com>

Aubrey G. Bailey, <aubreybailey@gmail.com>

See Also

[confint.dr4pl](#), [gof.dr4pl](#), [print.dr4pl](#), [summary.dr4pl](#)

Examples

```
##Assign method.init = "logistic" to use logistic method of estimation.
##default method
a <- dr4pl(dose = sample_data_1$Dose,
          response = sample_data_1$Response,
          method.init = "logistic")
plot(a)

##Use default or Assign method.init = "Mead" to use Mead's method of estimation.
# Use method.robust to select desired loss function
# formula method
b <- dr4pl(formula = Response~Dose,
          data = sample_data_4,
          method.init = "Mead",
```



```

        method.robust = "Tukey" )
plot(b)

#data.frame method
c <- dr4pl(data = sample_data_10,
          dose = Dose,
          response = Response)
plot(c)

##compatible with ggplot
library(ggplot2) #load ggplot2
c <- dr4pl(Response~Dose,
          data = drc_error_2,
          method.optim = "CG",
          trend = "decreasing" )
d <- plot(c, x.breaks = c(.00135, .0135, .135, 1.35, 13.5))
d + theme_grey()

```

dr4pl-augment	<i>Augment data with dr4pl</i>
---------------	--------------------------------

Description

Augment data with dr4pl

Usage

```
## S3 method for class 'dr4pl'
augment(x, data = NULL, ...)
```

Arguments

x	dr4pl object
data	new data to use
...	For future extension. Should not be used.

dr4pl-param	<i>Constructor for dr4pl theta parameter</i>
-------------	--

Description

As of version 2.0.0, dr4pl will require the theta parameter to be made by this function. This is to ensure the user is explicit about what their parameter is, and what is being optimized.

Usage

```

dr4pl_theta(
  theta_1 = NA,
  theta_2 = NA,
  theta_3 = NA,
  theta_4 = NA,
  isLog10 = FALSE
)

ParmToLog(x)

## S3 method for class 'dr4pl_theta'
ParmToLog(x)

## S3 method for class 'dr4pl_log10'
ParmToLog(x)

LogToParm(x)

## S3 method for class 'dr4pl_theta'
LogToParm(x)

## S3 method for class 'dr4pl_log10'
LogToParm(x)

```

Arguments

theta_1	Numeric. The upper asymptote of the 4pl model.
theta_2	Numeric. The value where Response is half way between the upper and lower asymptotes. This parameter is other wise known as IC50/EC50.
theta_3	Numeric. The slope of the 4pl model. When 'theta_3>0' the curve increases, and when 'theta_3<0', the curve decreases.
theta_4	Numeric. The lower asymptote of the 4pl model.
isLog10	Logical value indicating if the second parameter is on the log10 scale. The default, FALSE, informs dr4pl that the value passed to the 'theta_2' argument is on the linear scale. TRUE will indicate that 'theta_2' has already been transformed with log10. This ensures that the parameters are handled properly later on.
x	a dr4pl_param object

Details

The function 'dr4pl_theta' is a constructor function for the end user. While the default values for 'theta_1', 'theta_2', 'theta_3', 'theta_4' are 'NA', certain functions of 'dr4pl' will not allow 'NA' values. When 'dr4pl_theta' is used with the 'init.parm' argument of [dr4pl], then values with 'NA' will be estimated, and those specified, will be set as the initial parameter prior to optimization. If 'dr4pl_theta' is the object of S3 dispatch, then no NA values are allowed. However if the object if dispatch is a 'dr4pl' object, and 'dr4pl_theta' is passed into the function as an additional object such

as in [X], [Y], then parameter non-NA values will be replaced in the appropriate dr4pl parameter estimates for the purpose of said function.

Value

an object of class "dr4pl_param"

 dr4plEst

Private function to fit the 4PL model to dose-response data

Description

Private function that actually fits the 4PL model to data. If the Hill bounds are attained at the end of optimization processes, then an indicator of convergence failure so that `dr4pl.default` can look for a remedy for convergence failure.

Usage

```
dr4plEst(
  dose,
  response,
  init.parm,
  trend,
  method.init,
  method.optim,
  method.robust,
  use.Hessian,
  level,
  upperl,
  lowerl,
  ...
)
```

Arguments

dose	Vector of dose levels
response	Vector of responses
init.parm	Vector of initial parameters of the 4PL model supplied by a user.
trend	Indicator of whether a dose-response curve is a decreasing $\theta[3] < 0$ or increasing curve $\theta[3] > 0$. The default is "auto" which indicates that the trend of the curve is automatically determined by data. The option "decreasing" will impose a restriction $\theta[3] \leq 0$ while the option "increasing" will impose a restriction $\theta[3] \geq 0$ in an optimization process.
method.init	Method of obtaining initial values of the parameters. Should be one of "logistic" for the logistic method or "Mead" for the Mead method. The default option is the Mead method.

method.optim	Method of optimization of the parameters. This argument is directly delivered to the constrOptim function provided in the "base" package of R.
method.robust	Parameter to select loss function for the robust estimation method to be used to fit a model. The argument NULL indicates the sum of squares loss, "absolute" indicates the absolute deviation loss, "Huber" indicates Huber's loss and "Tukey" indicates Tukey's biweight loss.
use.Hessian	Indicator of whether the Hessian matrix (TRUE) or the gradient vector is used in the Hill bounds.
level	Confidence level to be used in Hill bounds computation.
upper1	upper limit to init.parm
lower1	lower limit to init.parm
...	Further arguments to be passed to constrOptim.

Value

List of final parameter estimates, name of robust estimation, loss value and so on.

drc_error_1	<i>Single High Outlier</i>
-------------	----------------------------

Description

These are a handful of experimentally derived datasets from the wet-laboratory. These all have numerical errors in other dose-response curve-packages, but not using these methods. This data set exemplifies the case of a single extreme outlier of one dose measurement.

Examples

```
a <- dr4pl(Response~Dose, data = drc_error_1, method.init = "logistic", method.robust = "Tukey")
plot(a)
```

drc_error_2	<i>Multiple High Outliers at Different measurements</i>
-------------	---

Description

These are a handful of experimentally derived datasets from the wet-laboratory. These all have numerical errors in other dose-response curve-packages, but not using these methods. This data set exemplifies the case of multiple outliers as well as a small number of observations per dose measurement.

Examples

```
a <- dr4pl(Response~Dose, data = drc_error_2, trend = "decreasing", method.optim = "CG")
plot(a)
```

drc_error_3

Support Problem and Outliers at a Single Dose Level

Description

These are a handful of experimentally derived datasets from the wet-laboratory. These all have numerical errors in other dose-response curve-packages, but not using these methods. This data set exemplifies the case of multiple outliers at a single dose measurement as well as the support problem.

Examples

```
a <- dr4pl(Response~Dose, data = drc_error_3, method.init = "Mead", method.robust = "Huber")
plot(a)
```

drc_error_4

Support Problem

Description

These are a handful of experimentally derived datasets from the wet-laboratory. These all have numerical errors in other dose-response curve-packages, but not using these methods. This data set exemplifies the support problem.

Examples

```
a <- dr4pl(Response~Dose, data = drc_error_4, method.init = "logistic")
plot(a)
```

FindHillBounds

FindHillBounds

Description

Compute the Hill bounds based on initial parameter estimates and data.

Usage

```
FindHillBounds(x, y, theta, use.Hessian = FALSE, level = 0.9999)
```

Arguments

x	Vector of doses.
y	Vector of responses.
theta	Parameters of a 4PL model.
use.Hessian	Indicator of whether the Hessian matrix (TRUE) or the gradient vector is used in confidence interval computation.
level	Confidence level to be used in computing the Hill bounds.

Details

This function computes the Hill bounds based on initial parameter estimates and data. It basically computes the confidence intervals of the true parameters based on the variance-covariance matrix of a given initial parameter estimates. The half of a hessian matrix is used as a variance-covariance matrix. If matrix inversion of the variance-covariance matrix is infeasible, a variation of the method in Wang et al. (2010) is used. The parameter level is only for simulation.

Value

Data frame whose first column represents the bounds on the IC50 parameter in log 10 scale and second column represents the bounds on the slope parameter.

Author(s)

Hyowon An, <ahwbest@gmail.com>.

References

Higham NJ (2002). "Computing the nearest correlation matrix—a problem from finance." *IMA J. Numer. Anal.*, **22**(3), 329–343. ISSN 0272-4979, doi: [10.1093/imanum/22.3.329](https://doi.org/10.1093/imanum/22.3.329), <http://dx.doi.org.libproxy.lib.unc.edu/10.1093/imanum/22.3.329>. Wang Y, Jadhav A, Southal N, Huang R, Nguyen DT (2010). "A grid algorithm for high throughput fitting of dose-response curve data." *Curr Chem Genomics*, **4**, 57–66.

See Also

[FindInitialParms](#), [FindLogisticGrids](#).

FindInitialParms

FindInitialParms

Description

Find initial parameter estimates for a 4PL model.

Usage

```

FindInitialParms(
  x,
  y,
  trend = "auto",
  method.init = "Mead",
  method.robust = "squared"
)

```

Arguments

x	Vector of dose levels
y	Vector of responses
trend	Indicator of whether the curve is a decreasing $\theta[3] < 0$ or increasing curve $\theta[3] > 0$. See dr4pl for detailed explanation.
method.init	Method of obtaining initial values of the parameters. See dr4pl for detailed explanation.
method.robust	Parameter to select loss function for the robust estimation method to be used to fit a model. See dr4pl for detailed explanation.

Value

Initial parameter estimates of a 4PL model in the order of the upper asymptote, IC50, Slope and lower asymptote parameters.

FindLogisticGrids *FindLogisticGrids*

Description

Compute the grids on the upper and lower asymptote parameters for the logistic method based on initial parameter estimates and data.

Usage

```
FindLogisticGrids(x, y, retheta.init, use.Hessian = FALSE)
```

Arguments

x	Vector of doses.
y	Vector of responses.
retheta.init	Parameters of a 4PL model among which the EC50 parameter is in the log 10 dose scale.
use.Hessian	Indicator of whether the Hessian matrix (TRUE) or the gradient vector is used in confidence interval computation.

Details

This function computes the grids on the upper and lower asymptote parameters based on initial parameter estimates and data. It basically computes the confidence intervals of the true parameters based on the variance-covariance matrix of the given initial parameter estimates. If matrix inversion of the variance-covariance matrix is infeasible, a variation of the method in Wang et al. (2010) is used.

Value

Data frame whose first column represents the grid on the upper asymptote parameter and second column represents the grid on the lower asymptote.

Author(s)

Hyowon An

References

Wang Y, Jadhav A, Southal N, Huang R, Nguyen DT (2010). "A grid algorithm for high throughput fitting of dose-response curve data." *Curr Chem Genomics*, **4**, 57–66.

See Also

FindHillBounds, FindInitialParms

gof

Perform the goodness-of-fit (gof) test for a model.

Description

S3 method for a model object

Usage

```
gof(object, ...)
```

Arguments

object A model object
... dots for future extensions

Value

data.frame with goodness-of-fit results

`gof-dr4pl`*Perform the goodness-of-fit (gof) test for the 4PL model.*

Description

Perform the goodness-of-fit (gof) test for the 4PL model when there are at least two replicates for each dose level.

Usage

```
## S3 method for class 'dr4pl'  
gof(object, n.signif.digit = 4, ...)
```

Arguments

<code>object</code>	An object of the dr4pl class.
<code>n.signif.digit</code>	Number of significant digits after the decimal point to be printed. The default value is 4, but users can change the value on their own.
<code>...</code>	dots for future extensions

Details

Perform a goodness-of-fit (gof) test for the goodness of the 4PL models for dose-response data. There should be at least two replicates at each dose level. The test statistic follows the F distribution with degrees of freedom $(n - 4)$ and $(N - n)$ where N stands for the total number of observations and n stands for the number of dose levels. For detailed explanation of the method, please refer to Subsection 2.1.5 of Seber and Wild (1989).

Value

A list of results in the order of a F-statistic value, p-value and a degree of freedom.

References

Seber GAF, Wild CJ (1989). *Nonlinear regression*, Wiley Series in Probability and Mathematical Statistics: Probability and Mathematical Statistics. John Wiley & Sons, Inc., New York. ISBN 0-471-61760-1, doi: [10.1002/0471725315](https://doi.org/10.1002/0471725315), <http://dx.doi.org.libproxy.lib.unc.edu/10.1002/0471725315>.

Examples

```
obj.dr4pl <- dr4pl(Response ~ Dose, data = sample_data_4) # Fit a 4PL model to data  
gof(obj.dr4pl) # Print the goodness-of-fit test results
```

IC	<i>Obtain Inhibitory Concentrations (IC) of a dose-response curve</i>
----	---

Description

This function obtains estimates of the IC's of a dose-response curve. Typically the IC50 parameter is of interest, but sometimes IC10 or IC90 are important aspects of a dose-response curve. By controlling the function argument, a user can obtain the IC's at various levels.

Usage

```
IC(object, inhib.percent)
```

Arguments

`object` Object of the class 'dr4pl' for which the IC values are obtained
`inhib.percent` Inhibited percentages at which the IC values are obtained

Value

IC values at the inhibited percentages provided by the argument `inhib.percent`

Examples

```
data.test <- data.frame(x = c(0.0001, 0.001, 0.01, 0.1, 1),  
                      y = c(10, 9, 5, 1, 0))  
obj.dr4pl <- dr4pl(y ~ x,  
                  data = data.test)  
IC(obj.dr4pl, inhib.percent = c(10, 90))  
  
obj.dr4pl <- dr4pl(Response ~ Dose, data = sample_data_4) # Fit a 4PL model to data  
IC(obj.dr4pl, inhib.percent = c(10, 50, 90))
```

MeanResponse	<i>Compute an estimated mean response.</i>
--------------	--

Description

Compute an estimated mean response.

Usage

```

MeanResponse(...)

## S3 method for class 'dr4pl'
MeanResponse(dr4pl, theta = NULL, ...)

## S3 method for class 'numeric'
MeanResponse(theta, x, ...)

## S3 method for class 'dr4pl_theta'
MeanResponse(theta, x, ...)

## S3 method for class 'dr4pl_log10'
MeanResponse(theta, x, ...)

```

Arguments

...	arguments to be passed to S3 methods
dr4pl	dr4pl object
theta	Parameters of the dr4pl object. Usually made with [dr4pl_theta]
x	domain values for 4PL model. Values should always be passed to this function on the linear space.

Value

Predicted response values.

OutlierDetection	<i>Detect outliers by the method of Motulsky and Brown (2006).</i>
------------------	--

Description

Detect outliers by the method of Motulsky and Brown (2006).

Usage

```
OutlierDetection(residuals)
```

Arguments

residuals	Vector of residuals from a robust fit.
-----------	--

Details

This function detects outliers from a vector of residuals obtained from a robust fit. The method used here is the same with Motulsky and Brown (2006) except that the median absolute deviation is used instead of the sample quantile based estimator suggested in that paper. Based on the False Discovery Rate (FDR) a set of multiple outliers that have lower FDR's than a threshold are reported.

Value

Vector of indices of outliers in the input vector of residuals

Author(s)

Hyowon An

References

Motulsky HJ, Brown RE (2006). "Detecting outliers when fitting data with nonlinear regression - a new method based on robust nonlinear regression and the false discovery rate." *BMC Bioinformatics*, **7**, 123.

plot.dr4pl

Make a plot of a 4PL model curve and data

Description

This function displays a dose-response curve and data. As a default, the x-axis represents dose levels in log 10 scale and the y-axis represents responses. The black solid line represents a dose-response curve. The blue filled circles represent data points and red triangles represent outliers.

Usage

```
## S3 method for class 'dr4pl'
plot(
  x,
  type.curve = "all",
  text.title = "Dose-response plot",
  text.x = "Dose",
  text.y = "Response",
  indices.outlier = NULL,
  breaks.x = NULL,
  breaks.y = NULL,
  ...
)
```

Arguments

x	'dr4pl' object whose data and mean response function will be plotted.
type.curve	Indicator of the type of a dose-response curve. "all" indicates that data and a curve will be plotted while "data" indicates that only data will be plotted.
text.title	Character string for the title of a plot with a default set to "Dose response plot".
text.x	Character string for the x-axis of the plot with a default set to "Dose".
text.y	Character string for the y-axis of the plot with a default set to "Response".

```

indices.outlier      Pass a vector indicating all indices which are outliers in the data.
breaks.x             Vector of desired break points for the x-axis
breaks.y             Vector of desired break points for the y-axis
...                  All arguments that can normally be passed to ggplot.

```

Author(s)

```

Hyowon An, <ahwbest@gmail.com>
Justin T. Landis, <jtlandis314@gmail.com>
Aubrey G. Bailey, <aubreybailey@gmail.com>

```

Examples

```

## Not run:
dr4pl.1 <- dr4pl(Response ~ Dose, data = sample_data_1)

plot(dr4pl.1)

## Able to further edit plots.
library(ggplot2) #needed to change color to green
dr4pl.1 <- dr4pl(Response ~ Dose,
                 data = sample_data_1,
                 text.title = "Sample Data Plot")

a <- plot(dr4pl.1)
a + geom_point(color = "green", size = 5)

## Bring attention to outliers using parameter indices.outlier.
dr4pl.3 <- dr4pl(Response ~ Dose,
                 data = drc_error_3,
                 method.init = "Mead",
                 method.robust = "absolute")
plot(dr4pl.3, indices.outlier = c(90, 101))

## Change the plot title default with parameter text.title.
dr4pl.1 <- dr4pl::dr4pl(Response ~ Dose,
                       data = sample_data_1)
plot(dr4pl.1, text.title = "My New Dose Response plot")

##Change the labels of the x and y axis to your need
library(drc) # Needed to load 'decontaminants' data set
data.hpc <- subset(decontaminants, group %in% "hpc")
dr4pl.hpc <- dr4pl(count~conc, data = data.hpc)
plot(dr4pl.hpc,
     text.title = "hpc Decontaminants Plot",
     text.x = "Concentration",
     text.y = "Count")

## End(Not run)

```

print.dr4pl *Print the dr4pl object to screen.*

Description

Print the dr4pl object to screen.

Usage

```
## S3 method for class 'dr4pl'  
print(x, ...)
```

Arguments

x a dr4pl object to be printed
... all normally printable arguments

Examples

```
ryegrass.dr4pl <- dr4pl(Response ~ Dose,  
                          data = sample_data_1)  
print(ryegrass.dr4pl)  
  
obj.dr4pl <- dr4pl(Response ~ Dose, data = sample_data_5)  
print(obj.dr4pl)
```

print.summary.dr4pl *Print the dr4pl object summary to screen.*

Description

Print the dr4pl object summary to screen.

Usage

```
## S3 method for class 'summary.dr4pl'  
print(x, ...)
```

Arguments

x a dr4pl object to be summarized
... all normally printable arguments

Examples

```
library(drc) # Needed for the data set 'ryebras'
dr4pl.ryegrass <- dr4pl(root1 ~ conc, data = ryegrass)
print(summary(dr4pl.ryegrass))

dr4pl.7 <- dr4pl(Response ~ Dose, data = sample_data_7)
print(summary(dr4pl.7))
```

residuals.dr4pl	<i>Compute dr4pl residuals.</i>
-----------------	---------------------------------

Description

Compute dr4pl residuals.

Usage

```
## S3 method for class 'dr4pl'
residuals(object, parm = NULL, ...)

## S3 method for class 'dr4pl_param'
residuals(object, dose, response, ...)
```

Arguments

object	A dr4pl or dr4pl_param object.
parm	parameters of the dr4pl object. Usually made with [dr4pl_theta]
...	dots for future extensions
dose	Dose values
response	Response values

Value

Vector of residuals.

sample_data_1	<i>sample_data_1</i>
---------------	----------------------

Description

These are a handful of experimentally derived datasets from the wet-laboratory. These may or may not have numerical errors in other dose-response curve-packages, but definitely not using these methods.

Examples

```
a <- dr4pl(Response~Dose, data = sample_data_1)
plot(a)
```

sample_data_10	<i>sample_data_10</i>
----------------	-----------------------

Description

These are a handful of experimentally derived datasets from the wet-laboratory. These may or may not have numerical errors in other dose-response curve-packages, but definitely not using these methods.

Examples

```
a <- dr4pl(Response~Dose, data = sample_data_10)
plot(a)
```

sample_data_11	<i>sample_data_11</i>
----------------	-----------------------

Description

These are a handful of experimentally derived datasets from the wet-laboratory. These may or may not have numerical errors in other dose-response curve-packages, but definitely not using these methods.

Examples

```
a <- dr4pl(Response~Dose, data = sample_data_11)
plot(a)
```

sample_data_12	<i>sample_data_12</i>
----------------	-----------------------

Description

These are a handful of experimentally derived datasets from the wet-laboratory. These may or may not have numerical errors in other dose-response curve-packages, but definitely not using these methods.

Examples

```
a <- dr4pl(Response~Dose, data = sample_data_12)
plot(a)
```

sample_data_13	<i>sample_data_13</i>
----------------	-----------------------

Description

These are a handful of experimentally derived datasets from the wet-laboratory. These may or may not have numerical errors in other dose-response curve-packages, but definitely not using these methods.

Examples

```
a <- dr4pl(Response~Dose, data = sample_data_13)
plot(a)
```

sample_data_2	<i>sample_data_2</i>
---------------	----------------------

Description

These are a handful of experimentally derived datasets from the wet-laboratory. These may or may not have numerical errors in other dose-response curve-packages, but definitely not using these methods.

Examples

```
a <- dr4pl(Response~Dose, data = sample_data_2)
plot(a)
```

sample_data_3	<i>sample_data_3</i>
---------------	----------------------

Description

These are a handful of experimentally derived datasets from the wet-laboratory. These may or may not have numerical errors in other dose-response curve-packages, but definitely not using these methods.

Examples

```
a <- dr4pl(Response~Dose, data = sample_data_3)
plot(a)
```

sample_data_4	<i>sample_data_4</i>
---------------	----------------------

Description

These are a handful of experimentally derived datasets from the wet-laboratory. These may or may not have numerical errors in other dose-response curve-packages, but definitely not using these methods.

Examples

```
a <- dr4pl(Response~Dose, data = sample_data_4)
plot(a)
```

sample_data_5	<i>sample_data_5</i>
---------------	----------------------

Description

These are a handful of experimentally derived datasets from the wet-laboratory. These may or may not have numerical errors in other dose-response curve-packages, but definitely not using these methods.

Examples

```
a <- dr4pl(Response~Dose, data = sample_data_5)
plot(a)
```

sample_data_6	<i>sample_data_6</i>
---------------	----------------------

Description

These are a handful of experimentally derived datasets from the wet-laboratory. These may or may not have numerical errors in other dose-response curve-packages, but definitely not using these methods.

Examples

```
a <- dr4pl(Response~Dose, data = sample_data_6)
plot(a)
```

sample_data_7	<i>sample_data_7</i>
---------------	----------------------

Description

These are a handful of experimentally derived datasets from the wet-laboratory. These may or may not have numerical errors in other dose-response curve-packages, but definitely not using these methods.

Examples

```
a <- dr4pl(Response~Dose, data = sample_data_7)
plot(a)
```

sample_data_8	<i>sample_data_8</i>
---------------	----------------------

Description

These are a handful of experimentally derived datasets from the wet-laboratory. These may or may not have numerical errors in other dose-response curve-packages, but definitely not using these methods.

Examples

```
a <- dr4pl(Response~Dose, data = sample_data_8)
plot(a)
```

sample_data_9	<i>sample_data_9</i>
---------------	----------------------

Description

These are a handful of experimentally derived datasets from the wet-laboratory. These may or may not have numerical errors in other dose-response curve-packages, but definitely not using these methods.

Examples

```
a <- dr4pl(Response~Dose, data = sample_data_9)
plot(a)
```

summary.dr4pl	<i>summary</i>
---------------	----------------

Description

Print the summary of a dr4pl object.

Usage

```
## S3 method for class 'dr4pl'
summary(object, parm = NULL, ...)
```

Arguments

object	a dr4pl object to be summarized
parm	parameters of the dr4pl object. Usually made with [dr4pl_theta]
...	additional arguments to be passed to [calculate.dr4pl]

Examples

```
obj.dr4pl <- dr4pl(Response ~ Dose, data = sample_data_5) # Fit a 4PL model to data
summary(obj.dr4pl)
```

```
obj.dr4pl <- dr4pl(Response ~ Dose, data = sample_data_6) # Fit a 4PL model to data
summary(obj.dr4pl)
```

vcov.dr4pl	<i>Obtain the variance-covariance matrix of the parameter estimators of a 4PL model.</i>
------------	--

Description

This function obtains the variance-covariance matrix of the parameter estimators of a 4PL model. The variance-covariance matrix returned by this function can be used to compute the standard errors and confidence intervals for statistical inference.

Usage

```
## S3 method for class 'dr4pl'
vcov(object, parm = NULL, use.Hessian = T, ...)

## S3 method for class 'dr4pl_param'
vcov(object, dose, response, use.Hessian = T, ...)
```

Arguments

object	An object of the dr4pl class.
parm	parameters of the dr4pl object. Usually made with [dr4pl_theta]. The class of this object determines in which space the covariance is calculated for theta_2.
use.Hessian	logical, if set to TRUE, the default, then the Hessian matrix scaled by 1/2 is used as an approximation to C.hat. Otherwise the First order Jacobian is used instead.
...	dots for future extensions
dose	dose levels
response	response values

Details

This function obtains the variance-covariance matrix of the parameter estimators of a 4PL model. The Hessian matrix is used to obtain the second order approximation to the sum-of-squares loss function, and then the standard errors are computed as the square roots of the half of the Hessian matrix. Please refer to Subsection 5.2.2 of Seber and Wild (1989).

Value

The variance-covariance matrix of the parameter estimators of a 4PL model whose columns are in the order of the upper asymptote, IC50, slope and lower asymptote from left to right and whose rows are in the same order.

a covariance matrix. If the 'parm' argument is of the class 'dr4pl_log10', then the covariance of row/column 2 represents log10(theta_2). If theta is of 'dr4pl_theta', then the covariance of row/column 2 represents theta_2 in linear space.

References

Seber GAF, Wild CJ (1989). *Nonlinear regression*, Wiley Series in Probability and Mathematical Statistics: Probability and Mathematical Statistics. John Wiley & Sons, Inc., New York. ISBN 0-471-61760-1, doi: [10.1002/0471725315](https://doi.org/10.1002/0471725315), <http://dx.doi.org.libproxy.lib.unc.edu/10.1002/0471725315>.

Examples

```
obj.dr4pl <- dr4pl(Response ~ Dose, data = sample_data_1) # Fit a 4PL model to data
vcov(obj.dr4pl) # Variance-covariance matrix of the parameters
```

```
obj.dr4pl <- dr4pl(Response ~ Dose, data = sample_data_2) # Fit a 4PL model to data
vcov(obj.dr4pl) # Variance-covariance matrix of the parameters
```

Index

* **sample_data**

- drc_error_1, 12
- drc_error_2, 12
- drc_error_3, 13
- drc_error_4, 13
- sample_data_1, 24
- sample_data_10, 24
- sample_data_11, 24
- sample_data_12, 25
- sample_data_13, 25
- sample_data_2, 25
- sample_data_3, 26
- sample_data_4, 26
- sample_data_5, 26
- sample_data_6, 27
- sample_data_7, 27
- sample_data_8, 27
- sample_data_9, 28

augment.dr4pl (dr4pl-augment), 9

calculate.dr4pl, 3

coef.dr4pl, 3

confint.dr4pl, 4, 8

constrOptim, 7

dr4pl, 5, 15

dr4pl-augment, 9

dr4pl-param, 9

dr4pl.default, 11

dr4pl_param (dr4pl-param), 9

dr4pl_theta (dr4pl-param), 9

dr4plEst, 11

drc_error_1, 12

drc_error_2, 12

drc_error_3, 13

drc_error_4, 13

FindHillBounds, 13

FindInitialParms, 14, 14

FindLogisticGrids, 14, 15

gof, 16

gof-dr4pl, 17

gof.dr4pl, 8

gof.dr4pl (gof-dr4pl), 17

IC, 18

log10, 10

LogToParm (dr4pl-param), 9

MeanResponse, 18

optim, 8

OutlierDetection, 19

ParmToLog (dr4pl-param), 9

plot.dr4pl, 20

print.dr4pl, 8, 22

print.summary.dr4pl, 22

residuals.dr4pl, 23

residuals.dr4pl_param
(residuals.dr4pl), 23

sample_data_1, 24

sample_data_10, 24

sample_data_11, 24

sample_data_12, 25

sample_data_13, 25

sample_data_2, 25

sample_data_3, 26

sample_data_4, 26

sample_data_5, 26

sample_data_6, 27

sample_data_7, 27

sample_data_8, 27

sample_data_9, 28

summary.dr4pl, 8, 28

vcov.dr4pl, 29

vcov.dr4pl_param (vcov.dr4pl), 29