

Package ‘mggd’

June 13, 2022

Title Multivariate Generalised Gaussian Distribution; Kullback-Leibler Divergence

Version 1.0.2

Maintainer Pierre Santagostini <pierre.santagostini@agrocampus-ouest.fr>

Description Distance between multivariate generalised Gaussian distributions, as presented by N. Bouhlef and A. Dziri (2019) <doi:10.1109/LSP.2019.2915000>. Manipulation of multivariate generalised Gaussian distributions (methods presented by Gomez, Gomez-Villegas and Marin (1998) <doi:10.1080/03610929808832115> and Pascal, Bombrun, Tourneret and Berthoumieu (2013) <doi:10.1109/TSP.2013.2282909>).

Depends R (>= 3.3.0)

Imports MASS, rgl

License GPL (>= 3)

URL <https://forgemia.inra.fr/imhorphen/mggd>

BugReports <https://forgemia.inra.fr/imhorphen/mggd/-/issues>

Encoding UTF-8

RoxygenNote 7.2.0

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

NeedsCompilation no

Author Pierre Santagostini [aut, cre],
Nizar Bouhlef [aut]

Repository CRAN

Date/Publication 2022-06-13 06:40:02 UTC

R topics documented:

mggd-package	2
contourmvggd	3
estparmvggd	4
kldiv	5

lauricella	7
mvdggd	8
mvrvggd	9
plotmvggd	10
pochhammer	11
Index	13

mggd-package

Tools for Multivariate Generalized Gaussian Distributions

Description

This package provides tools for multivariate generalized Gaussian distributions (MGGD):

- Calculation of distances/divergences between multivariate generalized Gaussian distributions:
 - Kullback-Leibler divergence: [kldiv](#)
- Tools for MGGD:
 - Probability density: [mvdggd](#)
 - Estimation of the parameters: [estparmvvggd](#)
 - Simulation from a MGGD: [mvrvggd](#)
 - Plot of the density of a MGGD with 2 variables: [plotmvggd](#), [contourmvggd](#)

Author(s)

Pierre Santagostini pierre.santagostini@agrocampus-ouest.fr, Nizar Bouhlef nizar.bouhlef@agrocampus-ouest.fr

References

- N. Bouhlef, A. Dziri, Kullback-Leibler Divergence Between Multivariate Generalized Gaussian Distributions. IEEE Signal Processing Letters, vol. 26 no. 7, July 2019. [doi:10.1109/LSP.2019.2915000](https://doi.org/10.1109/LSP.2019.2915000)
- E. Gomez, M. Gomez-Villegas, H. Marin. A Multivariate Generalization of the Power Exponential Family of Distribution. Commun. Statist. 1998, Theory Methods, col. 27, no. 23, p 589-600. [doi:10.1080/03610929808832115](https://doi.org/10.1080/03610929808832115)
- F. Pascal, L. Bombrun, J.Y. Tourneret, Y. Berthoumieu. Parameter Estimation For Multivariate Generalized Gaussian Distribution. IEEE Trans. Signal Processing, vol. 61 no. 23, p. 5960-5971, Dec. 2013. [doi:10.1109/TSP.2013.2282909](https://doi.org/10.1109/TSP.2013.2282909)

contourmvggd

Contour Plot of the Bivariate Generalised Gaussian Density

Description

Draws the contour plot of the probability density of the generalised Gaussian distribution with 2 variables with mean vector μ , dispersion matrix Σ and shape parameter β .

Usage

```
contourmvggd(mu, Sigma, beta,
             xlim = c(mu[1] + c(-10, 10)*Sigma[1, 1]),
             ylim = c(mu[2] + c(-10, 10)*Sigma[2, 2]),
             zlim = NULL, npt = 30, nx = npt, ny = npt,
             main = "Multivariate generalised Gaussian density",
             sub = NULL, nlevels = 10,
             levels = pretty(zlim, nlevels), tol = 1e-6, ...)
```

Arguments

<code>mu</code>	length 2 numeric vector.
<code>Sigma</code>	symmetric, positive-definite square matrix of order 2. The dispersion matrix.
<code>beta</code>	positive real number. The shape of the first distribution.
<code>xlim, ylim</code>	x-and y- limits.
<code>zlim</code>	z- limits. If NULL, it is the range of the values of the density on the x and y values within <code>xlim</code> and <code>ylim</code> .
<code>npt</code>	number of points for the discretisation.
<code>nx, ny</code>	number of points for the discretisation among the x- and y- axes.
<code>main, sub</code>	main and sub title, as for title .
<code>nlevels, levels</code>	arguments to be passed to the contour function.
<code>tol</code>	tolerance (relative to largest variance) for numerical lack of positive-definiteness in Σ , for the estimation of the density. see mvdggd .
<code>...</code>	additional arguments to plot.window , title , Axis and box , typically graphical parameters such as <code>cex.axis</code> .

Value

Returns invisibly the probability density function.

Author(s)

Nizar Bouhlef, Pierre Santagostini

References

E. Gomez, M. Gomez-Villegas, H. Marin. A Multivariate Generalization of the Power Exponential Family of Distribution. *Commun. Statist. Theory Methods*, col. 27, no. 23, p 589-600. doi:10.1080/03610929808832115

See Also

[plotmvvggd](#): plot of a bivariate generalised Gaussian density.

Examples

```
mu <- c(1, 4)
Sigma <- matrix(c(0.8, 0.2, 0.2, 0.2), nrow = 2)
beta <- 0.74
contourmvvggd(mu, Sigma, beta)
```

estparmvggd	<i>Estimation of the Parameters of a Multivariate Generalized Gaussian Distribution</i>
-------------	---

Description

Estimation of the mean vector, dispersion matrix and shape parameter of a multivariate generalized Gaussian distribution (MGGD).

Usage

```
estparmvggd(x, eps = 1e-6, display = FALSE, plot = display)
```

Arguments

x	numeric matrix or data frame.
eps	numeric. Precision for the estimation of the beta parameter.
display	logical. When TRUE the value of the beta parameter at each iteration is printed.
plot	logical. When TRUE the successive values of the beta parameter are plotted, allowing to visualise its convergence.

Details

The μ parameter is the mean vector of x .

The dispersion matrix Σ and shape parameter: β are computed using the method presented in Pascal et al., using an iterative algorithm.

The precision for the estimation of beta is given by the eps parameter.

Value

A list of 3 elements:

- mu the mean vector.
- Sigma: symmetric positive-definite matrix. The dispersion matrix.
- beta non-negative numeric value. The shape parameter.

with two attributes `attr(, "epsilon")` (precision of the result) and `attr(, "k")` (number of iterations).

Author(s)

Nizar Bouhlel, Pierre Santagostini

References

F. Pascal, L. Bombrun, J.Y. Tournet, Y. Berthoumieu. Parameter Estimation For Multivariate Generalized Gaussian Distribution. IEEE Trans. Signal Processing, vol. 61 no. 23, p. 5960-5971, Dec. 2013. doi: [10.1109/TSP.2013.2282909](https://doi.org/10.1109/TSP.2013.2282909)

See Also

[mvdggd](#): probability density of a MGGD.

[mvrvggd](#): random generation from a MGGD.

Examples

```
mu <- c(0, 1, 4)
Sigma <- matrix(c(0.8, 0.3, 0.2, 0.3, 0.2, 0.1, 0.2, 0.1, 0.2), nrow = 3)
beta <- 0.74
x <- mvrvggd(100, mu, Sigma, beta)

# Estimation of the parameters
estparmvvggd(x)
```

kldiv	<i>Kullback-Leibler Divergence between Centered Multivariate generalized Gaussian Distributions</i>
-------	---

Description

Computes the Kullback- Leibler divergence between two random variables distributed according to multivariate generalized Gaussian distributions (MGGD) with zero means.

Usage

```
kldiv(sigma1, beta1, sigma2, beta2, eps = 1e-06)
```

Arguments

sigma1	symmetric, positive-definite matrix. The dispersion matrix of the first distribution.
beta1	positive real number. The shape parameter of the first distribution.
sigma2	symmetric, positive-definite matrix. The dispersion matrix of the second distribution.
beta2	positive real number. The shape parameter of the second distribution.
eps	numeric. Precision for the computation of the Lauricella function (see lauricella). Default: 1e-06.

Details

Given X_1 , a random vector of R^p distributed according to the MGGD with parameters $(0, \Sigma_1, \beta_1)$ and X_2 , a random vector of R^p distributed according to the MGGD with parameters $(0, \Sigma_2, \beta_2)$.

The Kullback-Leibler divergence between X_1 and X_2 is given by:

$$KL(X_1||X_2) = \ln\left(\frac{\beta_1|\Sigma_1|^{-1/2}\Gamma\left(\frac{p}{2\beta_2}\right)}{\beta_2|\Sigma_2|^{-1/2}\Gamma\left(\frac{p}{2\beta_1}\right)}\right) + \frac{p}{2}\left(\frac{1}{\beta_2} - \frac{1}{\beta_1}\right)\ln 2 - \frac{p}{2\beta_2} + 2^{\frac{\beta_2}{\beta_1}-1}\frac{\Gamma\left(\frac{\beta_2}{\beta_1} + \frac{p}{\beta_1}\right)}{\Gamma\left(\frac{p}{2\beta_1}\right)}\lambda_p^{\beta_2}$$

$$\times F_D^{(p-1)}\left(-\beta_1; \frac{1}{2}, \dots, \frac{1}{2}; \frac{p}{2}; 1 - \frac{\lambda_{p-1}}{\lambda_p}, \dots, 1 - \frac{\lambda_1}{\lambda_p}\right)$$

where $\lambda_1 < \dots < \lambda_{p-1} < \lambda_p$ are the eigenvalues of the matrix $\Sigma_1\Sigma_2^{-1}$.

This computation uses the [lauricella](#) function.

Value

A numeric value: the Kullback-Leibler divergence between the two distributions, with two attributes `attr(, "epsilon")` (precision of the result of the Lauricella function) and `attr(, "k")` (number of iterations).

Author(s)

Nizar Bouhlel, Pierre Santagostini

References

N. Bouhlel, A. Dziri, Kullback-Leibler Divergence Between Multivariate Generalized Gaussian Distributions. IEEE Signal Processing Letters, vol. 26 no. 7, July 2019. [doi:10.1109/LSP.2019.2915000](https://doi.org/10.1109/LSP.2019.2915000)

Examples

```
beta1 <- 0.74
beta2 <- 0.55
Sigma1 <- matrix(c(0.8, 0.3, 0.2, 0.3, 0.2, 0.1, 0.2, 0.1, 0.2), nrow = 3)
Sigma2 <- matrix(c(1, 0.3, 0.2, 0.3, 0.5, 0.1, 0.2, 0.1, 0.7), nrow = 3)

# Kullback-Leibler divergence
kl12 <- kldiv(Sigma1, beta1, Sigma2, beta2)
kl21 <- kldiv(Sigma2, beta2, Sigma1, beta1)
```

```

print(kl12)
print(kl21)

# Distance (symmetrized Kullback-Leibler divergence)
kldist <- as.numeric(kl12) + as.numeric(kl21)
print(kldist)

```

lauricella

*Lauricella Function***Description**

Computes the Lauricella function.

Usage

```
lauricella(a, b, g, x, eps = 1e-06)
```

Arguments

a numeric.
b numeric vector.
g numeric.
x numeric vector. x must have the same length as b.
eps numeric. Precision for the nested sums (default 1e-06).

Details

If n is the length of the b and x vectors, the Lauricella function is given by:

$$F_D^{(n)}(a; b_1, \dots, b_n; g; x_1, \dots, x_n) = \sum_{m_1 \geq 0} \dots \sum_{m_n \geq 0} \frac{(a)_{m_1 + \dots + m_n} (b_1)_{m_1} \dots (b_n)_{m_n}}{(g)_{m_1 + \dots + m_n}} \frac{x_1^{m_1}}{m_1!} \dots \frac{x_n^{m_n}}{m_n!}$$

where $(x)_p$ is the Pochhammer symbol (see [pochhammer](#)).

If $|x_i| < 1$, $i = 1, \dots, n$, this sum converges. Otherwise there is an error.

The `eps` argument gives the required precision for its computation. It is the `attr(, "epsilon")` attribute of the returned value.

Sometimes, the convergence is too slow and the required precision cannot be reached. If this happens, the `attr(, "epsilon")` attribute is the precision that was really reached.

Value

A numeric value: the value of the Lauricella function, with two attributes `attr(, "epsilon")` (precision of the result) and `attr(, "k")` (number of iterations).

Author(s)

Nizar Bouhlel, Pierre Santagostini

References

N. Bouhlef, A. Dziri, Jullback-Leibler Divergence Between Multivariate Generalized Gaussian Distributions. IEEE Signal Processing Letters, vol. 26 no. 7, July 2019. doi:10.1109/LSP.2019.2915000

 mvdggd

Density of a Multivariate Generalized Gaussian Distribution

Description

Density of the multivariate (p variables) generalized Gaussian distribution (MGGD) with mean vector μ , dispersion matrix Σ and shape parameter β .

Usage

```
mvdggd(x, mu, Sigma, beta, tol = 1e-6)
```

Arguments

x	length p numeric vector.
μ	length p numeric vector. The mean vector.
Σ	symmetric, positive-definite square matrix of order p . The dispersion matrix.
β	positive real number. The shape of the distribution.
tol	tolerance (relative to largest variance) for numerical lack of positive-definiteness in Σ .

Details

The density function of a multivariate generalized Gaussian distribution is given by:

$$f(x|\mu, \Sigma, \beta) = \frac{\Gamma(\frac{p}{2})}{\pi^{\frac{p}{2}} \Gamma(\frac{p}{2\beta}) 2^{\frac{p}{2\beta}} |\Sigma|^{\frac{1}{2}}} e^{-\frac{1}{2}((x-\mu)^T \Sigma^{-1} (x-\mu))^\beta}$$

Value

The value of the density.

Author(s)

Nizar Bouhlef, Pierre Santagostini

References

E. Gomez, M. Gomez-Villegas, H. Marin. A Multivariate Generalization of the Power Exponential Family of Distribution. Commun. Statist. 1998, Theory Methods, col. 27, no. 23, p 589-600. doi:10.1080/03610929808832115

See Also

`mvrngd`: random generation from a MGGD.

`estparmvngd`: estimation of the parameters of a MGGD.

Examples

```
mu <- c(0, 1, 4)
Sigma <- matrix(c(0.8, 0.3, 0.2, 0.3, 0.2, 0.1, 0.2, 0.1, 0.2), nrow = 3)
beta <- 0.74
mvdngd(c(0, 1, 4), mu, Sigma, beta)
mvdngd(c(1, 2, 3), mu, Sigma, beta)
```

mvrngd

Simulate from a Multivariate Generalized Gaussian Distribution

Description

Produces one or more samples from a multivariate (p variables) generalized Gaussian distribution (MGGD).

Usage

```
mvrngd(n = 1 , mu, Sigma, beta, tol = 1e-6)
```

Arguments

<code>n</code>	integer. Number of observations.
<code>mu</code>	length p numeric vector. The mean vector.
<code>Sigma</code>	symmetric, positive-definite square matrix of order p . The dispersion matrix.
<code>beta</code>	positive real number. The shape of the distribution.
<code>tol</code>	tolerance (relative to largest variance) for numerical lack of positive-definiteness in <code>Sigma</code> .

Details

A sample from a centered MGGD with dispersion matrix Σ and shape parameter β can be generated using:

$$X = \tau \Sigma^{1/2} u$$

where u is a random vector uniformly distributed on the unit sphere and τ is such that $\tau^{2\beta}$ is generated from a distribution $\Gamma(\frac{p}{2\beta}, 2)$.

This property is used to generate a sample from a MGGD.

Value

A matrix with p columns and n rows.

Author(s)

Nizar Bouhlel, Pierre Santagostini

References

E. Gomez, M. Gomez-Villegas, H. Marin. A Multivariate Generalization of the Power Exponential Family of Distribution. *Commun. Statist. Theory Methods*, col. 27, no. 23, p 589-600. doi:10.1080/03610929808832115

See Also

[mvdggd](#): probability density of a MGGD..

[estparmvggd](#): estimation of the parameters of a MGGD.

Examples

```
mu <- c(0, 0, 0)
Sigma <- matrix(c(0.8, 0.3, 0.2, 0.3, 0.2, 0.1, 0.2, 0.1, 0.2), nrow = 3)
beta <- 0.74
mvrvggd(100, mu, Sigma, beta)
```

plotmvggd

Plot of the Bivariate Generalised Gaussian Density

Description

Plots the probability density of the generalised Gaussian distribution with 2 variables with mean vector μ , dispersion matrix Σ and shape parameter β .

Usage

```
plotmvggd(mu, Sigma, beta, xlim = c(mu[1] + c(-10, 10)*Sigma[1, 1]),
          ylim = c(mu[2] + c(-10, 10)*Sigma[2, 2]), n = 101,
          xvals = NULL, yvals = NULL, xlab = "x", ylab = "y",
          zlab = "f(x,y)", col = "gray", tol = 1e-6, ...)
```

Arguments

mu	length 2 numeric vector.
Sigma	symmetric, positive-definite square matrix of order 2. The dispersion matrix.
beta	positive real number. The shape of the first distribution.
xlim, ylim	x-and y- limits.
n	A one or two element vector giving the number of steps in the x and y grid, passed to plot3d.function .
xvals, yvals	The values at which to evaluate x and y. If used, xlim and/or ylim are ignored.

xlab, ylab, zlab	The axis labels.
col	The color to use for the plot. See plot3d.function .
tol	tolerance (relative to largest variance) for numerical lack of positive-definiteness in Sigma, for the estimation of the density. see mvdggd .
...	Additional arguments to pass to plot3d.function .

Value

Returns invisibly the probability density function.

Author(s)

Nizar Bouhlel, Pierre Santagostini

References

E. Gomez, M. Gomez-Villegas, H. Marin. A Multivariate Generalization of the Power Exponential Family of Distribution. *Commun. Statist.* 1998, Theory Methods, col. 27, no. 23, p 589-600.
[doi:10.1080/03610929808832115](https://doi.org/10.1080/03610929808832115)

See Also

[contourmvggd](#): contour plot of a bivariate generalised Gaussian density.

Examples

```
mu <- c(1, 4)
Sigma <- matrix(c(0.8, 0.2, 0.2, 0.2), nrow = 2)
beta <- 0.74
plotmvggd(mu, Sigma, beta)
```

pochhammer

Pochhammer Symbol

Description

Computes the Pochhammer symbol.

Usage

```
pochhammer(x, n)
```

Arguments

x	numeric.
n	positive integer.

Details

The Pochhammer symbol is given by: $(x)_n = \frac{\Gamma(x+n)}{\Gamma(x)} = x(x+1)\dots(x+n-1)$

Value

Numeric value. The value of the Pochhammer symbol.

Author(s)

Nizar Bouhlel, Pierre Santagostini

Examples

```
pochhammer(2, 0)
pochhammer(2, 1)
pochhammer(2, 3)
```

Index

Axis, [3](#)

box, [3](#)

contour, [3](#)

contourmvggd, [2](#), [3](#), [11](#)

estparmvggd, [2](#), [4](#), [9](#), [10](#)

graphical parameters, [3](#)

kldiv, [2](#), [5](#)

lauricella, [6](#), [7](#)

mggd (mggd-package), [2](#)

mggd-package, [2](#)

mdvggd, [2](#), [3](#), [5](#), [8](#), [10](#), [11](#)

mvrvggd, [2](#), [5](#), [9](#), [9](#)

plot.window, [3](#)

plot3d.function, [10](#), [11](#)

plotmvggd, [2](#), [4](#), [10](#)

pochhammer, [7](#), [11](#)

title, [3](#)