

# Package ‘sanon’

May 27, 2020

**Type** Package

**Title** Stratified Analysis with Nonparametric Covariable Adjustment

**Version** 1.6

**Date** 2020-05-27

**Author** Atsushi Kawaguchi

**Maintainer** Atsushi Kawaguchi <kawa\_a24@yahoo.co.jp>

**Depends** R (>= 3.5)

**Description** There are several functions to implement the method for analysis in a randomized clinical trial with strata with following key features. A stratified Mann-Whitney estimator addresses the comparison between two randomized groups for a strictly ordinal response variable. The multivariate vector of such stratified Mann-Whitney estimators for multivariate response variables can be considered for one or more response variables such as in repeated measurements and these can have missing completely at random (MCAR) data. Non-parametric covariance adjustment is also considered with the minimal assumption of randomization. The p-value for hypothesis test and confidence interval are provided.

**License** GPL (>= 2)

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2020-05-27 14:20:03 UTC

## R topics documented:

sanon-package . . . . .	2
catecovar . . . . .	2
coef.sanon . . . . .	3
confint.sanon . . . . .	4
contrast . . . . .	5
covar . . . . .	6
cpain . . . . .	7
grp . . . . .	7
heartburn . . . . .	8
resp . . . . .	9

sanon . . . . .	10
sebor . . . . .	13
skin . . . . .	14
strt . . . . .	15
summary.sanon . . . . .	15
vcov.sanon . . . . .	16

<b>Index</b>	<b>18</b>
--------------	-----------

---

sanon-package	<i>The Stratified Analysis with Nonparametric covariable adjustment Package</i>
---------------	---

---

### Description

A Package for Implementation of the method in Kawaguchi, Koch, and Wang (2011)

### Author(s)

Atsushi Kawaguchi. <kawa\_a24@yahoo.co.jp>

### References

Kawaguchi A., Koch, G. G. (2015). sanon: An R Package for Stratified Analysis with Nonparametric Covariable Adjustment. *Journal of Statistical Software*, 67(9), 1-37. doi:10.18637/jss.v067.i09

Kawaguchi A., Koch, G. G., Wang, X. (2011). Stratified Multivariate Mann-Whitney Estimators for the Comparison of Two Treatments with Randomization Based Covariance Adjustment. *Statistics in Biopharmaceutical Research*, Vol. 3, No. 2, 217-231.

### See Also

[sanon](#)

---

catecovar	<i>Identify Categorical Covariables</i>
-----------	---

---

### Description

This is a special function used in the context of [sanon](#). It identifies categorical covariables when they appear on the right hand side of a formula.

### Usage

```
catecovar(x, ref = NULL)
```

**Arguments**

x                    variable name  
 ref                  character for the reference group for the categorical covariable.

**Details**

In the sanon, the categorical covariable is converted into a dummy variable. The reference group is specified in the ref argument.

---

coef.sanon	<i>Extract Model Coefficients</i>
------------	-----------------------------------

---

**Description**

coef is a generic function which extracts model coefficients from objects returned by modeling functions. coefficients is an alias for it.

**Usage**

```
## S3 method for class 'sanon'
coef(object, ...)
```

**Arguments**

object              an object of class "sanon", usually, a result of a call to [sanon](#)  
 ...                  further arguments passed to or from other methods.

**Details**

All object classes which are returned by model fitting functions should provide a coef method or use the default one.

**Value**

Coefficients extracted from the model object object.

**Examples**

```
##### Example 3.1 Randomized Clinical Trial of Chronic Pain #####
data(cpain)
out1 = sanon(response ~ grp(treat, ref="placebo") + strt(center) + strt(diagnosis), data=cpain)
coef(out1)
coefficients(out1)

##### Example 3.2 Randomized Clinical Trial of Respiratory Disorder #####
data(resp)
P = rbind(rep(0, 4), diag(4), rep(0, 4))
out23 = sanon(cbind(baseline, visit1, visit2, visit3, visit4) ~ grp(treatment, ref="P"))
```

```

+ strt(center) + strt(sex) + covar(age), data=resp, P=P)
# each four visits
coef(out23)
coefficients(out23)

```

---

confint.sanon

*Confidence Intervals for Model Parameters*

---

### Description

Computes confidence intervals for one or more parameters in a fitted model.

### Usage

```

## S3 method for class 'sanon'
confint(object, parm = NULL, level = 0.95, ...)

## S3 method for class 'confint.sanon'
print(x, ...)

```

### Arguments

object, x	an object of class "sanon", usually, a result of a call to <a href="#">sanon</a>
parm	a specification of which parameters are to be given confidence intervals, either a vector of numbers or a vector of names. If missing, all parameters are considered.
level	the confidence level required.
...	further arguments passed to or from other methods.

### Details

Confidence intervals for adjusted parameters in the weighted least squares are computed based on an asymptotic normal.

### Value

ci	A matrix (or vector) with columns giving Mann-Whitney estimates and their lower and upper confidence limits for each parameter with estimates. The interval will be labelled as Lower for $(1 - \text{level})/2$ limit and Upper for $1 - (1 - \text{level})/2$ limit (by default 0.025 and 0.975).
level	Confidence level
advarnames	Adjust variable names in the weighted least squares method

**Examples**

```
##### Example 3.1 Randomized Clinical Trial of Chronic Pain #####
data(cpain)
out1 = sanon(response ~ grp(treat, ref="placebo") + strt(center) + strt(diagnosis), data=cpain)
confint(out1)

##### Example 3.2 Randomized Clinical Trial of Respiratory Disorder #####
data(resp)
P = rbind(rep(0, 4), diag(4), rep(0, 4))
out23 = sanon(cbind(baseline, visit1, visit2, visit3, visit4) ~ grp(treatment, ref="P")
  + strt(center) + strt(sex) + covar(age), data=resp, P=P)
# each four visits
confint(out23)
```

contrast

*Contrast for Model Parameters***Description**

Inference by contrast of parameters in a fitted model.

**Usage**

```
contrast(
  object,
  C = diag(length(object$b)),
  confint = FALSE,
  level = 0.95,
  ...
)

## S3 method for class 'contrast'
print(x, ...)
```

**Arguments**

object, x	an object of class "sanon", usually, a result of a call to <a href="#">sanon</a> .
C	contrast matrix. The number of column should be same as the length of b in outputs of sanon.
confint	logical value for whether the confidence interval is computed (only if C has one row).
level	the confidence level required (only if C has one row).
...	further arguments passed to or from other methods.

**Details**

This function provide the inference based on contrast after applying the function [sanon](#). The contrast matrix  $C$  should be defined by the user. If the the number of row of  $C = 1$ , the confidence interval for the estimator is produced.

**Value**

C	contrast matrix
Cb	contrast estimates
VCb	variance and covariance matrix of Cb
se	standard error of Cb
level	confidence level
UL	upper confidence limit (only if the number of row of $C = 1$ , otherwise NULL)
LL	lower confidence limit (only if the number of row of $C = 1$ , otherwise NULL)
Q	test statistic
df	degree of freedom
p	p-value

**Examples**

```
##### Example 3.2 Randomized Clinical Trial of Respiratory Disorder #####
data(resp)
P = rbind(rep(0, 4), diag(4), rep(0, 4))
out23 = sanon(cbind(baseline, visit1, visit2, visit3, visit4) ~ grp(treatment, ref="P")
+ strt(center) + strt(sex) + covar(age), data=resp, P=P)

# Homogeneity of the xi_k across the four visits
contrast(out23, C=cbind(diag(3), rep(-1, 3)))

# Comparison between treatments for the average of the xi_k across the 4 visits
contrast(out23, C=matrix(rep(1, 4)/4, ncol=4))
```

---

covar *Identify Covariables*

---

**Description**

This is a special function used in the context of [sanon](#). It identifies covariables when they appear on the right hand side of a formula.

**Usage**

```
covar(x)
```

**Arguments**

x	variable name
---	---------------

---

cpain	<i>Chronic Pain Data</i>
-------	--------------------------

---

**Description**

The data are from a multicenter randomized clinical trial to compare test and control treatments for the management of chronic pain, and they have had previous consideration in Stokes et al. (2000, chap. 13).

**Usage**

```
data(cpain)
```

**Format**

A data frame with 193 observations and 4 variables

**Details**

treat a factor with levels active and placebo for treatment

response a factor with five levels poor, fair, moderate, good and excel for pain status after treatment for 4 weeks

center a factor with two levels I and II for two centers

diagnosis a factor with four levels A, B, C, and D for diagnoses

**References**

Stokes, M. E., Davis, C. S., and Koch, G. G. (2000), *Categorical Data Analysis using the SAS System*, Cary: SAS Publishing.

---

grp	<i>Identify Group Variables</i>
-----	---------------------------------

---

**Description**

This is a special function used in the context of [sanon](#). It identifies group variables when they appear on the right hand side of a formula.

**Usage**

```
grp(x, ref = NULL)
```

**Arguments**

x variable name

ref character for the reference group for treatment group.

---

heartburn

*Relief of heartburn Data*

---

### **Description**

The data are from two period cross-over design clinical trial for relief of heartburn, and listings of the data appear in Koch, Gitomer, Skalland, and Stokes (1983). The variables are as follows:

### **Usage**

```
data(heartburn)
```

### **Format**

A data frame with 60 observations and 9 variables.

### **Details**

center a factor vector for two centers

sequence a factor with levels AP and PA for sequence groups

age a numeric vector for age

sex a factor for sex with levels female and male

freq a numeric vector for weekly frequency of condition from previous medical history

MD1 a numeric vector for time to relief from first dose during period 1

MD2 a numeric vector for time to relief from first dose during period 2

res1 a factor vector for relief status for period 1 (R = relief from first dose within 15 min, NF = no relief from first dose within 15 min)

ref2 a factor vector for relief status for period 2 with same categories as res1

### **References**

Koch G, Gitomer S, Skalland L, Stokes M (1983). "Some non-parametric and categorical data analyses for a change-over design study and discussion of apparent carry-over effects." *Statistics in Medicine*, 2(3), 397–412.



---

resp

*Respiratory Disorder Data*

---

### Description

The data are from a randomized clinical trial to compare a test treatment to placebo for a respiratory disorder, and listings of the data appear in Stokes et al. (2000, chap. 15, pp. 495-496) and Koch et al. (1990). The variables are as follows:

### Usage

```
data(resp)
```

### Format

A data frame with 111 observations and 9 variables.

### Details

`center` a factor vector for two centers

`treatment` a factor with levels A and P for active and placebo treatments, respectively

`sex` a factor with levels F and M for female and male, respectively

`age` a numeric vector for age

`baseline` a numeric vector for patient global ratings of symptom control according to 5 categories (4 = excellent, 3 = good, 2 = fair, 1 = poor, 0 = terrible) at baseline measurement

`visit1` a numeric vector for patient global ratings of symptom control at visit 1 with same categories as baseline

`visit2` a numeric vector for patient global ratings of symptom control at visit 2 with same categories as baseline

`visit3` a numeric vector for patient global ratings of symptom control at visit 3 with same categories as baseline

`visit4` a numeric vector for patient global ratings of symptom control at visit 4 with same categories as baseline

### References

Stokes, M. E., Davis, C. S., and Koch, G. G. (2000), *Categorical Data Analysis using the SAS System*, Cary: SAS Publishing.

Koch, G. G., Carr, G. J., Amara, I. A., Stokes, M. E., and Uryniak, T. J. (1990), "Categorical Data Analysis," in *Statistical Methodology in Pharmaceutical Sciences*, ed. D. A. Berry, New York: Marcel Dekker, pp. 291-475.

---

 sanon

*Non-Parametric Covariable Adjustment for Stratified Rank Measures of Association*


---

## Description

This is a function for computing a stratified multivariate Mann-Whitney estimator that addresses the comparison between two randomized groups for a strictly ordinal response variable. Response variables may have some missing completely at random (MCAR) values for some patients. Non-parametric covariable adjustment is considered through the difference estimates between mean covariable and the weighted least squares method. Although such estimators can be computed directly as weighted linear combinations of within-stratum Mann-Whitney estimators, consistent estimation of their covariance matrix is done using methods for multivariate U-statistics.

## Usage

```
sanon(outcome, ...)

## S3 method for class 'formula'
sanon(formula, data = list(), ...)

## Default S3 method:
sanon(
  outcome,
  group,
  strt = NULL,
  covar = NULL,
  catecovar = NULL,
  ref = NULL,
  covref = NULL,
  P = NULL,
  res.na.action = "default",
  ...
)

## S3 method for class 'sanon'
print(x, ...)
```

## Arguments

outcome	vector of observations of length n, or a matrix with n rows for the response (or outcome) variables
...	further arguments passed to or from other methods.
formula	a formula object, with the response on the left of a ~ operator, and the terms on the right.
data	a data.frame in which to interpret the variables named in the formula.

group	numeric vector of observations of length n for treatment group. The reference group can be specified in ref.
strt	numeric or factor vector of observations of length n, or a matrix with n rows for strata.
covar	numeric or factor vector of observations of length n, or a matrix with n rows for covariable.
catecovar	numeric or factor vector of observations of length n, or a matrix with n rows for categorical covariable.
ref	character for the reference group for treatment group in group.
covref	character vector for the reference group for categorical covariables in catecovar.
P	a matrix for weighted least squares estimation.
res.na.action	character for setting NA actions. "default", "LOCF1", "LOCF2", "replace", and "remove" are available. default is "default". see the details.
x	an object of class "sanon", usually, a result of a call to <a href="#">sanon</a>

### Details

sanon has two specifications for the input, variable and formula based. In the variable based input, one can specify R objects to outcome, group, and strata variables, and covariable. In the formula based input, the formula consists of variable names in a data.frame. The strata and group variables, and covariable are recognized by functions [strt](#), [grp](#), [covar](#), and [catecovar](#). outcome can be contained missing values, which should be coded by NA. Five options for the management of missing values can be specified in the argument res.na.action; "default" = the method in Kawaguchi et al. (2011), "LOCF1" and "LOCF2" = last observation carried forward with respect to kernels of U-statistics and observed values, respectively, "replace" = missing values are managed as tied with all other values in the same stratum, and "remove" = the complete cases analysis. For res.na.action = "LOCF1" or "LOCF2", the order in the outcome is considered as the time order in imputing. if the baseline measurement is missing, then the corresponding subject is removed. outcome can be also multiple (repeatedly measured). If more than two strata are specified, these are taking a cross-classification. The group variable can be specifies its reference group in the argument ref in the sanon or in the function grp.

### Value

N	Sample size
Nna	the number of subjects with missing values
nhik	Sample size in each strata, group, and response
nik	Sample size in each group and response
xi	(multivariate) Mann-Whitney estimate(s) that addresses the comparison between two randomized groups
g	the difference estimates between mean covariable
f	a vector consisting of xi and g
Vf	estimated covariance matrix of f
b	fully adjusted estimators for all covariables and the strata

Vb	covariance matrix of b
se	standard error of b
Q	test statistics for b
p	p-value for b
outnames	outcome or response names
covarnames	covariable names
advarnames	variable names adjusting in the weighted least squares
bnames	variable names of adjusted in the weighted least squares
reslevels	levels for response variables
grouplevels	levels for the group variable
strtout	resulting (cross-classification) strata
strtleveis	resulting (cross-classification) strata levels
strtnames	resulting (cross-classification) strata names
matP	design matrix used in the weighted least squares

## References

Kawaguchi A., Koch, G. G. (2015). sanon: An R Package for Stratified Analysis with Nonparametric Covariable Adjustment. *Journal of Statistical Software*, 67(9), 1-37. doi:10.18637/jss.v067.i09

Kawaguchi, A., Koch, G. G., Wang, X. (2011): Stratified Multivariate Mann-Whitney Estimators for the Comparison of Two Treatments with Randomization Based Covariance Adjustment. *Statistics in Biopharmaceutical Research*, Vol. 3, No. 2, 217-231.

## Examples

```
##### Example 3.1 Randomized Clinical Trial of Chronic Pain #####
data(cpain)
out11 = sanon(response ~ grp(treat, ref="placebo") + strtc(center) + strtc(diagnosis), data=cpain)
out11
summary(out11)

# R objects are also available
attach(cpain)
out12 = sanon(outcome=response, group=treat,
strtc=cbind(center, diagnosis), ref="placebo")
out12
summary(out12)

##### Example 3.2 Randomized Clinical Trial of Respiratory Disorder #####
data(resp)
out21 = sanon(cbind(baseline, visit1, visit2, visit3, visit4)
~ grp(treatment, ref="P") + strtc(center) + strtc(sex) + covar(age), data=resp)
out21
summary(out21)

# the matrix P can be specified
```

```

P = rbind(rep(0, 4), diag(4), rep(0, 4))
out22 = sanon(cbind(baseline, visit1, visit2, visit3, visit4)
~ grp(treatment, ref="P") + strt(center) + strt(sex) + covar(age), data=resp, P=P)
out22
summary(out22)

```

---

sebor

---

*Seborrheic Dermatitis Data*


---

### Description

The data are from a randomized clinical trial to compare a test treatment to placebo for a seborrheic dermatitis, and listings of the data appear in Ramaswamy, Koch, and Amara (1997). The variables are as follows:

### Usage

```
data(sebor)
```

### Format

A data frame with 167 observations and 8 variables.

### Details

`center` a factor vector for eight centers

`treat` a factor with levels `placebo` and `test` for placebo and test treatments, respectively

`score1` a numeric vector for patient global scores for the face according to 6 categories (0 = cleared, 1 = excellent improvement, 2 = moderate improvement, 3 = slight improvement, 4 = no change, 5 = exacerbation)

`score2` a numeric vector for patient global scores for the scalp with same categories as `score1`

`score3` a numeric vector for patient global scores for the chest with same categories as `score1`

`severity1` a numeric vector for the baseline disease severity for the face according to 3 categories (1 = mild, 2 = moderate, 3 = severe)

`severity2` a numeric vector for the baseline disease severity for the scalp with same categories as `severity1`

`severity3` a numeric vector for the baseline disease severity for the chest with same categories as `severity1`

### References

Ramaswamy R, Koch G, Amara I (1997). "Application of rank analysis of covariance methods to analysis of multiple anatomical regions with treatment for seborrheic dermatitis." *Journal of Biopharmaceutical Statistics*, 7(3), 403–416.

---

skin

*Skin Condition Data*

---

### **Description**

The data are from a randomized clinical trial to compare a test treatment to placebo for skin conditions, and listings of the data appear in Stanish, Gillings, Koch (1978a, b). The variables are as follows:

### **Usage**

```
data(skin)
```

### **Format**

A data frame with 172 observations and 6 variables.

### **Details**

center a factor vector for two centers

treat a factor with levels A and P for active and placebo treatments, skinectively

stage a numeric vector for initial severity of the skin condition according to 3 categories (3 = fair, 4 = poor, 5 = exacerbation) at baseline measurement

res1 a numeric vector for extent of improvement at visit 1 according to 5 categories (1 = rapidly improving, 2 = slowly improving, 3 = stable, 4 = slowly worsening, 5 = rapidly worsening)

res2 a numeric vector for extent of improvement at visit 2 with same categories as res1

res3 a numeric vector for extent of improvement at visit 3 with same categories as res1

### **References**

Stanish W, Gillings D, Koch G (1978a). "An application of multivariate ratio methods for the analysis of a longitudinal clinical trial with missing data." *Biometrics*, 34(2), pp. 305–317.

Stanish WM, Koch GG, Landis JR (1978b). "A computer program for multivariate ratio analysis (MISCAT)." *Computer Programs in Biomedicine*, 8(3-4), 197–207.

---

str	<i>Identify Stratification Variables</i>
-----	--

---

**Description**

This is a special function used in the context of [sanon](#). It identifies stratification variables when they appear on the right hand side of a formula.

**Usage**

```
str(x)
```

**Arguments**

x	variable name
---	---------------

---

summary.sanon	<i>Summarizing Weighted Least Squares Fits</i>
---------------	--

---

**Description**

summary method for class "sanon".

**Usage**

```
## S3 method for class 'sanon'
summary(object, ...)

## S3 method for class 'summary.sanon'
print(x, ...)
```

**Arguments**

object, x	an object of class "sanon", usually, a result of a call to <a href="#">sanon</a>
...	further arguments passed to or from other methods.

**Details**

This function provide the p value for the hypothesis test of coefficient in the model of weighted least squares method. Note that the estimates in the output are for the  $(x_i - 0.5)$ .

**Value**

coefficients	a p x 4 matrix with columns for the estimated coefficient, its standard error, chi-squared statistic and corresponding (two-sided) p-value.
advnames	adjust variable names in weighted least squares method

**Examples**

```
##### Example 3.1 Randomized Clinical Trial of Chronic Pain #####
data(cpain)
sum1 = summary(sanon(response ~ grp(treat, ref="placebo") + strt(center) + strt(diagnosis)
, data=cpain))
sum1

##### Example 3.2 Randomized Clinical Trial of Respiratory Disorder #####
data(resp)
sum22 = summary(sanon(cbind(baseline, visit1, visit2, visit3, visit4)
~ grp(treatment, ref="P") + strt(center) + strt(sex) + covar(age), data=resp))
sum22
```

---

vcov.sanon

---

*Calculate Variance-Covariance Matrix for a Fitted Model Object*


---

**Description**

Returns the variance-covariance matrix of the main parameters of a fitted model object.

**Usage**

```
## S3 method for class 'sanon'
vcov(object, ...)
```

**Arguments**

object            an object of class "sanon", usually, a result of a call to [sanon](#)  
...                further arguments passed to or from other methods.

**Details**

This is a generic function.

**Value**

Coefficients extracted from the model object object.

**Examples**

```
##### Example 3.1 Randomized Clinical Trial of Chronic Pain #####
data(cpain)
out1 = sanon(response ~ grp(treat, ref="placebo") + strt(center) + strt(diagnosis), data=cpain)
vcov(out1)

##### Example 3.2 Randomized Clinical Trial of Respiratory Disorder #####
data(resp)
P = rbind(rep(0, 4), diag(4), rep(0, 4))
```



```
out23 = sanon(cbind(baseline, visit1, visit2, visit3, visit4) ~ grp(treatment, ref="P")
+ strt(center) + strt(sex) + covar(age), data=resp, P=P)
# each four visits
vcov(out23)
```

# Index

## \*Topic **datasets**

- cpain, [7](#)
- heartburn, [8](#)
- resp, [9](#)
- sebor, [13](#)
- skin, [14](#)

## \*Topic **documentation**

- sanon-package, [2](#)

catecovar, [2](#), [11](#)

coef.sanon, [3](#)

confint.sanon, [4](#)

contrast, [5](#)

covar, [6](#), [11](#)

cpain, [7](#)

grp, [7](#), [11](#)

heartburn, [8](#)

print.confint.sanon (confint.sanon), [4](#)

print.contrast (contrast), [5](#)

print.sanon (sanon), [10](#)

print.summary.sanon (summary.sanon), [15](#)

resp, [9](#)

sanon, [2–7](#), [10](#), [11](#), [15](#), [16](#)

sanon-package, [2](#)

sebor, [13](#)

skin, [14](#)

strt, [11](#), [15](#)

summary.sanon, [15](#)

vcov.sanon, [16](#)