

Package ‘thriftr’

May 10, 2022

Type Package

Title Apache Thrift Client Server

Version 1.1.7

Date 2022-05-08

Author Marek Jagielski [aut, cre, cph],
Lixin Yu [aut, cph]

Maintainer Marek Jagielski <marek.jagielski@gmail.com>

Description Pure R implementation of Apache Thrift.
This library doesn't require any code generation.
To learn more about Thrift go to <<https://thrift.apache.org>>.

License MIT + file LICENSE

URL <https://github.com/systemincloud/thriftr>

BugReports <https://github.com/systemincloud/thriftr/issues>

Suggests testthat

Encoding UTF-8

Imports R6, rly (>= 1.7.4), stringi

RoxxygenNote 6.0.1

Collate 'thrift.R' 'transport.R' 'rpc.R' 'parser.R'
'protocol_binary.R' 'server.R' 'transport_buffered.R'
'transport_memory.R' 'transport_socket.R' 'utils.R'

NeedsCompilation no

Repository CRAN

Date/Publication 2022-05-10 10:00:02 UTC

R topics documented:

binary_read_val	2
binary_write_val	3
hexlify	3

make_client	4
make_server	5
parse	6
parse_spec	7
TBinaryProtocol	7
TBinaryProtocolFactory	8
TBufferedTransport	8
TBufferedTransportFactory	8
TClient	9
TMemoryBuffer	9
to_proper_struct	9
TPayload	10
TServerSocket	10
TSocket	10
TType	11
t_load	11

Index	12
--------------	-----------

binary_read_val	<i>Binary protocol: read value from binary buffer</i>
-----------------	---

Description

Binary protocol: read value from binary buffer

Usage

```
binary_read_val(inbuf, ttype, spec = NA, decode_response = TRUE)
```

Arguments

inbuf	binary buffer
ttype	type of value
spec	specification of value
decode_response	for string decode binary as chars

Value

value of type ttype

binary_write_val	<i>Binary protocol: write value to binary buffer</i>
------------------	--

Description

Binary protocol: write value to binary buffer

Usage

```
binary_write_val(outbuf, ttype, val, spec = NA)
```

Arguments

outbuf	binary buffer
ttype	type of value
val	value to write
spec	specification of value

hexlify	<i>hexlify</i>
---------	----------------

Description

String representation of raw array

Usage

```
hexlify(byte_array, delimiter = " ")
```

Arguments

byte_array	raw array
delimiter	separation character

Value

string

make_client	<i>Create client side thrift API</i>
-------------	--------------------------------------

Description

Create client side thrift API

Usage

```
make_client(service, host = "localhost", port = 9090,  
            proto_factory = TBinaryProtocolFactory$new(),  
            trans_factory = TBufferedTransportFactory$new())
```

Arguments

service	parsed service
host	server host
port	server tcp port
proto_factory	factory that generates protocol implementation
trans_factory	factory that generates transport implementation

Examples

```
## Not run:  
# File calc.thrift content:  
# service Calculator {  
#   i32 add(1:i32 a, 2:i32 b);  
#   i32 sub(1:i32 a, 2:i32 b);  
#   i32 mult(1:i32 a, 2:i32 b);  
#   i32 div(1:i32 a, 2:i32 b);  
# }  
#  
  
calc_thrift <- thriftr::t_load("calc.thrift", module_name="calc_thrift")  
  
cal <- thriftr::make_client(  
  calc_thrift$Calculator,  
  "127.0.0.1",  
  6000)  
  
a <- cal$mult(5, 2)  
b <- cal$sub(7, 3)  
c <- cal$sub(6, 4)  
d <- cal$mult(b, 10)  
e <- cal$add(a, d)  
f <- cal$div(e, c)  
print(f)  
  
## End(Not run)
```

`make_server`*Create server side thrift API*

Description

Create server side thrift API

Usage

```
make_server(service, handler, host = "localhost", port = 9090,  
  proto_factory = TBinaryProtocolFactory$new(),  
  trans_factory = TBufferedTransportFactory$new())
```

Arguments

<code>service</code>	parsed service
<code>handler</code>	R6 class implementing service
<code>host</code>	server host
<code>port</code>	port server tcp port
<code>proto_factory</code>	factory that generates protocol implementation
<code>trans_factory</code>	factory that generates transport implementation

Examples

```
## Not run:  
# File calc.thrift content:  
# service Calculator {  
#   i32 add(1:i32 a, 2:i32 b);  
#   i32 sub(1:i32 a, 2:i32 b);  
#   i32 mult(1:i32 a, 2:i32 b);  
#   i32 div(1:i32 a, 2:i32 b);  
# }  
#  
  
calc_thrift <- thriftr::t_load("calc.thrift", module_name="calc_thrift")  
  
Dispatcher <- R6::R6Class("Dispatcher",  
  public = list(  
    add = function(a, b) {  
      print(sprintf("add -> %s + %s", a, b))  
      return(a + b)  
    },  
    sub = function(a, b) {  
      print(sprintf("sub -> %s - %s", a, b))  
      return(a - b)  
    },  
    mult = function(a, b) {
```

```

    print(sprintf("mult -> %s * %s", a, b))
    return(a * b)
  },
  div = function(a, b) {
    print(sprintf("div -> %s / %s", a, b))
    return(a / b)
  }
)
)

server <- thriftr::make_server(
  calc_thrift$Calculator,
  Dispatcher$new(),
  "127.0.0.1",
  6000)

print("serving...")

server$serve()

## End(Not run)

```

 parse

Parse a single thrift file to R6 class instance

Description

Parse a single thrift file to R6 class instance

Usage

```
parse(path, module_name = NA, include_dirs = NA, lexer = NA,
      parser = NA, enable_cache = TRUE)
```

Arguments

path	file path to parse, should be a string ending with '.thrift'
module_name	the name for parsed module, the default is the basename without extension of 'path'
include_dirs	directories to find thrift files while processing the 'include' directive, by default: ['.']
lexer	rly lexer to use, if not provided, 'parse' will use a new one
parser	rly parser to use, if not provided, 'parse' will use a new one
enable_cache	if this is set to be 'TRUE', parsed module will be cached, this is enabled by default. If 'module_name' is provided, use it as cache key, else use the 'path'

Value

Thrift module

parse_spec	<i>parse_spec</i>
------------	-------------------

Description

String representation of specification

Usage

```
parse_spec(ttype, spec = NA)
```

Arguments

ttype	type
spec	specification

Value

string representation

TBinaryProtocol	<i>TBinaryProtocol</i>
-----------------	------------------------

Description

Binary implementation of the Thrift protocol driver.

Usage

```
TBinaryProtocol
```

Format

An [R6Class](#) generator object

TBinaryProtocolFactory

TBinaryProtocolFactory

Description

TBinaryProtocolFactory generates TBinaryProtocol driver.

Usage

TBinaryProtocolFactory

Format

An [R6Class](#) generator object

TBufferedTransport

TBufferedTransport

Description

Class that wraps another transport and buffers its I/O.

Usage

TBufferedTransport

Format

An [R6Class](#) generator object

TBufferedTransportFactory

TBufferedTransportFactory

Description

TBufferedTransportFactory generates TBufferedTransport.

Usage

TBufferedTransportFactory

Format

An [R6Class](#) generator object

TClient	<i>TClient</i>
---------	----------------

Description

TClient implements client api of thrift service.

Usage

TClient

Format

An [R6Class](#) generator object

TMemoryBuffer	<i>TMemoryBuffer</i>
---------------	----------------------

Description

Wraps a raw array as a TTransport.

Usage

TMemoryBuffer

Format

An [R6Class](#) generator object

to_proper_struct	<i>to_proper_struct</i>
------------------	-------------------------

Description

Help method for tests. It changes predefined structure to parsed thrift instead of parsing file.

Usage

```
to_proper_struct(thrift_spec_list, default_spec)
```

Arguments

thrift_spec_list	raw array
default_spec	separation character

Value

R6 class

TPayload*TPayload*

Description

Base class for all complex types of api.

Usage

TPayload

FormatAn [R6Class](#) generator object

TServerSocket*TServerSocket*

Description

Socket implementation for server side.

Usage

TServerSocket

FormatAn [R6Class](#) generator object

TSocket*TSocket*

Description

Socket implementation for client side.

Usage

TSocket

FormatAn [R6Class](#) generator object

TType	<i>TType</i>
-------	--------------

Description

Identificator of value type.

Usage

TType

Format

An object of class environment of length 18.

t_load	<i>Load thrift file as a R6 instance.</i>
--------	---

Description

The module loaded and objects inside may only be pickled if module_name was provided.

Usage

```
t_load(path, module_name = NA, include_dirs = NA)
```

Arguments

path	file path to parse, should be a string ending with '.thrift'
module_name	the name for parsed module, the default is the basename without extension of 'path'
include_dirs	directories to find thrift files while processing the 'include' directive, by default: ['.']

Value

Thrift R6 class instance

Index

* datasets

- TBinaryProtocol, [7](#)
- TBinaryProtocolFactory, [8](#)
- TBufferedTransport, [8](#)
- TBufferedTransportFactory, [8](#)
- TClient, [9](#)
- TMemoryBuffer, [9](#)
- TPayload, [10](#)
- TServerSocket, [10](#)
- TSocket, [10](#)
- TType, [11](#)

binary_read_val, [2](#)
binary_write_val, [3](#)

hexlify, [3](#)

make_client, [4](#)
make_server, [5](#)

parse, [6](#)
parse_spec, [7](#)

R6Class, [7–10](#)

t_load, [11](#)
TBinaryProtocol, [7](#)
TBinaryProtocolFactory, [8](#)
TBufferedTransport, [8](#)
TBufferedTransportFactory, [8](#)
TClient, [9](#)
TMemoryBuffer, [9](#)
to_proper_struct, [9](#)
TPayload, [10](#)
TServerSocket, [10](#)
TSocket, [10](#)
TType, [11](#)